Permit No. G. 2755

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	corporation, give date and place of incorporation
	searest stream to which the well, tunnel or other source of water development is
ituated North	Portland Harbor (Name of Stream)
	tributary of
	water which the applicant intends to apply to beneficial use is L. 22.3 cubic Q gallons per minute.
3. The use to whi	ch the water is to be applied is Irraguition at Landscaped
madside area	ch the water is to be applied is 11/19 gettion of Landrage A
. 4. The well or oth	er source is located 1385 ft. N and 7/C ft. W from the SE
orner of Sec	4Section or subdivision)
	(If preferable, give distance and bearing to section corner)
peing within the SE	there is more than one we", each must be described. Use separate about if necessary) 1/4 SW 1/4 NE /4 SE/4nf Sec. 4, Twp. / N, R. / E, Mu/Moinath
	to be miles
n length, terminating in	the of Sec, Twp
	e proposed location being shown throughout on the accompanying map.
	ne well or other works is
o. The Name of the	
	DESCRIPTION OF WORKS
7. If the flow to b supply when not in use	be utilized is artesian, the works to be used for the control and conservation of the must be described.
,	
	;
••••••	······

ryate. At Res	agate: wath on to	p (at water l	ine)	feet; width on bol
***************************************	feet; depth of wa	ter	feet; grade	feet fall per
usand feet.				
`(b) At	mi	iles from head	igate: wiath on top (at water line	·
			feet; depth of water	
	•		•	
	jeet fall p		•	_
			size at intake,in.; i	
· .		•	o f use in.; differe	
ke and place	of use,	ft.	Is grade uniform?	Estimated capa
	sec. ft.		· •	
10. If pum	ips are to be used,	give size and	type	······································
***********************	• • • • • • • • • • • • • • • • • • • •	••••••		
Give horse	power and type of	f motor or en	gine to be used	
	9 41 4 41 1		other development work is less the	
difference in	elevation between	n the stream	bed and the ground surface at th	se source of develops
			lace of use Della Park	
12. Locati	ion of area to be in	rrigated, or p	lace of use DE //A PAIK /	Number Agree To Be Irrigated
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Number Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE //A PAIK /	Northange
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A
12. Locati	ion of area to be in	rrigated, or p	lace of use DE/IA PAIK /	Mumber Agree To Be Irrigated En 4 A

13. To supply the city of	
	1 000 000 000 000 000 000 000 000 0000 0000
county benis	ng a present population of
d an estimated population of	
AMERICA CONTROLLA	IA, IS, IA, IT AND IS IN ALL CASES
14. Estimated cost of proposed works,	\$
	before Dec 1st 1964
	•
16. Construction work will be complete	ed on or before Tel. 1 st 1 765
	_
17. The water will be completely appli	ed to the proposed use on or before will 36, 196
12. If the ground weter supply is su	oplemental to an existing water supply, identify any app
tion for permit, permit, certificate or ad	judicated right to appropriate water, made or held by t
plicant.	
	A. IIIOT
	Mark Helitap
Remarks:	Landscape Cogineer
Legal Coschipe 1612	other Thun attached may
too a will be fund	hed if moversing
haliba dalah bifa di tanin dani bi taman di di bibi bidi bisabig	helitaribaha di hampaha banda banda bata balan banda b
/	
•	
•	
•	
······	
•	
•	
	· .
	•
TATE OF OREGON,	•
} 22.	
County of Marion,	
County of Marion,	ed the foregoing application, together with the accompany
County of Marion, This is to certify that I have examine	
County of Marion, This is to certify that I have examine	ed the foregoing application, together with the accompany
County of Marion, This is to certify that I have examine	
County of Marion, This is to certify that I have examinates and data, and return the same for	
County of Marion, This is to certify that I have examinates and data, and return the same for	
County of Marion, This is to certify that I have examinately and data, and return the same for In order to retain its priority, this approach the same for the same for	oplication must be returned to the State Engineer, with cor
County of Marion, This is to certify that I have examinately and data, and return the same for In order to retain its priority, this approach the same for the same for	oplication must be returned to the State Engineer, with corr
County of Marion, This is to certify that I have examinate and data, and return the same for In order to retain its priority, this approach to the same for the same for	oplication must be returned to the State Engineer, with corr
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corr
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn, 19
County of Marion, This is to certify that I have examinates and data, and return the same for In order to retain its priority, this approach on or before	oplication must be returned to the State Engineer, with corn

County of Merion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				be applied to beneficial use	
				nt of diversion from the we	ell or
arce of appr	opriation, or its	equivalent in case of rotat	ion with other water	users, from a Well	
The use	to which this w	pater is to be applied is	irrigation		•••••••
					· · · · · · · · · · · · · · · · · · ·
If for in	rigation, this ap	propriation shall be limite	d to 1/80th	of one cubic foot per s	econd 1
its equival	ent for each acro	e irrigated and shall be fi	irther limited to a di	version of not to exceed	<u>2</u>
				ach year;	

• • • • • • • • • • • • • • • • • • • •					
				· · · · · · · · · · · · · · · · · · ·	
			_		
					······
d shall ba	subject to such	reasonable rotation system	n as may be ordered	l by the proper state office	7 .
The wre, adequa	orks constructed te to determine	d shall include an air line water level elevation in reall and maintain a weir	e and pressure gauge the well at all time: r. meter, or other sui	waste of ground water. e or an access port for med s. table measuring device, an	
The w ne, adequa The p eep a comp	orks constructed to determine ermittee shall in lete record of the riority date of the	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water this permit is	e and pressure gauge the well at all time r, meter, or other sui er withdrawn.	e or an access port for meds. table measuring device, an ember 3, 1964	
The w ne, adequa The peep a comp The p	orks constructed to determine ermittee shall in lete record of the riority date of the	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water this permit is	e and pressure gauge the well at all time r, meter, or other sui er withdrawn.	e or an access port for meds. table measuring device, an ember 3, 1964	d shal
The w ne, adequa The po eep a comp The p Actua	orks constructed to to determine ermittee shall in lete record of the riority date of the construction under prosecuted was expressed to the construction of the the construct	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water level between the services are shall begin on or befuith reasonable diligence	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore Jar and be completed of	e or an access port for meds. table measuring device, and ember 3, 1964 nuary 8, 1966 and on or before October 1, 19	d shal
The weare, adequa The posep a comp The posep Actua	orks constructed to to determine ermittee shall in lete record of the riority date of the construction under prosecuted was expressed to the construction of the the construct	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water level between the services are shall begin on or befuith reasonable diligence	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore Jar and be completed of	e or an access port for meds. table measuring device, and ember 3, 1964 nuary 8, 1966 and on or before October 1, 19	d shai
The water and a comp The part of the part	orks constructed to to determine ermittee shall in lete record of the riority date of the construction under prosecuted we be prosecuted would be application	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water level between the services are shall begin on or befuith reasonable diligence	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	e or an access port for meds. table measuring device, an tember 3, 1964	d shai
The w ne, adequa The pe eep a comp The p Actua hereafter b	orks constructed to to determine ermittee shall in lete record of the riority date of the construction under prosecuted we be prosecuted would be application	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to the proposition of the water to the proposition of the water to the proposition of the water to the proposition water to the proposition of the water to the proposition water to the propos	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	e or an access port for meds. table measuring device, and ember 3, 1964 nuary 8, 1966 and on or before October 1, 19	d shal
The water adequates The poster a comp The poster Actual hereafter before Comp	orks constructed to to determine ermittee shall in lete record of the riority date of the construction under prosecuted we be prosecuted would be application	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	table measuring device, and searcher 3, 1964. The control of the	d shai
The water, adequate The poster a comp The poster Actual thereafter before Comp	orks constructed to to determine ermittee shall in lete record of the riority date of the construction we prosecuted we be prosecuted where application NESS my hand the state of the construction where application was a second to the construction where application was a second to the construction where application was a second to the construction was a second to the construction where the construction was a second to the construction was a second to the construction where the construction was a second to the construction where the construction was a second to the construction where the construction was a second to the construction where the construction was a second to the construction was a second to the construction where the construction was a se	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	table measuring device, and sember 3, 1964. nuary 8, 1966 and on or before October 1, 1965.	d sha
The water, adequate The poster a comp The poster a comp Actual tereafter become WITH	orks constructed to to determine ermittee shall in lete record of the riority date of the construction was prosecuted we be prosecuted workers my hand to the construction of the prosecuted where application was a supplication of the construction of the construction of the prosecuted where application was a supplication of the construction of th	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	table measuring device, and searcher 3, 1964. The control of the	d sha
The water, adequate The poster a comp The poster a comp Actual tereafter become WITH	orks constructed to determine ermittee shall in lete record of the riority date of the construction under prosecuted workers my hand to NESS my hand to QUO ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	table measuring device, and searcher 3, 1964. The control of the	d sha
The water, adequated The poster a comp The poster a comp Actual thereafter a comp WITH	orks constructed to determine ermittee shall in lete record of the riority date of the construction under prosecuted workers my hand to NESS my hand to QUO ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	s and pressure gaughthe well at all times, meter, or other suiter withdrawn. Sept. ore and be completed of the completed o	table measuring device, and searcher 3, 1964. The control of the	d shall d shal
The water and a composition of the parties of the p	orks constructed to determine ermittee shall in lete record of the riority date of the construction under prosecuted workers my hand to NESS my hand to QUO ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	s and pressure gaughthe well at all times, meter, or other suiter withdrawn. Sept. ore and be completed of the completed o	table measuring device, and searcher 3, 1964. The control of the	d shall d shal
The water and a composition of the parties of the p	orks constructed to determine ermittee shall in lete record of the riority date of the construction under prosecuted workers my hand to NESS my hand to QUO ALL ALL ALL ALL ALL ALL ALL ALL ALL AL	d shall include an air line water level elevation in ustall and maintain a weight amount of ground water to shall begin on or beforth reasonable diligence of the water to the proposition	s and pressure gaughthe well at all times, meter, or other suiter withdrawn. Sept. ore and be completed of the completed o	table measuring device, and searcher 3, 1964. The control of the	d shall d shal
The w ne, adequa The pe eep a comp The p Actua hereafter b	THATE TOTAL TO	water level elevation in water level elevation in water level elevation in ustall and maintain a weight amount of ground water amount of ground water is permit is work shall begin on or before the water to the proposition. Ath day of water levels and of the water to the proposition.	e and pressure gauge the well at all time r, meter, or other sui er withdrawn. Sept ore and be completed of ored use shall be made	table measuring device, and seater 3, 1964 and or before October 1, 1965 and state EN STATE E	d shall d shal

Sun Practice