

RECEIVED  
SEP 9 1964  
STATE ENGINEER  
TAMM

Permit No. G- 2756

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

1. William E. Dial  
(Name of applicant)  
of Rt. 3, Box 181 Milton Freewater, county of Umatilla  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East prong of little Walla Walla River  
(Name of stream)  
tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 40 gallons per minute.

3. The use to which the water is to be applied is Pasture and Hay land

4. The well is located N. 22 7/8 West 2 3/4 S of  
from S.E. Cor. of NE 4 of SW 4 Sec. 23  
Sp. 6 N. R. 35 E. Twp. 6 N.

(If there is more than one well each must be described. Use separate sheet if necessary)  
being within the N. E 1/4 of S. W. 4 of Sec. 23 Twp. 6 N R. 35 E  
W. M., in the county of Umatilla

5. The Main line 300 feet 4" pipe to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the N. E 1/4 of S. W. 4 of Sec. 23 Twp. 6 N  
(Smallest legal subdivision)  
R. 35 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Randy Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one Well having a  
(Give number of wells, tunnels, etc.)  
diameter of 21 inches and an estimated depth of 8 feet. It is estimated that 6  
feet of the well will require iron Casing casing. Depth to water table is estimated 27"  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type *1 1/2" intake 1 1/4" discharge*  
*Centrifugal*  
 Give horsepower and type of motor or engine to be used *1 1/2 horsepower Electric*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

*Well is 15 ft from stream-bed and ground surface at well is 3 1/2 ft above stream bed.*

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>6 N</i>	<i>3 5 E</i>	<i>23</i>	<i>N. E 4 OF S. W 4</i>	<i>7.7 acres</i>

(If more space required, attach separate sheet)

Character of soil *Black loam and some gravel spots.*  
 Kind of crops raised *Hay and Pasture*

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 350.00

15. Construction work will begin on or before \_\_\_\_\_

16. Construction work will be completed on or before Completed now

17. The water will be completely applied to the proposed use on or before Sept. 1 - 64

18. If the ground water supply is supplemental to an existing water supply, identify any appli-  
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the  
applicant. \_\_\_\_\_

William E. Dial  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_ completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before \_\_\_\_\_ December 8 \_\_\_\_\_, 19 64.

WITNESS my hand this \_\_\_\_\_ 12th \_\_\_\_\_ day of \_\_\_\_\_ October \_\_\_\_\_, 19 64.

CHRIS L. WHEELER  
STATE ENGINEER  
OCT 20 1964  
By Walt Perry  
ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 9, 1964

Actual construction work shall begin on or before January 8, 1966 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 8th day of January, 1965

Chris L. Wheeler STATE ENGINEER

Application No. G-2963  
Permit No. G-2756

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of September, 1964 at 1:00 o'clock P. M.

Returned to applicant:

Approved: January 8, 1965

Recorded in book No. 2756 of Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 7 page 54