

RECEIVED
SEP 22 1964

STATE ENGINEER
SALEM, OREGON

Permit No. G- **2758**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Weyerhaeuser Company (Name of applicant)
of P. O. Box 651 (Postoffice Address), county of Klamath
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

January 18, 1900 State of Washington

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Klamath River distance 1/2 mile South (Name of stream) tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is 669 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Manufacturing

4. The well or other source is located 188 ft. S (N or S) and 855 ft. E (E or W) from the corner of Quarter Corner Between Sections 13, Township 39 South, Range 8 East and Section 18, Township 39 South, Range 9 East (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of SW 1/4 of Sec. 18, Twp. 39 S, R. 9 E, W. M., in the county of Klamath

5. The Pipeline (Canal or pipe line) to be 500 Feet miles in length, terminating in the NW 1/4 of SW 1/4 (Smallest legal subdivision) of Sec. 18, Twp. 39 S, R. 9 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Weyerhaeuser Company Well #5

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not applicable

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a diameter of 16" inches and an estimated depth of 1,160 feet. It is estimated that 300' feet of the well will require solid wall (Kind) casing. Depth to water table is estimated 105' (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500' ft.; size at intake, 4" in.; in size at 500 ft. from intake 4 in.; size at place of use 4" in.; difference in elevation between intake and place of use, 10' ft. Is grade uniform? Yes. Estimated capacity, .75 sec. ft.

10. If pumps are to be used, give size and type 5" Turbine 15 Stage

Give horsepower and type of motor or engine to be used 40 HP Motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 39 S	R 8 E	13	SE $\frac{1}{2}$ SW $\frac{1}{2}$	- Mfg -
			NE $\frac{1}{2}$ SE $\frac{1}{2}$	
			SW $\frac{1}{2}$ SE $\frac{1}{2}$	
			SE $\frac{1}{2}$ SE $\frac{1}{2}$	
T. 39 S	R 8 E	24	NW $\frac{1}{2}$ NE $\frac{1}{2}$ (Lot 3)	"
			NE $\frac{1}{2}$ NE $\frac{1}{2}$ (Lot 3)	"
			Lot 1 NE $\frac{1}{2}$ NW $\frac{1}{2}$ (Lot 2)	"
T. 39 S	R 9 E	18	NW $\frac{1}{2}$ SW $\frac{1}{2}$ NE $\frac{1}{2}$ SW $\frac{1}{2}$	"
			SW $\frac{1}{2}$ SW $\frac{1}{2}$ SW $\frac{1}{2}$ NE $\frac{1}{2}$	"
			SE $\frac{1}{2}$ SW $\frac{1}{2}$ NW $\frac{1}{2}$ SE $\frac{1}{2}$	"
			SW $\frac{1}{2}$ NW $\frac{1}{2}$ SW $\frac{1}{2}$ SE $\frac{1}{2}$	"
			NW $\frac{1}{2}$ NW $\frac{1}{2}$	"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 25,000

15. Construction work will begin on or before Aug. 1, 1963

16. Construction work will be completed on or before Nov. 1, 1964

17. The water will be completely applied to the proposed use on or before Nov. 1, 1964

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. This well will supplement Wells 3 & 4 Permit G 342 Priority Date
Aug. 1, 1960.

WEYERHAEUSER COMPANY
KLAMATH FALLS BRANCH

Branch Mgr.
(Signature of applicant)

Remarks: _____

This well will be inter-connected to an existing water system at a
point approximately 500' West of the works covered in this application.

The additional water source will be needed for plant expansion.

This well was constructed by W.L. Hartley and Sons, Drilling
was completed July 1964.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 5

The use to which this water is to be applied is manufacturing

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 22, 1964

Actual construction work shall begin on or before January 8, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 8th day of January, 1965

Chris L. Wheeler STATE ENGINEER

Application No. G-2967

Permit No. G-2758

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of September, 1964, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

January 8, 1965

Recorded in book No. 2758 of Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 14 page 35