

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Oliver E. Steffen (Name of applicant) of Route 2 Box 287, Silverton, county of Marion state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fuding River (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 1400 ft. S and 670 ft. W from the corner of section 5 and 6 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary.)

Location on the SE 1/4 of the Sec. 6 of Sec. 6 Twp. 7 S R. 1 W W.M. in the county of Marion

The See-remarks Portable Equipment to be miles

well, that connecting to the of Sec. Twp

R. W.M. the proposed location being shown throughout on the accompanying map.

The name of the well or other works is

DESCRIPTION OF WORKS

If the flow of artesian water is to be used for the control and conservation of the water, the flow must be described.

The development well consist of Sump fed by tunnels, See remarks in number of wells, tunnels, etc. inches and an estimated depth of feet. It is estimated that

The development well require casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE --

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate, width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; in size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

10. If pumps are to be used, give size and type \_\_\_\_\_ Unknown at present

Give horsepower and type of motor or engine to be used \_\_\_\_\_

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Over 1/4 Mile, Difference in elevation about 75 Ft.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 S	1 W	6	SE <sub>4</sub> , NE <sub>4</sub>	1.0
			SW <sub>4</sub> , NE <sub>4</sub>	1.0
			NE <sub>4</sub> , SE <sub>4</sub>	1.1
			NW <sub>4</sub> , SE <sub>4</sub>	15.4
			SW <sub>4</sub> , SE <sub>4</sub>	5.0
			SE <sub>4</sub> , SE <sub>4</sub>	10.0
				<u>22.5</u>
				22.5 A.

If more space required, attach separate sheet

Checked by \_\_\_\_\_ Willamette Valley Irrigation

Field notes prepared \_\_\_\_\_ Irrigation and Surveying Co.

MUNICIPAL SUPPLY—

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

14. Estimated cost of proposed works, \$ 3000.00

15. Construction work will begin on or before Started

16. Construction work will be completed on or before Oct. 1, 1957

17. The water will be completely applied to the proposed use on or before Oct. 1, 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*[Handwritten Signature]*  
(Signature of applicant)

Remarks: Well Development will consist of one sump 55 ft. x 120 ft. being 7 ft. deep. fed by two 4 in. tile tunnels having a combined length of 1562 ft. Sump and tunnels are entirely within the S $\frac{1}{4}$  of the SE $\frac{1}{4}$  of section 6.

STATE OF OREGON, )  
                                  ) ss.  
County of Marion,  )

I hereby certify that I have examined the foregoing application, together with the accompanying \_\_\_\_\_ and data and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with correct \_\_\_\_\_ on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.

The use to which this water is to be applied is Irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be still further limited to a diversion of not to exceed 0.25 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian shall include proper capping and control valve to prevent the waste of ground water.

The well constructed shall include an air line and pressure gauge or an access port for measuring adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

Signature of the permittee

1917

Construction work shall begin on or before

1917

and shall

be completed on or before October 1, 1917

Use of the water to the proposed use shall be made on or before October 1, 1917

Witness my hand and seal this 15th day of

1917

State Engineer

PERMIT

STATE OF OREGON, DEPARTMENT OF AGRICULTURE, DIVISION OF WATER, OFFICE OF THE STATE ENGINEER, COLUMBIA, OREGON

This permit was issued to the applicant, [Name], [Address], [City], Oregon, on the 15th day of April, 1917.

Witness my hand and seal this 15th day of April, 1917.

State Engineer

Recorded in book No. 278

FILED

APR 15 1917

21.45