

RECEIVED
FEB 4 1965

STATE ENGINEER No. G-2782
SALEM, OREGON
APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, E. F. McDole
(Name of applicant)
of PO Box 183 Hermiston, county of Morrow,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Ternutella River (Name of stream) (6 Miles) tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 1.9 cubic feet per second or 640 gallons per minute.

3. The use to which the water is to be applied is irrigating 80 acres of alfalfa

4. The well or other source is located 2640 ft. N and 1320 ft. E from the S.W. corner of Sec 33 Twp 4N Range 27E W. M.
(N. or S.) (E. or W.) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the N.W. 1/4 of the SW 1/4 of Sec. 33, Twp. 4N, R. 27E W. M., in the county of Morrow

5. The pipeline (Canal or pipe line) to be 3/4 miles in length, terminating in the SW 1/4 of the SW 1/4 of Sec. 33, Twp. 4N, R. 27E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is E. F. McDole Well #4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Well #4 (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 99 feet. It is estimated that 97 feet of the well will require 12x 1/4 steel casing. Depth to water table is estimated 75
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 660' ft.; size at intake, 10" in.; in size at 660 ft. from intake 8" in.; size at place of use 8" in.; difference in elevation between intake and place of use, 0.00 ft. Is grade uniform? level Estimated capacity, 2.8 sec. ft.

10. If pumps are to be used, give size and type 8" 65 HP Deep well Turbine

Give horsepower and type of motor or engine to be used 65 HP electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 N	R 7 E	33	SW 1/4 of SW 1/4	110.00 ac.
11 N	R 7 E	33	SE 1/4 of SW 1/4	110.00 ac.

(If more space required, attach separate sheet)

Character of soil Sandy Loam
 Kind of crops raised Alfalfa

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from McDole well #4

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 4, 1965

Actual construction work shall begin on or before March 8, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 8th day of March, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3029
Permit No. G-2782

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4 day of FEBRUARY 1965, at 8:22 o'clock A. M.

Returned to applicant:

Approved: March 8, 1965

Recorded in book No. of 2782
Ground Water Permits on page 2782

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 55

State Printing

4710