

RECEIVED

FEB 2 1965

STATE ENGINEER Permit No. G-2814
SALEM, OREGON

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Thomas O. Tate (Name of applicant)

of Route 1, Box 30-A, Rogue River, county of Jackson
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Maple Creek
(Name of stream)

trib. of Evans Creek tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.21 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 590 ft. S. and 1370 ft. E. from the NW corner of Section 3
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 3, Twp. 36 S., R. 4 W., W. M., in the county of Jackson

5. The pipeline (Canal or pipe line) to be 1800 feet miles in length, terminating in the SW 1/4 NW 1/4 of Sec. 3, Twp. 36 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Tate Sump

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 sump having a diameter of _____ inches and an estimated depth of 18 feet. It is estimated that feet of the well will require _____ casing. Depth to water table is estimated 2 feet. Sump is oval - long axis is 200 ft. and width is 165 feet at center, maximum depth 18 feet with 16-foot static level.
(Kind) (Feet)

MUNICIPAL SUPPLY

2814

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4000.00
- 15. Construction work will begin on or before one year from date of priority.
- 16. Construction work will be completed on or before October 1, 1967
- 17. The water will be completely applied to the proposed use on or before October 1, 1968.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Thomas D. Tate
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Tate Sump

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 2, 1965

Actual construction work shall begin on or before April 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 22nd day of April, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3025
Permit No. G-2814

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 2nd day of February
1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

April 22, 1965

Recorded in book No. 2814
of
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 97