RECEIVED FEB 11 1965 STATE ENGINEER SALEM OREGONAPPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Orville L. Chapman
of 666 Lone Pine Dr., Junction City, county of Lane
state of Oregon , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development
situated Un-named slough (Name of stream)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is 1.61 cub feet per second or 1.275 gallons per minute. #2.61
3. The use to which the water is to be applied is 1rrigation of row crops
4. The well or other source is located 1680 ft. S and 360 ft. W from the N 1 2 1030 5 or 2) 560 W or W) N 1/Corner of 26 T16S R4W, W.M.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one we'!, each must be described. Use separate sheet if necessary)
being within the SE 1/4 NN 1/4 of Sec. 26 Twp. 16S R 4W # 2 NB 1/4 NW 1/4 W. M., in the county of Lane
5. The pipe line (Canal or pipe line) to be .27 mile
in length, terminating in the E 1/4 of SW 1/4 of Sec. 26 , Twp. 165
R. 4W W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Well #1 and Well #2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
-
8. The development will consist of 2 wells (manifolded) having (Give number of wells, tunnels, etc.)
diameter of 1.3", \$2-4 inches and an estimated depth of20 feet. It is estimated that20.
feet of the well will require Perforated casing. Depth to water table is estimated 8 (Feet)

CANAL	SYSTEM	OR	PIPE	LINE-

augute. At head	igate: wiath on top	o lat water t	ine)	feet; width on botto
	leet; depth of wate	er	feet; grade	feet fall per or
ousand feet.				
(b) At	mil	es from head	igate: width on top (at water	line)
••••••••	feet; width on b	oottom	feet; depth of wo	ter fec
ade	feet fall po	er one thous	and feet.	
(c) Length	of pipe,1400	ft.;	size at intake, 4	in.; in size at
			of usein.; di	
take and place o	of use,5	ft.	Is grade uniform? No	Estimated capaci
.61				
10. If pum	ps are to be used, g	give size and	type 4 x 3 (tw	(0
			gine to be used 15 h.	
itural stream o	ocation of the well or stream channel, elevation between	, give the d	istance to the nearest point of bed and the ground surface	<mark>on each of such c</mark> hannels o
atural stream on the difference in	or stream channel, elevation between on of area to be in	, give the d	istance to the nearest point	on each of such channels of at the source of developm
atural stream one difference in	r stream channel, elevation between	, give the d	istance to the nearest point of bed and the ground surface	on each of such channels of at the source of developm
atural stream one difference in 12. Locati	or stream channel, elevation between on of area to be ir	, give the dathe stream	istance to the nearest point of bed and the ground surface	on each of such channels of at the source of developm
atural stream one difference in 12. Locati	on of area to be in Range E. or W. of Williamette Meridian	, give the dathe stream	stance to the nearest point of bed and the ground surface lace of use Forty-acre Tract	on each of such channels of at the source of development of the source of the sourc
12. Locati Township N or 8.	or stream channel, elevation between on of area to be in Range E. or W. of Williamette Meridian	give the dathe stream rigated, or p	stance to the nearest point of bed and the ground surface bed and the ground surface blace of use Forty-scre Tract SW 1/4 NW 1/4	on each of such channels of at the source of developm. Number Acres To Be Irrigated
12. Locati Township N or 8. 165	or stream channel, elevation between on of area to be in Range of Williamette Meridian 4 W	give the dathe stream rigated, or p section 26 26	stance to the nearest point of bed and the ground surface bed and the ground surface slace of use Forty-scre Tract SW 1/4 NW 1/4 SB 1/4 NW 1/4	Number Acres To Be Irrigated 0.2 34.2
12. Locati Township N or 8. 16S 16S	or stream channel, elevation between on of area to be in Range Rorw of Williamette Meridian 4W.	give the dathe stream rigated, or p Section 26 26 26	stance to the nearest point of bed and the ground surface bed and the ground surface lace of use Forty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 SW 1/4 NE 1/4	Number Acres To Be Irrigated 1.1
atural stream of the difference in 12. Locati Township N or 8. 16S 16S 16S	or stream channel, elevation between on of area to be in Range Range of Williamette Meridian 4W 4W 4W	give the dathe stream rigated, or p Section 26 26 26 26	stance to the nearest point of bed and the ground surface of use Porty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 SW 1/4 NE 1/4 NE 1/4 SW 1/4	Number Acres To Be Irrigated 0.2 34.2 1.1
12. Locati Township N or 8. 16S 16S 16S 16S	or stream channel, elevation between on of area to be in Range Rorw of Williamette Meridian 4W 4W 4W	give the dathe stream rigated, or p section 26 26 26 26	stance to the nearest point of bed and the ground surface bed and the groun	Number Acres To Be Irrigated 1.1 4.0
12. Locati Township N or 8. 16S 16S 16S 16S 16S	on of area to be in Renge of Willemette Meridian 4 W 4 W 4 W	give the dathe stream rigated, or p section 26 26 26 26 26	stance to the nearest point of bed and the ground surface of use Forty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4	Number Acres To Be Irrigated 1.1 4.0
12. Locati Township N or 8. 16S 16S 16S 16S 16S	on of area to be in Renge of Willemette Meridian 4 W 4 W 4 W	give the dathe stream rigated, or p section 26 26 26 26 26	stance to the nearest point of bed and the ground surface of use Forty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4	Number Acres To Be Irrigated 1.1 4.0
atural stream of the difference in 12. Location 12. Location 16. Locat	on of area to be in Renge of Willemette Meridian 4 W 4 W 4 W	give the dathe stream rigated, or p section 26 26 26 26 26	stance to the nearest point of bed and the ground surface of use Forty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4	Number Acres To Be Irrigated 1.1 4.0
atural stream of the difference in 12. Location 12. Location 16. Locat	on of area to be in Renge of Willemette Meridian 4 W 4 W 4 W	give the dathe stream rigated, or p section 26 26 26 26 26	stance to the nearest point of bed and the ground surface of use Forty-acre Tract SW 1/4 NW 1/4 SW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4 NW 1/4	Number Acres To Be Irrigated 1.1 4.0

2818
•
•••••
June 15, 1966
y, identify any appli- made or held by the
٥
····
Janesenz
······································
•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••
th the accompanying
•••••••••••••••••••••••••••••••••••••••

	ving a present population of
n estimated population of	in 19
14. Estimated cost of proposed world	ke, \$ 2400
15. Construction work will begin on	or before constructed ·
k	leted on or before June 15, 1966
	. · · · · · · · · · · · · · · · · · · ·
	plied to the proposed use on or before June 15, 19
18. If the ground water supply is a for permit, permit, certificate or	supplemental to an existing water supply, identify any adjudicated right to appropriate water, made or held b
eant,	and a special control of the control
	· Comme Co Co for uns
Remarks:	(algranure or applicage)
	·
•	•
E OF OREGON, }	
unty of Marion,	
This is to certify that I have examin	ed the foregoing application, together with the accompan
and data, and return the same for	
In order to retain its priority, this ap	oplication must be returned to the State Engineer, with co
on or before	•
	lay of, 19
	MAN UI

MUNICIPAL SUPPLY_

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		HTS and the following			lind to hanaf	icial use and
· ·		is limited to the amoun				
*	* *	cubic feet per second quivalent in case of roto				
The u	se to which this wo	nter is to be applied is	ir	rigation	o	
If for		ropriation shall be limi				•
	,	irrigated and shall be	•			_
		e irrigated during the				
			· /			······
	•					
	•					
***************************************	······			•	·	
***************************************			•••••		, 	
		easonable rotation syst				
the works	shall include prope	l as necessary in accorder capping and control	valve to prev	ent the waste	oj grouna wi	ater.
The line adequ	works constructed ate to determine t	shall include an air li water level elevation i	ne and press n the well at	ure gauge or an all times.	access port	for measuring
The	priority date of thi	s permit is	F4	ebruary11,1	•	
		rk shall begin on or be				
thereafter	be prosecuted wit	th reasonable diligence	and be com	ipleted on or b	efore Octobe	# 1, 19 <u>00</u>
					, kafama Oato	ham 1 10 67
Com	iplete application o	of the water to the prop	osea use sna	il be made on or	r bejore Octo	оет 1, 19 . 9 і
31717	INECC hand th	is 22nd day of	 A-	nril	1965	
WII	NESS my nana in	is	e)	Dele	and the	2
	•			,		STATE ENGINEER
	ļ.	the	8 9 0 0 4		of 18	5
30	מאט	ed in M.			58	NION
5-30 2818	GROUNE	eceivo Salem		· 5		TATE
6 5	T THE THE IE ST ON	r at S		,	bade	A HEREILE
Vo. G	PERMIT PRIATE THI US OF THE OF OREGON	was fi inginee of	:	8	c No.	, o
Application No. G-G-	m = -	nent u ste En day of	olican	17.20	. book Perm	CHRIS
Application Permit No.	P.	trum Sto	to apj		led in Tater	
Ap Pe	70 A W	5 5 8	Returned to applicant	A pproved:	Recorded in book NoGround Water Permits on page	
	۲	This office of the	Retu	App	G 72	
	•	*				