RECEIVED FED 18 1965 STATE ENGINEER No. G. 2833 SALEM. CREGON PLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

tate of	ate the
•	
V	
1. Give name of nearest stream to which the well, tunnel or other source of water developm	ment i
nituated Warm Springs	
rituated Warm Operings (Name of stream)	
tributary of Silvies Kin	<u> ሥየ ሊ</u>
2. The amount of water which the applicant intends to apply to beneficial use is	cubi
3. The use to which the water is to be applied is Is regulation.	
5. The use to which the water is to be applied is	•••••
4. The well or other source is located 138 ft. 5 and 228 ft. E from the (M. or 2)	W. 1/4,
corner of Section 36 Twyship 23 5 Range 30 E W ?	n
(If preferable, give distance and bearing to section corner)	*********
(If there is more than one we!", each must be described. Use separate sheet if necessary) being within the NW/4 SW/4 of Sec. 36, Twp. 235, R. 36	O E
W. M., in the country of Harriey	
5. The ditches to be about 3/4	-mil
(cartal or pipe late) //	
in length, terminating in the XW/4 SW/4 of Sec. 36, Twp. 2	35
R. 30 E, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is May Fouldin Well	•
o. The name of the well of other works is 77004	· -
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation	6 41
supply when not in use must be described.	i oj tr
artision agel when not in use	
	•••••
111.00	
8. The development will consist of (Give number of wells, tunnels, etc.)	_
diameter of	, 0.7
feet of the well will require casing. Depth to water table is estimated 2	Xect
ve aire arthuren Plan	(F 44)
	·····•

	OR PIPE LINE-		ial where materially changed i	in size, statina miles	
	•				
•	-		feet; width on bo		
fe	et; depth of wate	er	feet; grade	feet fall pe	
sand feet.		,	•		
(b) At	mil.	es from headg	ate: width on top (at water lin	e)	
	feet; width on b	ottom	feet; depth of water		
	feet fall po	er one thousan	d feet.		
(c) Length	of pipe,	ft.; si	ze at intake, in.;	in size at	
intake	in.; si	ize at place of	usein.; differ	ence in elevation be	
ke and place of	use,	ft. Is	grade uniform?	Estimated cap	
	sec. ft.				
	•	nive size and tu	pe nove		
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	•	•	re to be used		
ural stream or	stream channel	give the dist	uer development work is less the ance to the nearest point on a	each of such channe	
ural stream or difference in e	stream channel, levation between	give the dist	ner development work is less the ance to the nearest point on a and the ground surface at the ground surface a	han one-fourth mile grach of such channe the source of develo	
ural stream or difference in e	stream channel, levation between	give the dist	uer development work is less the ance to the nearest point on a	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile geach of such channe the source of develo	
ural stream or difference in e	stream channel, levation between	give the dist	ner development work is less than to the nearest point on a dand the ground surface at the second surface at t	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	give the dist the stream be	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	rigated, or place	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	
ural stream or difference in e	n of area to be ir	rigated, or place	ner development work is less the ance to the nearest point on a and the ground surface at the area of use	han one-fourth mile teach of such channe the source of develo	

Character of soil Sandy Fram

Kind of crops raised grass and grains

NICIPAL SUPPLY—		607.5K5
JRICIPAL SUPPLY— 13. To supply the city of	^	
	*	
county, having	g a present population of	
d an estimated population of	in 19	
AMENUER OFFICERS 1	14, 15, 16, 17 AND 18 IN ALL CA	LPS
ge g		
14. Estimated cost of proposed works,	2063.00	\hat{i}
25. Construction work will begin on or	before 7st 30-196	5
16. Construction work will be completed		, , , , , , , , , , , , , , , , , , ,
19. Construction work will be completed	as on or bejore	0 1917
17. The water will be completely applie	ed to the proposed use on or befo	re func
12. If the ground water supply is sup	plemental to an existing water	supply, identify any appl
tion for permit, permit, certificate or adj	judicated right to appropriate	water, made or new by w
plicant.	***************************************	•••••••••••••••••••••••••••••••••••••••
	71 1 71	
	Hazel M	re of applicant)
Remarks:	·	······································
		· .
	***************************************	•••••••••••••••••••••••••••••••••••••••
	······································	•••••

	••••	
·		
	,	
	······································	
	*	
TATE OF OREGON,	•	
County of Marion,	•	•
	. 1 41	
This is to certify that I have examin	ned the foregoing application, to	getner with the accompany
naps and data, and return the same for		•••••••••••••
	•	
In order to retain its priority, this a	pplication must be returned to t	re State Engineer, with cor
tions on or before	 , 19	•
•		•
	lay of	, 19
WITNESS my hand this d		
WITNESS my hand this d		
WITNESS my hand this d		

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

	. •	GHTS and the followin d is limited to the amo			•	eneficial use and
shall not ex	ceed 0.48	cubic feet per seco	nd measi	ired at the poir	nt of diversion	from the well or
source of a	opropriation, or its	equivalent in case of re	otation w	ith other water	users, from G	ouldin Well
The	use to which this t	vater is to be applied i	s	supplement	al irrigati	on.
If for	r irrigation, this ap	propriation shall be lin	nited to	1/80th	of one cubi	c foot per second
or its equit	valent for each acr	e irrigated and shall b	e further	limited to a div	version of not t	o exceed3
acre feet p	er acre for each ac	ere irrigated during th	e irrigati	on season of ed	ich year;pro	vided further
that the	right allowed	herein shall be li	imited 1	o any defic	iency in th	e available
supply o	any prior ris	ht existing for th	de same.	land and sh	all not exc	eed the
limitati	on allowed here	in.	••••	••••••	······································	•••••••••••••••••••••••••••••••••••••••
~~~			••••			
·				••••••	•	•
			••••		•	•••••••••••••••••••••••••••••••••••••••
	•	reasonable rotation sys				•
		d as necessary in accor er capping and control				
The line, adequ	works constructed ate to determine	l shall include an air l water level elevation	ine and p in the we	ressure gauge ell at all times.	or an access p	ort for measuring
The keep a con	permittee shall in aplete record of th	stall and maintain a w e amount of ground w	eir, mete ater with	r, or other suite drawn.	able measuring	device, and shall
		·			10/5	
		is permit is				
		ork shall begin on or b				and shall
		th reasonable diligenc			•	
		of the water to the pro	po;ed u se		on or before O	ctober 1, 19
WIT	NESS my hand th	is day of	•••••	Hay	, 19	9) 7)
	•.			Okano	Z. J. Kar	STATE ENGINEER
	<u> </u>			! • • • • • • • • • • • • • • • • • • •	ः कु	
	Č.	in ti			2833	DATE OF THE STATE
ž 65	ROU	eived			, CA	7. XX
6.3094 2833	III THE GROUND HE STATE	nt south			age	TATE STAT
<u>ن</u>	RMIT ATE THE OF THE	This instrument was first received in the ce of the State Engineer at Salem, Oregon, he 18th day of LEDCUZING			1965 70.	/A. p
Application No. Permit No. G	ш ш .	nt was fi Enginee y of .LE	ent:		Recorded in book No	CHRIS L.
Application Permit No.	PI APPROPR WATERS OF	etrumen Le State H. day B:00	oplada		in bo	CHRIS L. Drainage Basin No.
Appli Perm	APPI WA7	the S	d to a		rded Wate	aga ,
. ~	2	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of FEDCUZIFY.	Returned to applicant:	Approved	May 20, 1.965 Recorded in book No. Ground Water Permits on page	Drai
		\$ 8 %	Z	Ap	£	