2864

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	pplicent) Mulitnomah	
712 S. E. Hewthorne 81vd.	, county of	·····,
ate of	eby make application for a permit to appropriate gon, SUBJECT TO EXISTING RIGHTS:	the
If the applicant is a corporation, give date and pla	ace of incorporation	,
OREGON	<u>. · · · · · · · · · · · · · · · · · · ·</u>	
1. Give name of nearest stream to which the w	vell, tunnel or other source of water developmen	it is
ituated Molialla River	Name of stream)	
	tributary ofWillamette River	•••••
2. The amount of water which the applicant in leet per second or400 gallons per minute.	ntends to apply to beneficial use isc	ubic
3. The use to which the water is to be applied:	is Irrigation	
4. The well or other source is located2080 f	ft. N. and 1900 ft. E. from the S.	,E ,
corner of Sec. 17		
	Crick of Official Server)	
(1f prederable, give distance an	nil bearing to section corner)	
being within the NM L SE L	described. Use separate short if accessary)	E
W. M., in the county ofClackanas	•	
5. The(Canal or pipe line)	to be 1	niles
in length, terminating in the	of Sec. , Twp.	••••••
R, W. M., the proposed location being sho		•
6. The name of the well or other works is		
DESCRIPTIO	ON OF WORKS	
7. If the flow to be utilized is artesian, the wor supply when not in use must be described.	rks to be used for the control and conservation o	
7. If the flow to be utilized is artesian, the wor supply when not in use must be described.	rks to be used for the control and conservation o	
7. If the flow to be utilized is artesian, the wor supply when not in use must be described.	rks to be used for the control and conservation o	•••••
7. If the flow to be utilized is artesian, the wor supply when not in use must be described.	rks to be used for the control and conservation o	••••••
7. If the flow to be utilized is artesian, the wor supply when not in use must be described. 8. The development will consist of	rks to be used for the control and conservation of the control and	ing
7. If the flow to be utilized is artesian, the wor supply when not in use must be described.	(1) wes 11 have (Give number of wells, tunnels, etc.) have 138 feet. It is estimated that 12.	ring

	•		4		
TARRAT	CVCTPM	AD.	DIDE	TINE.	

jate. At head	gate: width on top	(at water line)		jeer, waarr	on conc.
f	eet; depth of water		feet; grade	feet fa	ill per on
and feet.					· -
(b) At	mile	s from headgate:	width on top (at water	line)	•••••
	•		feet; depth of wa		
. :	feet fall pe				
			t intake,i	n.; in size at	 :
intáke	in.; si:	ze at place of use .	in.; dij	ference in elebation	n betwee
ke and place o	fuse.	ft. Is gro	de uniform?	Estimate	d capacit
•	eec ft	•	1		
. 10 76 m.m.	ne are to be used. (I	ine size and tupe	Capacity 400 GPM	Turbine bowls	F-M
10. IJ puni	ps are to be ascu, y		:		•••••••
	***************************************		o be used 25 HP	ELECTRIC	
Give horse	power and type of	motor or engine a	y de Baco		
	bammal	wise the distance	development work is let e to the nearest point (nd the ground surface	on each of such ci	TOTAL CO.
ural stream of difference in	or stream channel, elevation between	give the distance the stream bed a	e to the nearest point (at the source of d	tourners a
ural stream of difference in	or stream channel, elevation between	give the distance the stream bed a	e to the nearest point of the ground surface	at the source of d	tourners a
ural stream of difference in 12. Locati	or stream channel, elevation between	give the distance the stream bed a	of useEntire_150	at the source of d	tourners a
ural stream of difference in 12. Location 12. Location 13. er 6.	ion of area to be in	rigated, or place of	of use	at the source of d	tourners a
ural stream of difference in 12. Location 12. Location 14. cr 6.	ion of area to be in	rigated, or place of	of use Entire 150 Perty-sare Track	at the source of d acres Number To Be by	tourners a
12. Locati	ion of area to be in Range 22 or Wilsonstin Meridian	rigated, or place of	of use Entire 150 Perty-sare Track SE & ME & NW & SE &	acres Number To the lar	tourners a
12. Locati Tremble H. or 6.	ion of area to be in Range Ray Willemotte Meridian	rigated, or place of	to the nearest point of the ground surface of use	acres Aumber To Be by 4.0 5.0	tourners a
12. Locati Tourists H. or 6.	ion of area to be in Range Millemette Meridian	rigated, or place of	to the nearest point of the ground surface of use Entire 150 Perty-acre Track SE & NE & NW & SE & NE & SE & SW & SE &	acres Number To Be by 4.0 40.0 5.0 40.0	tourners a
12. Locati Township H. or 8.	ion of area to be in Range 2. or W. of Williamstin Meridian	rigated, or place of the stream bed a	to the nearest point of the ground surface of useEntire_150 Ferty-care Tract SE \frac{1}{4} NE \frac{1}{4} NW \frac{1}{4} SE \frac{1}{4} SW \frac{1}{4} SE \frac{1}{4} SE \frac{1}{4} SE \frac{1}{4} SE \frac{1}{4} SE \frac{1}{4}	acres 4.0 40.0 14.0	tourners a
12. Locati Tourism 1. T45	ion of area to be in Range 22 or Wilsonstin Meridian IE	rigated, or place of the stream bed a stream	to the nearest point of the ground surface of use	acres 4.0 40.0 5.0 14.0 10.7	tourners a
12. Locati Township H. or S.	ion of area to be in Range Willemette Meridian	rigated, or place of the stream bed a stream	to the nearest point of the ground surface of use	acres 14.0 40.0 14.0 10.7 2.0	tourners a
12. Locati Township H. or S.	ion of area to be in Range Willemette Meridian	rigated, or place of the stream bed a stream	to the nearest point of the ground surface of use	acres 4.0 40.0 5.0 40.0 14.0 10.7 2.0 32.2	tourners a
12. Locati Township H. or S.	ion of area to be in Range Willemette Meridian	rigated, or place of the stream bed a stream	to the nearest point of the ground surface of use	acres 4.0 40.0 5.0 40.0 14.0 10.7 2.0 32.2	tourners a

Kind of crops raised _____ Cane Berries

RECEIVED

CHRIS L. WHERLER

PATE BYODRESE

STATE ENCINEER
SALEM ORESONBY

· County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, . SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	eed 0.89	cubic feet per secon	id measured at t	he point of dis	version from th	ie well or
ource of app	propriation, or its	equivalent in case of ro	tation with other	r water users, j	from a wel	1
			4 1 2 2 2 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4			
The us	se to which this u	vater is to be applied is	irri	gation		
	·					
· ·		propriation shall be lim				
		e irrigated and shall be cre irrigated during the	•			
icre jeet pe	r acre for each a	cre wrighten during the	·			
			D			
\$						
			••••			
w				•		
	•••••				(**)	
the works s The i The i line, adeque The p keep a com The p Actu- thereafter	shall include prop works constructe ate to determine permittee shall in plete record of the priority date of the al construction we be prosecuted we	ed as necessary in accorder capping and control of shall include an air levater level elevation astall and maintain a whe amount of ground whis permit is	valve to preventine and pressure in the well at all eir, meter, or other ater withdrawn. April April efore May e and be complete	e gauge or an oll times. ther suitable model. 11 16, 1965 24, 1966 leted on or be the made on or	easuring device	measuring e, and shall and shall
Application No. G 36.72 Permit No. G-	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the 16 th day of April 200, at 8.00 o'clock A. M.	Returned to applicant:	Kay 24, 1965	Recorded in book No. 2864 Ground Water Permits on page CHRIS L. WEKGER	Drainage Basin No. 2 page 36. Z