

ENGINEER
STATE ENGINEER

CERTIFICATE NO. 38384

Permit No. G-2874

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, L. E. Pearson (Name of applicant) of 303 N. W. Furnish, Pendleton, Oregon (Postoffice Address), county of Umatilla state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Umatilla River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 7 1/2 cubic feet per second or 3400 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1396 ft. S (N. or S.) and 3696 ft. E (E. or W.) from the N.W. corner of Section 24 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the North 1/2 SW 1/4 NE 1/4 of Sec. 24, Twp. 4N, R. 29E, W. M., in the county of Umatilla

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 300 feet. It is estimated that 200 feet of the well will require steel (Kind) casing. Depth to water table is estimated (Feet)

300 feet

2874

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5,200 ft.; size at intake, 8" in.; in size at 5200 ft. estimate
 from intake Six in.; size at place of use 4" in.; difference in elevation between estimate
 intake and place of use, same ft. Is grade uniform? Yes Estimated capacity, 7½ c.f.s. sec-ft.

10. If pumps are to be used, give size and type depends upon depth at which water is tapped

Give horsepower and type of motor or engine to be used unsure until well completed

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4, North	29 52 East	24	NE½ and SE½	480
4 North	29 52 East	23	NE½ of SE½	40
4 North	29 52 East	23	E½ of SE¼ of NE½	20
4 North	29 52 East	23	NE¼ of NE¼	40
4 North	29 52 East	23	E¼ of NW¼ of NE¼	20

(If more space required, attach separate sheet)

Character of soil sandy loam
 Kind of crops raised legumes, row crops and grasses

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3500.00
- 15. Construction work will begin on or before February 13, 1965
- 16. Construction work will be completed on or before February 13, 1966
- 17. The water will be completely applied to the proposed use on or before February 13, 1966
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

X. E. Pedersen
(Signature of applicant)

Remarks: No water has been tapped as yet. Construction has begun on the well but until water is reached the depth of the well and the equipment put on the well will be unascertained.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 22, 1965.

WITNESS my hand this 21 day of April, 1965



CHRIS L. WHEELER
STATE ENGINEER

By *Walter Long*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.5 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 8, 1965

Actual construction work shall begin on or before June 25, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 25th day of June, 1965.

Chris L. Wheeler
STATE ENGINEER

Application No. G-3021
Permit No. G-2874

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of April,
1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:
June 25, 1965

Recorded in book No. 2874 of
Ground Water Permits on page 55

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 55

State Printing
50