



Permit No. G-2877

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, NORMAN BUTLER (Name of applicant)
of Rt 2 BAKER (Postoffice Address), county of BAKER,
state of OREGON, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Pine Cr - trib 2 Powder R
(Name of stream) tributary of Snake R.

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or _____ gallons per minute. #1-3.0 cfs, #2-2.42 cfs, #3-0.73 cfs.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located _____ ft. (N. or S.) and _____ ft. (E. or W.)
from the _____
corner of _____ (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the _____ of Sec. _____, Twp. _____, R. _____,
W. M., in the county of _____

5. The _____ (Canal or pipe line) to be _____ miles
in length, terminating in the _____ (Smallest legal subdivision) of Sec. _____, Twp. _____,
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 3 gravel pits (Give number of wells, tunnels, etc.) having a
diameter of _____ inches and an estimated depth of 15-20 feet. It is estimated that _____
feet of the well will require _____ casing. Depth to water table is estimated _____ (Feet)
(Kind)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

X 10. If pumps are to be used, give size and type 4" to 6" centrifugal pumps

Give horsepower and type of motor or engine to be used U-D-6 International
5.2 horsepower

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Pit #3 is located 320' S of PINE CR. and about 10' higher

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Pit #1	85	39E	19 NE 1/4 SE 1/4	20.0
			NW 1/4 SE 1/4	10.0
			SW 1/4 SE 1/4	10.0
			SE 1/4 SE 1/4	20.0
Pit #2	85	39E	20 SW 1/4 SW 1/4	10.0
			29 NE 1/4 NW 1/4	30.0
			NW 1/4 NW 1/4	25.0
Pit #3	85	39E	29 NW 1/4 SW 1/4	29.0
				29.0

(If more space required, attach separate sheet)

Character of soil Loam & Gravel

Kind of crops raised Hay, Grain Pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- X 14. Estimated cost of proposed works, \$ 5000 to 12000
- X 15. Construction work will begin on or before has been started
- X 16. Construction work will be completed on or before 17 July 1967
- X 17. The water will be completely applied to the proposed use on or before July 1967

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. G-1751, 29158, 29805, 4018

Morgan R. Sten.
(Signature of applicant)

Remarks:

Gravel Pit #1 940 ft S & 220' W of E 1/4 Cor sec 19
being within the NE 1/4 SE 1/4 sec 19.

Gravel Pit #2 580' S & 380' E of NW ^{1/4} cor sec 29
being within NW 1/4 NW 1/4 sec 29.

Gravel Pit #3 750' S & 170' E of W 1/4 cor sec 29
being within the NW 1/4 SW 1/4 sec 29.

All in T 8 S., R 39 E W 1/2 Boxer County.

Gravel Pit #2 is to be augmented by up to 0.73 cfs of the waters of an unnamed draw which flow into it.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.09 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from three gravel pits; being 1.5 c.f.s., from No. 1, 1.23 c.f.s., from No. 2, and 0.36 c.f.s., from No. 3

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 14, 1965

Actual construction work shall begin on or before June 25, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 25th day of June, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3075

Permit No. G-2877

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of April, 1965, at 1:00 o'clock P.M.

Returned to applicant:

Approved:

June 25, 1965

Recorded in book No. 2877 of

Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 9 page 45