

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, The Athena Mill Co. (Name of applicant)

of Athena, county of Umatilla (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Salem, Oregon 30 December 1954

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Wild Horse Creek (Name of stream)

tributary of Umatilla

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 80 gallons per minute. (At peak periods)

3. The use to which the water is to be applied is fire protection and to maintain water level in log pond

4. The well or other source is located ft. and ft. from the

Bearing to the NW Corner of Section 19, Township 4 North Range 35 EWM is North 30° 30' West. Distance 2070 Feet. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If the well or other source is to be described on a separate sheet, if necessary)

SW 1/4 of NW 1/4 of Sec. 19, Twp. 4 North R. 35 EWM

Umatilla

Pipe Line to be Approx. 200 Feet

located in the SW 1/4 of NW 1/4 of Sec. 19, Twp. 4 N

The proposed location being shown hereon on the accompanying map.

The well to be drilled is Athena Mill Co. Well

DESCRIPTION OF WORKS

If the well is to be drilled in an artesian area, the works to be used for the control and conservation of the artesian water must be described.

Water to be delivered by pump. No artesian flow anticipated. Water will be conserved by not pumping when not required.

The proposed well will consist of One well (Give number of wells, tunnels, etc.)

12 inches and an estimated depth of 65 feet. It is estimated that 40

feet of 12" perforated casing. Depth to water table is estimated 50

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 3" in.; in size at 200 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, none ft. Is grade uniform? yes Estimated capacity, 80 GPM ~~amp~~.

10. If pumps are to be used, give size and type 80 GPM Pressure Type

Give horsepower and type of motor or engine to be used 15 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development.

More than 1/4 mile to nearest stream

12. Location of ~~area to be irrigated~~ or place of use SW 1/4 of NW 1/4 Sec. 19, Twp. 4 N, R35E

Township North-South	Range East or West of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	35 E	19	SW 1/4 of NW 1/4	None

If more space required, attach separate sheet

Soil described Athena Silt Loam

Reeds described None

MUNICIPAL SUPPLY—

13. To supply the city of Not municipal

in _____ county, having a present population of _____

and an estimated population of _____ in 19_____

14. Estimated cost of proposed works, \$_____

15. Construction work will begin on or before receipt of permit _____

16. Construction work will be completed on or before within 30 days _____

17. The water will be completely applied to the proposed use on or before within 30 days _____

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant to supplement existing supply received from the City of Athena.

The Athena Mill Co.

By: W. M. A. Wallan, Manager
(Signature of applicant)

Remarks: This well is desired to provide additional fire protection to Company's property and to assist in maintaining water level in Company's mill pond at times when City water supply is short. Well depth is to be limited to 65' and should not conflict with existing City or Rogers' Cannery Wells which are over 250 feet in depth.

STATE OF OREGON, /
County of Marion, / ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correction on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

County of Marion.

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from the "11" Co. Well

The use to which this water is to be applied is fire protection and maintenance of log piles

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 23, 1956

Actual construction work shall begin on or before July 23, 1957 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1957

WITNESS my hand this 23rd day of July 1956

State A. Stanley STATE ENGINEER

Approved: V. G. 777 Permit No. G- 289

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 23rd day of

1956, at 11 o'clock M.

Returned to applicant:

Approved:

July 23, 1956

Recorded in book No

289

Ground Water Permits on page

STATE ENGINEER

Drainage District No. 7 page 37

FILED

Filed 20 1956