

Permit No. G-2896

APPLICATION FOR A PERMIT

36206

To Appropriate the Ground Waters of the State of Oregon

I, ROBERT CHRISTENSEN AND DEAN CHRISTENSEN
(Name of applicant)
of RT 1 BOX 246 AUMSVILLE, ORE., county of MARION,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated NORTH CHANNEL SANTIAM RIVER
(Name of stream)

tributary of SANTIAM RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.218 cubic
feet per second or 97 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 360 ft. S. and 2713 ft. E. from the NW
(N or S) (E or W)
corner of SECTION 35
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 OF THE NE 1/4 of Sec. 35, Twp. 9 S, R. 2 W,
W. M., in the county of MARION ORE.

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 WELL having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 23 feet. It is estimated that 23
feet of the well will require WELDED casing. Depth to water table is estimated 8
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft.
from intake in.; size at place of use in.; difference in elevation between
intake and place of use, ft. Is grade uniform? Estimated capacity,
..... sec. ft.

10. If pumps are to be used, give size and type WORTHINGTON TYPE P.A.

Give horsepower and type of motor or engine to be used 10 HORSEPOWER

220-440 V. 50-60 CYCLES 25 AMP 3 phase 3500 RPM

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

50' to North Channel Santiam R. Difference in elevation = 6'

12. Location of area to be irrigated, or place of use

[illegible]

(If more space required, attach separate sheet)

Character of soil SANDY LOAM

Kind of crops raised CARROTTS & OTHERS

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

Mrs. Dean Christensen
(Signature of applicant)

Remarks:

STATE ENGINEER

By ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 10, 1965

Actual construction work shall begin on or before June 25, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 25th day of June, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3103

2896

Permit No. G-

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 10th day of May

1965, at 4:50 o'clock P. M.

Returned to applicant:

Approved:

June 25, 1965

Recorded in book No.

2896

Ground Water Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 2 page 962

State Printing