

RECEIVED
STATE ENGINEER
Permit No. G-2913

CERTIFICATE NO. 39674

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, EDWARD HINES LUMBER CO. (Name of applicant)

of Hines (Postoffice Address), county of Harney,

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

State of Delaware: Date of Incorporation March 17, 1892.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Silvies River and Warm Springs (Name of stream)

tributary of Silvies River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1,500 gallons per minute.

3. The use to which the water is to be applied is Industrial

4. The well or other source is located 150 ft. N and 820 ft. W from the SE corner of Section 26. (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 26, Twp. 23S, R. 30E, W. M., in the county of Harney

5. The Pipe line (Canal or pipe line) to be 2,000 feet miles in length, terminating in the SE 1/4 SE 1/4 of Sec. 26, Twp. 23S, R. 30E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision)

6. The name of the well or other works is Hines Well No. 5

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not Artesian

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 218 feet. It is estimated that 41 feet of the well will require Gage .025 casing. Depth to water table is estimated 10 feet. 420 Perforations from 20 feet to 41 feet depth. (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2,000 ft.; size at intake, 10 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 3 ft. Is grade uniform? ...yes..... Estimated capacity, 1,500 gals. per minute.

10. If pumps are to be used, give size and type Turbine Type Deep Well; Bowl Size 11½ inches.

Give horsepower and type of motor or engine to be used Electric; 100 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Not within ¼ mile.

12. Location of area to be irrigated, or place of use Edward Hines Lumber Co. Sawmill and Log Decks

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
The location is shown on Company map. There is no irrigation; it is all industrial and domestic use.				
23 S.	30 E.	25	W½ W½	Industrial use
		26	E½ E½	"
			NW¼ SE¼	"
			SW¼ NE¼	"
		35	NE¼ NE¼	"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 18,000.00.....
- 15. Construction work will begin on or before 3/15/65 John W. McAllister.....
- 16. Construction work will be completed on or before 10/1/65.....
- 17. The water will be completely applied to the proposed use on or before October 15, 1965.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. See remarks below.....

W. S. ...
(Signature of applicant)

Remarks: This well is to be used for industrial purposes in connection with Fire protection, Log sprinkling, domestic use, community swimming pool, log pond, sawmill and new plywood plant. The water supply will be connected to the existing water supply as shown on accompanying map. The permits for the existing supply were granted under the following various documents:

- 1. Certificate #42864; recorded volume 9, page 10145, State record of Water Right certificates; date June 9, 1933 application #61-29; permit #4-49.....
- 2. Order of Charles E. Stricklin, State Engineer; Dated at Salem, Oregon August 24, 1932 and amended April 22, 1935.....
- 3. Agreement between Fred Herrick and Pacific Livestock Co. Dated October 15, 1923 and recorded November 8, 1923 in Harney County.....
- 4. Contract for use of over flow water Edward Hines Lumber Co. and Pacific Livestock Co. dated September 29, 1923.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 4, 19 65.

WITNESS my hand this 4th day of June, 19 65.

RECEIVED
JUN 16 1965
STATE ENGINEER
MARION COUNTY

CHRIS L. WHEELER
STATE ENGINEER

Walt ...
ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.3 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Hines Well No. 5

The use to which this water is to be applied is industrial

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ----- acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 25, 1965

Actual construction work shall begin on or before August 23, 1966 Extended to Oct 1, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 23rd day of August, 1965

[Signature]

STATE ENGINEER

Application No. G-3121
Permit No. G-2913

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of May, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved: August 23, 1965

Recorded in book No. 2913 of
Ground Water Permits on page 32

CERIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 12 page 32