

Permit No. G-2922

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Louise B. Walker / Bert A. Walker

(Name of applicant)

of Route 4 Box 592, Salem, Oregon 97302, county of Marion

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Briar Creek

(Name of stream)

tributary of Battle Creek

2. The amount of water which the applicant intends to apply to beneficial use is 50 cubic feet per second or 50 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 100 ft. N. and 820 ft. E from the S.W. corner of Sec. 23, T. 85, R. W within corner of lot 16 Elderbrook Tract, Vol 10, Page 169, Record of Town Plats, Marion County

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 23, Twp. 85, R. 3W, W. M., in the county of Marion

5. The pipeline to be 600 ft. miles in length, terminating in the SW 1/4 SW 1/4 of Sec. 23, Twp. 85, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is a seepage sump

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

The water supply is a seepage that flows into an established sump that is 35 ft. long, 15 ft. wide, and 10 ft. deep.

8. The development will consist of having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

MISS

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used 3-phase, 7 1/2 H.P. electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries: 85, 3 W, 23, SW 1/4 SW 1/4, 15.

(If more space required, attach separate sheet)

Character of soil red soil
Kind of crops raised pasture & family garden

13. To supply the city of .....

in ..... county, having a present population of .....

and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 600.00

15. Construction work will begin on or before Completed years ago

16. Construction work will be completed on or before .....

17. The water will be completely applied to the proposed use on or before now in use

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

Beet A. Walker

(Signature of applicant)

Remarks: The sump was established 15 years ago as a catch basin for seepage that runs off as drainage from the hills located above. During the winter months surface water forms a ditch through the adjacent area. This dries up in May (usually) and does not flow until after the fall rains have set in.

STATE OF OREGON, } ss.  
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 20, 1965

Actual construction work shall begin on or before August 23, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 23rd day of August, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3115  
Permit No. G-2922

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of May, 1965, at 11:55 o'clock A.M.

Returned to applicant:

Approved:

August 23, 1965

Recorded in book No. of

Ground Water Permits on page 2922

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 97

State Printing

\$15.00