

RECEIVED

MAY 21 1965

CERTIFICATE NO. 57050

STATE ENGINEER Permit No. G-2926

SALEM OREGON

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, BENJAMIN E. HINKLE + JACQUELINE HINKLE (Name of applicant)

of 604 N.E. 151st AVE - PORTLAND, county of MULTNOMAH (Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 30 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION OF PASTURE LAND.

4. The well or other source is located 265.00 ft. N. and 725.00 ft. E from the center corner of SECTION 7, T3S, R1W. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW N.E. QUARTER of Sec. 7, Twp. 3 SOUTH, R. 1 WEST, W. M., in the county of WASHINGTON

5. The PIPE LINE to be (2,172') miles in length, terminating in the of Sec. 7, Twp. 3 Sa., R. 1 WEST, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL having a diameter of 6 inches and an estimated depth of 195 feet. It is estimated that feet of the well will require STEEL casing. Depth to water table is estimated (Feet)

5080

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type IN THE PROCESS OF BUYING THE PIPE-LINE I DO NOT KNOW SPEC. OF PIPE OR PUMP.  
Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use EASTERLY PORTION OF...

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 So.	1 W	7	SW 1/4 NE 1/4	TEN

(If more space required, attach separate sheet)

Character of soil SANDY RED LOAM  
Kind of crops raised PERMANENT PASTURE

13. To supply the city of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ (NO PRICE YET - SEVERAL HUNDRED DOLLARS)

15. Construction work will begin on or before MAY 1, 1966

16. Construction work will be completed on or before MAY 15, 1966

17. The water will be completely applied to the proposed use on or before MAY 15, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. —

Benjamin E. Hinckley & Jacqueline Hinckley  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ correction \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before Sept. 15, 1965.

WITNESS my hand this 15th day of July, 1965.

RECEIVED CHRIS L. WHEELER  
JUL 23 1965

STATE ENGINEER  
SALEM OREGON

*Malcolm Perry*

STATE ENGINEER  
ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.067 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 21, 1965

Actual construction work shall begin on or before October 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Extended to Oct. 1, 1969

Extended to Oct. 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 22nd day of October, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. G-3119  
Permit No. G-2926

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of May, 1965, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

October 22, 1965

Recorded in book No. of 2926  
Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 27

State Printing

\$15.00