

RECEIVED
JUL 8 1965

CERTIFICATE NO. 35520

STATE ENGINEER
SALEM, OREGON

Permit No. G-2958

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George Kyle (Name of applicant)
of Malilla, Oregon (Postoffice Address), county of Clackamas,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Malilla River (Name of stream)

tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 520 gallons per minute.

3. The use to which the water is to be applied is irrigation grass field

4. The well or other source is located 750 ft. S34°00'W (N. or S.) and ft. (E. or W.)
from the corner of CENTER 1/4 S - Sec 7 - T55 - R2E, W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(have a house well)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 7, Twp. 55, R. 2E,
W. M., in the county of Clackamas

5. The PIPE LINE (Canal or pipe line) to be miles
in length, terminating in the SW 1/4 - SW 1/4 Sec 7 - NE 1/4 - NE 1/4 of Sec. 13, Twp. 55,
R. 1 1/2, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a
diameter of 10 inches and an estimated depth of 347 feet. It is estimated that 347
feet of the well will require steel (Kind) casing. Depth to water table is estimated 112 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4200 ft.; size at intake, 6" in.; in size at 1200 ft. from intake 5" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 25' ft. Is grade uniform? YES Estimated capacity, 86.3 GAL - sec. ft.

10. If pumps are to be used, give size and type 500 gallon Turbine centrifugal

Give horsepower and type of motor or engine to be used 6.0 h.p. Electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>55</u>	<u>2E</u>	<u>18</u>	<u>NW 1/4 - NW 1/4</u>	<u>19.0</u>
<u>55</u>	<u>1E</u>	<u>13</u>	<u>NE 1/4 - NE 1/4</u>	<u>2.5</u>
<u>55</u>	<u>1E</u>	<u>12</u>	<u>SE 1/4 - SE 1/4</u>	<u>0.5</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>NE 1/4 - SW 1/4</u>	<u>28.0</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>NW 1/4 - SW 1/4</u>	<u>18.5</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>SW 1/4 - SW 1/4</u>	<u>36.0</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>SE 1/4 - SW 1/4</u>	<u>17.5</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>NW 1/4 - SE 1/4</u>	<u>16.0</u>
<u>55</u>	<u>2E</u>	<u>7</u>	<u>SW 1/4 - SE 1/4</u>	<u>2.0</u>

(If more space required, attach separate sheet)

Character of soil loam

Kind of crops raised grass seed

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 12,000
- 15. Construction work will begin on or before April - 1965
- 16. Construction work will be completed on or before by June 10th - 1965
- 17. The water will be completely applied to the proposed use on or before on June 14th

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. none

George K. [Signature]
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 16, 19 65
Oct. 20

WITNESS my hand this 16th day of June, 19 65
20th August

CHRIS L. WHEELER

STATE ENGINEER

By *[Signature]*

ASSISTANT

RECEIVED RECEIVED
AUG 16 1965 OCT 19 1965

STATE ENGINEER STATE ENGINEER
SALEM OREGON SALEM OREGON

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 8, 1965

Actual construction work shall begin on or before February 21, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 21 day of February, 1966

Chris L. Wheeler

STATE ENGINEER

Application No. G-3129
Permit No. G-2958

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of June,
1965 at 1:00 o'clock P. M.

Returned to applicant:

Approved:

February 21, 1966 of
Recorded in book No. 2958
Ground Water Permits on page

Chris L. Wheeler
STATE ENGINEER

Drainage Basin No. 2 page 97

FC

42722