

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, City of Mt. Angel
(Name of applicant)
of Mt. Angel, county of Marion,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

April 1, 1905

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
Roller Creek to the North and Abiqua Creek to the South
(Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 2000 gallons per minute.

3. The use to which the water is to be applied is Municipal use for the City of

4. The well or other source is located N. and ft. from the
(N. or S. E. or W.)
(Section or subdivision)

(If preferred, give distance and bearing to section corner)

(If the well or other source is to be described, use separate sheet if necessary)

of Sec. 17, Twp. 4 N., R. 12 E.

to be miles

of Sec. 17, Twp.

and location being shown throughout on the accompanying map.

The above described well, tunnel or other source of water is to be used for

DESCRIPTION OF WORKS

In connection with the works to be used for the control and use of the water, the following is to be done:

The well is to be of the type of well
(The number of wells, tunnels, etc.)

and an estimated depth of feet. It is estimated that

casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at from intake, in.; size at place of use, in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 50 h.p. Turbine on each well.

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a stream or stream channel, give the distance to the nearest point on each of such channels, the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Range E. or W. of Willamette Meridian	Section	Entry and Tract	Number Acres To Be Irrigated
	2	SW ¹ ₄ , SW ² ₄	160
		SE ¹ ₄ , SE ² ₄	"
	10	NE ¹ ₄ , NE ² ₄	"
		NW ¹ ₄ , NE ² ₄	"
		SW ¹ ₄ , NE ² ₄	"
		SE ¹ ₄ , NE ² ₄	"
		NE ¹ ₄ , NW ² ₄	"
		NW ¹ ₄ , NW ² ₄	"
		SW ¹ ₄ , NW ² ₄	"
		SE ¹ ₄ , NW ² ₄	"
		NE ¹ ₄ , SW ² ₄	"
		NE ¹ ₄ , SE ² ₄	"
		NW ¹ ₄ , SE ² ₄	"

(If more space required, attach separate sheet)

Location of well

Location of stream

MUNICIPAL SUPPLY—

13. To supply the city of Mt. Angel
in Marion county, having a present population of 1314
and an estimated population of 2,500 in 19 75.

14. Estimated cost of proposed works, \$ ~~XXXXXX~~ 36,000.00

15. Construction work will begin on or before April 1, 1956

16. Construction work will be completed on or before April 1, 1955

17. The water will be completely applied to the proposed use on or before April 1, 1955

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Bernard H. Kirsch
(Signature of applicant)
Chairman, Water Committee

Remarks:

Well #1 - 520'S & 60'W from SE cor. Blk 4, Butalas Add.

Being within SE $\frac{1}{4}$, NW $\frac{1}{4}$ Sec. 10, T.6 S., R.1 W.

Well #2 - 1000'W & 365'N from NE cor. Blk 3 of original townsite

Being within SW $\frac{1}{4}$, SW $\frac{1}{4}$ Sec. 3, T.6 S., R.1 W.

Well #3 - 520'S & 520'E from NE cor. Blk 4 of Palmers Add.

Being within NE $\frac{1}{4}$, NW $\frac{1}{4}$ Sec. 10, T.6 S., R.1 W.

Well #4 - 1000'W from the NW cor. Blk 10 of Original townsite

Being within NW $\frac{1}{4}$, NW $\frac{1}{4}$ Sec. 10, T.6 S., R.1 W.

State Engineer
Marion County

I hereby certify that I have examined the foregoing application together with the accompanying maps and plans and find that the same conform to the requirements of the law.

In order to retain its priority, this application must be returned to the State Engineer with correct fee on or before , 19

WITNESS my hand this day of , 19

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ~~4.5~~ 2.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from four wells.

The use to which this water is to be applied is municipal.

If for irrigation, this appropriation shall be limited to - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is

March 21, 1956

Actual construction work shall begin on or before

August 13, 1957

and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1957

Complete application of the water to the proposed use shall be made on or before October 1, 1958

WITNESS my hand this

23rd day of

August

1956

Edward A. Stanley
STATE ENGINEER

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 23rd day of March

1956, at 1:53 o'clock P. M.

Returned to applicant:

Approved

August 24, 1956

Recorded in book No. 2

Ground Water Permits on page 236

LEWIS A. STANLEY

STATE ENGINEER

Leasage Basin No. page