

RECEIVED
JUN 10 1965

CERTIFICATE NO. 3440

STATE ENGINEER

Permit No. G-2960

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, John O Leonard
(Name of applicant)
of 1925 Main, Baker, Ore., county of Baker
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Powder River
(Name of stream)

tributary of Snake?

2. The amount of water which the applicant intends to apply to beneficial use is 20/80 cubic feet per second or 125.10 gallons per minute.

3. The use to which the water is to be applied is irrigation, ~~stock water~~

4. The well or other source is located 330 ft. N. and 660 ft. E. from the corner of Section corner 4, 3, 9 & 10
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
SW 1/4 SW 1/4 being within the lot 34 Patterson Homestead Tract of Sec. 3, Twp. 9S, R. 40 E, W. M., in the county of Baker

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is no name

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 34 feet. It is estimated that 911
feet of the well will require metal casing. Depth to water table is estimated 5 to 16 feet.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 900 ft.; size at intake, 3 in.; in size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, not over 1 ft. Is grade uniform? yes Estimated capacity, up to 175 sec. ft.

10. If pumps are to be used, give size and type 5 hp. centrifugal

Give horsepower and type of motor or engine to be used 5 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>9S</u>	<u>40E</u>	<u>3</u>	<u>SW 1/4 SW 1/4</u>	<u>20</u> 7 10 17

(If more space required, attach separate sheet)

Character of soil Reddish-silt loam + Goodrich silt loam
 Kind of crops raised hay and pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 2000⁰⁰

15. Construction work will begin on or before Jan 1st 1965

16. Construction work will be completed on or before April 11st 1965 (postponed - July 1st)

17. The water will be completely applied to the proposed use on or before July 25, 1965

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. water right to Williams - McDougall ditch - 1899
only good until June 15 or July 1st

John Leonard
(Signature of applicant)

Remarks:

I've only pumped the well a couple hours - so have no exact estimate of how much water is there, but plan on using the maximum water that a 5 hp electric shallow well pump will pump through a sprinkler system

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 23, 1965

Actual construction work shall begin on or before February 21, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 21 day of February, 1966

Chris I. Wheeler
STATE ENGINEER

Application No. G-3143
Permit No. G-2960

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 23rd day of June
1965, at 8:00 o'clock A.M.

Returned to applicant:
.....

Approved:
February 21, 1966

Recorded in book No. 2960
of
Ground Water Permits on page

Chris I. Wheeler
STATE ENGINEER

Drainage Basin No. 9 page 115

State Printing
5/10-66