

RECEIVED
JUL 22 1965

CERTIFICATE NO. 35143

Permit No. G-2985

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Spalding & Son, Incorporated

(Name of applicant)

of 2345 S.E. N Street, Grants Pass, county of Josephine,

(Postoffice Address)

state of Oregon 97526, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

State of Oregon, July 24, 1956.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Jones Creek

(Name of stream)

tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second or 56 gallons per minute.

3. The use to which the water is to be applied is manufacturing

see attached sheet

4. The well or other source is located / ft. and ft. from the corner of

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the see attached sheet of Sec. , Twp. , R. W. M., in the county of

5. The see attached sheet to be miles

(Canal or pipe line)

in length, terminating in the of Sec. , Twp. ,

(Smallest legal subdivision)

R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is see attached sheet giving the names of the wells

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not applicable

8. The development will consist of 7 wells having a diameter of 6 inches/and an estimated depth of 6 feet. It is estimated that feet of the well will require casing. Depth to water table is estimated

(Give number of wells, tunnels, etc.)

except well No. 3 which is 4 inches see attached sheet

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

See Answers to Question No.5
(c) Length of pipe, on attached sheet ft.; size at intake, see attached sheet in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type See attached sheet

Give horsepower and type of motor or engine to be used See attached sheet

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

All seven wells within 1/4th mile of Jones Creek

12. Location of area to be irrigated, or place of use see attached sheet

Well No.	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1.	36 South	5 West	21	SE ¹ / ₄ of NE ¹ / ₄	
2.	"	"	"	"	
3.	"	"	"	"	
4.	"	"	"	"	
5.	"	"	22	SW ¹ / ₄ of NW ¹ / ₄	
6.	"	"	22	NW ¹ / ₄ of NW ¹ / ₄ of 22	
6.	"	"	21	NE ¹ / ₄ of NE ¹ / ₄ of 21	
7.	"	"	21	NE ¹ / ₄ of NE ¹ / ₄	

(If more space required, attach separate sheet)

Character of soil Not applicable

Kind of crops raised Not applicable

Permit No. G- 2985

APPLICATION FOR A PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON.
SPALDING & SON, INCORPORATED (continued)

ANSWERS TO QUESTION #4

Well
No.

1. S82°W, 530' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W, W.M. Six(6) Gal. per Min. Being within the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21.
2. S78°W, 540' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W, W.M. Twelve (12) Gal. per Min. Being within the SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21.
3. N88°W, 590' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W., W.M. Eight (8) Gal. per Min. Being within the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 21.
4. S66°W, 870' from NE Cor of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S, R5W., W.M. Six (6) Gal. per Min. Being within the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 21.
5. S50°E, 175' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W, W.M. Six (6) Gal. per Min. Being within the SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 22.
6. N60°E, 475' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W, W.M. Six (6) Gal. per Min. Being within the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 22.
7. N59°W, 1150' from NE Cor. of SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 21, T.36S., R5W, W.M. Twelve (12) Gal. per Min. Being within the NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21.

ANSWERS TO QUESTION #5

Well
No.

Pipe Line	Length	Terminating
1. Pipe Line	200 feet	SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21
2. " "	800 "	SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21
3. " "	250 "	SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21
4. " "	950 "	SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21

(These wells are in an inter-connecting system)

5. Pipe Line	100 feet	SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 22
6. " "	750 "	NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21
7. " "	600 "	NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 21

All in Township 36 South, Range 5 West of
of the Willamette Meridian, Josephine County, Oregon

ANSWERS TO QUESTIONS NOS. 6, 7, 8, 9c and 10

No. & Name of Well	Depth	Casing Dia.	Well Capacity	H/P	Use
1. Office (N) Berkly	50'	6" ?	6G.P.M.	1/3	Manufacturing
2. Office (S) Dorward	116'	6"	12G.P.M.	1	"
3. Kraus Jacuzzi	40'	4"	8G.P.M.	1/2	"
4. Caveener Berkley	?	6"	6G.P.M.	1/3	"
5. Shop G E	?	6"	6G.P.M.	1/3	"
6. Pine Yard Berkley	80'	6"	6G.P.M.	1/4	"
7. New Mill Berkley	170'	6"	12G.P.M.	1	"

(continued on next sheet)

RECEIVED
JUL 22 1965
STATE ENGINEER
CALEB CARLSON

Permit No. G- 2985

APPLICATION FOR A PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON.

SPALDING & SON, INCORPORATED (continued)

ANSWERS TO QUESTIONS NOS. 6, 7, 8, 9c and 10 (CONTINUED)

Size & Type of Pumps:

<u>Well No. & Name</u>	<u>Inlet</u>	<u>Outlet</u>
1. South Office	1 $\frac{1}{4}$ "	1"
2. North Office	1"	3/4"
3. Kraus	1"	3/4"
4. Shop	1"	3/4"
5. Pine Yard	1"	3/4"
6. New Mill	Floating	1 $\frac{1}{2}$ "
7. Caveener	1"	3/4"

ANSWERS TO QUESTION NO. 11

<u>Well No.</u>	<u>Nearest Pt to Jones Creek</u>	<u>Difference in Elevation</u>
1.	450 feet	18 feet \pm
2.	470 feet	"
3.	360 feet	"
4.	690 feet	"
5.	200 feet	"
6.	670 feet	"
7.	800 feet	"

MUNICIPAL SUPPLY—

13. To supply the city of Not applicable
 in _____ county, having a present population of _____
 and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,800.00
 15. Construction work will begin on or before July 1, 1965
 16. Construction work will be completed on or before July 1, 1966
 17. The water will be completely applied to the proposed use on or before July 1, 1968
 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Not applicable

SPALDING & SON, INCORPORATED
 (Signature of applicant)

Remarks: _____

By Wm. H. Spalding
President

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____.

WITNESS my hand this _____ day of _____, 19_____.

STATE ENGINEER

By _____

ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the well or

source of appropriation, or its equivalent in case of rotation with other water users, from seven wells, being 6 g.p.m. from well #1, 12 g.p.m. from well #2, 8 g.p.m. from well #3, 6 g.p.m. from well #4, 6 g.p.m. from well #5, 6 g.p.m. from well #6, 12 g.p.m. from well #7

The use to which this water is to be applied is industrial in operation of a sawmill, dry kiln and wood products manufacturing.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ----- acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 22, 1965

Actual construction work shall begin on or before February 21, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 21 day of February, 1966

Chris L. Wheeler

STATE ENGINEER

Application No. G-2174

Permit No. G-2935

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 22nd day of July, 1965 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 21, 1966

Recorded in book No. ----- of

Ground Water Permits on page 2985

Chris L. Wheeler
STATE ENGINEER

Drainage Basin No. 15 page 98

State Printing