## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

Ι,	Oscar E. Jenultz	
Boy	5%. Pentleton Tre	(Name of applicant)
of Box	(Postoffice Address)	, county of
orace of	Dregon cribed ground waters of the s	, do hereby make application for a permit to appropriate the state of Oregon, SUBJECT TO EXISTING RIGHTS
It the ap	pplicant is a corporation, give	date and place of incorporation
1 Give	name of nearest stream to i	which the well, tunnel or other source of souter good opens of so
	Tratilla F	
situated		Name of Means
		tributary of a control of
2. The feet per secon	amount of water which the od or the gallons per	applicant intends to apply to here fixed ( )
3. The	use to which the water is to	be applied is
	in the contract of	
		<b>522° W</b>
		to a second of the second of t
	e e e e e e e e e e e e e e e e e e e	Section of the Sectio
tar est	NE 14, SE 1/4	The Table 2 M 32 E
W. M. m. he	Contrast Umatel	<b>L</b> a
7	(portable Spink	la System ) 10 ho
	a ratio a nithe	ed Sec
÷.		rant to the second of the seco
	the scaller other wa	
	The set (E of bit fit top	(CRS-18)
	DES	SCIGPTION OF WORLS
To the second	on the second lived is arterial to a second of	m, the more to be used to the extension of
	a el 1	i properti
· / / kg	The second traffication and second	distriction of the second seco
•	or the and an es	tonated depth of the control of the

9 (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate, At headgate, width on top (ai water line)  feet, depth of water  feet; grade  feet taill no one thousand feet.  (b) At miles from headgate width on top (at water line)  feet; width on bottom  feet; depth of water feet depth of water line)  feet; width on bottom  feet; depth of water feet feet grade  feet fall per one thousand feet.  (c) Length of pipe.  fr. size at intake, in a misse at the from intake in a size at place of use in difference in elevation between that ke and place of use.  ft. Is grade uniform?  Ferimated capacity, see, ft.  10. If jumps are to be used, give size and type  WINTER SAL  WA P  to what we prove and displace of motion or congrue to be used.  11. If jumps are to be used, for motion or congrue to be used.  12. If it is a congruence or thousand as a time is stated in taking motion of a local congruence of the water of period in the various of displacement the stream hed and the ground surface at the various of displacement in a confidence in the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of displacement in the stream hed and the ground surface at the various of
thousand feet.  (b) At miles from headgate width on top (at water line)  feet; width on bottom feet; depth of water feet;  grade feet fall per one thousand feet.  (c) Length of pipe, feet size at intake, in a mile at fi from intake in a size at place of use in, difference in elevation between intake and place of use.  (t) Is grade uniform? Ferimated capacity, see, fi  (ii) If immiss are to be used, give size and type UNIVER SAL  (ii) At was powered if type of militar in imagine to be used.  (ii) It is a local as a reference fit militar in imagine to be used.  (ii) It is a local as a reference fit militar in imagine to the refers to militar in imagine at the same of development of the reference fit was an income on the militar in the stream head and the ground surface at the same of development in the same of development.  (ii) I have a same a to be irregated in place a same to the reference fit is a same of development.  (iii) I have a same a to be irregated in place a same to the same of development.  (iii) I have a same a to be irregated in place a same in the same of development.  (iii) I have a same a to be irregated in place a same in the same of development.
feet; width on bottom feet; depth of scatter line;  feet; width on bottom feet; depth of scatter for feet;  grade feet fall per one thousand feet.  (c) Length of pipe, fr: size at intake, in : in size at fi  from intake in: size at place of use in:, difference in elevation between intake and place of use.  ft. Is grade uniform? Ferimated capacity.  see, fr  10 If jumps are to be used, give size and type UNIVER SAL  WHAP  Grade is preserved type of mater or enume to be used.  11 Jerus length or it the world, give size and type UNIVER SAL  WHAP  Grade is preserved type of mater or enume to be used.  12 Jerus length or it the world, give feet if stance to the theoretic point on more of the edition of the length of the surface of the surface of the surface of development.  12 Jerus length or it the world is graded in plan and it is ground surface at the surface of development.  22 Jerus length of the are gated in plan and it is ground surface at the surface of development.  23 Jerus length of the surface of the surface of the surface of development.
feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.  (e) Length of pipe, fristic at intake, in i in size at 4  from intake in.; size at place of use in.; difference in elevation between intake and place of use.  (ft. Is grade uniform? Ferimated capacity.  see, fr.  10 If immins are to be used, give size and type WHITER SAL  HP  Grade is power and type of mater or engine to be used.  11 If it is produced as a them of mater or engine to be used.  12 If it is produced as a them of mater or engine to be used.  13 If it is produced as a them of mater or engine to be used.  14 If it is produced as a them of material is a them of the interest point on engine in the source of development in the surface of development.  15 If it is produced as a large feet desired and the ground surface at the source of development.  16 If it is produced as a large feet of the stream had and the ground surface at the source of development.  17 If it is produced as a large feet of the interest of the source of development.  28 If 32 E WM 1 NEASEA UT (2.3 dually face).
grade Jeet fall per one thousand feet.  (e) Length of pipe, fr.: size at place of use in.: difference in elevation between from intake in.: size at place of use in.: difference in elevation between intake and place of use.  ft. Is grade uniform? Festimated capacity.  see, if  10. If pumps are to be used, give size and type UNIVER SAL  H. H. Is an above to be used, give size and type UNIVER SAL  H. H. Is an above to the real listened are shared to be used.  11. It was been as a treated listened are then be used.  12. It was been as a treated listened are then be used in the nearest paint on any are to be used as a standard or after the nearest paint on any are to not always as a standard or an elevation between the stream had and the ground surface at the source of development.  12. It was been a classified as a stream had and the ground surface at the source of development.  13. It was always as a stream had and the ground surface at the source of development.  14. It was always as a stream had and the ground surface at the source of development.  15. It was always as a stream had and the ground surface at the source of development.  16. It was a surface to be irregated or place of the stream had and the ground surface at the source of development.  16. It was a surface to be irregated or place of the surface to the source of development.  16. It was a surface to be irregated or place of the surface to the source of development.  16. It was a surface to be irregated or place of the surface to the
to Length of pipe.  from intake  in.: size at place of use  in difference in elevation between intake and place of use.  ft. Is grade uniform?  Ferimated capacity.  sec. ft.  If immigs are to be used, give size and type  WALKER SAL  WALF  Contract power and type of materiae comme to be used.  If It was beginned at the traffic and we other briefspecies and place the power with the read of the secret power of the secret po
from intake  in.: size at place of use  in difference in elevation between intake and place of use.  ft. Is grade uniform?  See, ft.  If If joinings are to be used, give size and type  UNIVER SAL  MP  Good as a power of digital of motor or engine to be used.  If form longitude or the well, thought we also disappeared with a few digital or or the motor or engine to be used in the motors when the process to one of an well as well as a few distance to the motors to merce of the source of development.  If form one is given to be trying and or place and the ground surface at the source of development.  If form one is given to be trying and or place as a surface of the source of development.  If form one is given to be trying and or place as a surface of the source of development.  If form one is given to be trying and or place as a surface of the source of development.  If form one is given to be trying and or place as a surface of the source of development.  If form one is given to be trying and or place as a surface of development.  If form one is given to be trying and or place as a surface of development.  If form one is given to be trying and or place as a surface of development.  If form one is given to be trying as a surface of development or the surface of development.
intake and place of use.  10. If journess are to be used, give size and type  11. If journess are to be used, give size and type  12. If you hear on a the well, to not be active to reliable as set y less than easy within the residence to the rearest point on any other than all your set you have a transfer or the distance to the rearest point on any other to be used. The shown cance in elevation between the stream had and the ground surface at the source of development.  13. I not a given to be irregated or place in the surface at the source of development.  14. I not a given to be irregated or place in the surface at the source of development.  25. If you were to be irregated or place in the surface at the source of development.  26. If you were to be irregated or place in the surface that the source of development.  27. If you were to be irregated or place in the surface that the surface of development.
See, fi.  10. If jumps are to be used, give size and type  WIVER SAL  ON HP  Good one of type of motor or origine to be used.  11. If the Special are of type of motor or origine to be used.  12. If the Special are of type of motor or origine to be obtained as the power of place of type are of more of the region of the power of place of the source of development.  13. If the special are of type of the stream had and the ground surface at the source of development.  14. If the special are the stream had and the ground surface at the source of development.  15. If the special are the stream had and the ground surface at the source of development.  16. If the special are the stream had and the ground surface at the source of development.  17. If the special are the stream had and the ground surface at the source of development.  18. If the special are the stream had and the ground surface at the source of development.  18. If the special are the stream had and the ground surface at the source of development.  18. If the special are the stream had and the ground surface at the source of development.  18. If the special are the stream had and the ground surface at the source of development.  18. If the special are the stream had and the ground surface at the source of development.
10 If pumps are to be used, give size and type  On a large power of dynamic materials are characteristic of the largest pump of the content o
The first local or of the well, the nell constitute to the nearest part on one of the constitute to the second of the constitute of the nearest part on one of the constitute of the constitute of the second of the
The first form of the well-termed exection be read on the near plant on ever of the early and the read of the nearest point on ever of the early and the stance to the nearest point on ever of the early and the stance of development.  The first one cancer to be irregated or plant of the stance for the stance of development.  The first one cancer to be irregated or plant of the stance for the stance of development.  A R32E WM 1 NEXSEX Letter 123, Little 100000.
11. It is a local or or the well, the ned weather hereliance at a level han are of well-to be a real content of the nearest point on very of the here is the server of the nearest point on very of the distinct of the stream had and the ground surface at the success of development.  12. I server to the stream had and the ground surface at the success of development.  13. I server to the irregated or plan or the stream had and the ground surface at the success of development.  14. I server to the irregated or plan or the stream had and the ground surface at the success of development.  15. I server to the irregated or plan or the stream had and the ground surface at the success of development.  16. I server to the irregated or plan or the stream had and the ground surface at the success of development.  16. I server to the irregated or plan or the stream had and the ground surface at the success of development.  16. I server to the irregated or plan or the stream had and the ground surface at the success of development.  16. I server to the irregated or plan or the stream had and the ground surface at the success of development.
The first of the first parent of the first parent of the first parent of the source of development.  The first of the first parent of the first pa
21 R32E WM 1 NE/4SF/q Lot [2.3, Lindlen /acre?
off more space required lattuch separate sheets

The second of th

MUNICIPAL SUPPLY—  13. To supply the city of	
in	
and an estimated population of	سعسعا
14 Estimated cost of proposed works, \$ Well 300 pump 300 \$ 150000	
15. Construction work will begin on or before APRIL 1951	
and an estimated population of in 19  14 Estimated cost of proposed works, \$ Well 300 period 300 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
17. The water will be completely applied to the proposed use on or before July 1, 1956	
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the	
applicant.	
Remarks: This, well will be used for domestic use	
Remarks: This, well will be used for domestro use and the irrigation of lots 1,2,5 3 in blk l.will be equipped with an electric pump of approximately size of one horse with gravity by bose irrigation	
en de la companya de La companya de la co	
e de la companya de La companya de la companya de	
$STATE OF OREGON = \int_{SSC} SSC$	
The is to certify that I have examined the foregoing application, together with the accompanies $\epsilon$	
completion completion	
. The state $E$ is the priority, this application most be returned to the State Engineer $z$ , $\partial z + \partial z + \partial z$	
July 27	
WITNESSES Found this 28th day of May 19 56	
THE RESIDENCE OF THE PARTY OF T	

Chris L. Wheeler, Assistant

County of Marion

This is to certify that I have examined the foregoing application and do nevely grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to herein all use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 3 well

The use to which this water is to be applied is irrigition

If for irrigation, this appropriation shall be limited to 1/20 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state of over.

The well shall be cased as necessary in accordance with good practice and if the flow is articlar, the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access part for mounts for

The priority date of this permit is 25 2. 1958 195

ather of the State Engineer at Salem, Oregon.

A real construction work shall begin on or before. Admit [7], [1077] and [1027] therefore the presented with reasonable diligence and be completed on or before October 1 49. [7]

A region and estion of the water to the proposed use shall be made on or betwee October 1, 19.

=

o ciock

3

Refurned to applicant.

day of

OR The

The second than the second and the second se

AND THE STATE OF T

PERMIT

SOLATOR SOLUTIVE THE CROSTND

WATERS OF THE STATE

OF OREGON

The in temperature first received in the

August 24, 1956
Recorded to book No. 2

LATIS A. STANLEY

The Charles of the Charles