

RECEIVED
AUG 30 1965

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 41535

Permit No. G- **G 3006**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, WILLAMA LANE PARKS and RECREATION DIST
(Name of applicant)
of SPRINGFIELD, county of LANE,
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMA MCKENZIE RIVER (1 MILE)
(Name of stream)
tributary of WILLAMETTE

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1.20 gallons per minute. (about 3 hrs a day)

3. The use to which the water is to be applied is WATER GRASS AREAS AROUND PAGE SCHOOL - HADIN BRIDGE ROAD SPD AND PARK

4. The well or other source is located 240 ft. S and 418 ft. E from the Cor 23-24-25-26
(N. or S.) (E. or W.)
corner of MAP INCLOSED TO ORIENT WELL TO THE T175R3W
PROPERTY WM
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of NW 1/4 of Sec. 25, Twp. 17S, R. 3W,
W. M., in the county of LANE

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is PAGE SCHOOL WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 51 feet. It is estimated that 50
feet of the well will require Steel casing. Depth to water table is estimated 14 feet
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3006

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 2 1/2 in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7 1/2 H.P. MEYERS ELECTRIC SUBMERSIBLE - 210 Volts

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use PAGE School HAYDEN BRIDGE RD. SPRINGFIELD

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
NW of T 17S	NW R 3W	25		8.33
NE of T 17S	NE R 3W	26		1.35
				4.68

(If more space required, attach separate sheet)

Character of soil gravel
 Kind of crops raised grass

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 1821.35 (well, pump, and pump house)

15. Construction work will begin on or before July 1965

16. Construction work will be completed on or before August 1965

17. The water will be completely applied to the proposed use on or before Aug. 1965

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

William Lane Park, Inc. Oct 1965
(Signature of applicant)

Remarks: This well has been drilled and pump installed - We have installed an automatic sprinkling system - the water from this well is only for irrigating the lawn area - It is a joint school-park project with the school owning 10 acres and the park department 4 acres -

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 15, 1965.

WITNESS my hand this 14th day of September, 1965.

RECEIVED CHRIS. L. WHEELER STATE ENGINEER
SEP 28 1965
STATE ENGINEER SALEM, OREGON
By Walter Perry ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.12 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 30, 1965

Actual construction work shall begin on or before April 4, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 4th day of April, 1966

Chris L. Wheeler

STATE ENGINEER

Application No. G-3214
Permit No. G-3006

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of August
1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of
April 4, 1966

Ground Water Permits on page G 3006

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 97A

State Printing

1592