

RECEIVED
FEB 18 1966
STATE ENGINEER
SALEM, OREGON

RECEIVED
FEB 2 1966
STATE ENGINEER
SALEM, OREGON
Permit No. G-.....

RECEIVED
MAR 24 1965
STATE ENGINEER
SALEM, OREGON

G 3012

APPLICATION FOR A PERMIT

CERTIFICATE NO. 38712

RECEIVED
MAR 20 1965
STATE ENGINEER
SALEM, OREGON

To Appropriate the Ground Waters of the State of Oregon

I, GENE CUTSFORTH (Name of applicant)

of LEXINGTON, county of MORROW (Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated SAND HOLLOW (Name of stream)

tributary of BUTTER CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 1.67 cubic feet per second or 750 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 650 ft. S and 1450 ft. W from the E corner of SECTION 9, T. 1 S., R. 26 E.W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of Sec. 9, Twp. 1 S., R. 26 E., W. M., in the county of MORROW

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 112 feet. It is estimated that 19 feet of the well will require STANDARD (.26) casing. Depth to water table is estimated 40 feet. STATCC LEVEL AND PUMPING LEVEL IS AT 52 FEET.

CANAL SYSTEM OR PIPE LINE—

G 3012

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 750 G.P.M. TURBINE.....

Give horsepower and type of motor or engine to be used

THREE PHASE.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ALL IN SECTION 9, T.1S., R.26E.W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1s	26E.	9	SW $\frac{1}{4}$ NE $\frac{1}{4}$	9.7
1S	26E.	9	SE $\frac{1}{4}$ NW $\frac{1}{4}$	21.3
1S	26E	9	NE $\frac{1}{4}$ SW $\frac{1}{4}$	15.3
1S	26E	9	NE $\frac{1}{4}$ SE $\frac{1}{4}$	16.4
1S	26E	9	NW $\frac{1}{4}$ SE $\frac{1}{4}$	36.4
1S	26E	9	SW $\frac{1}{4}$ SE $\frac{1}{4}$	4.7
1S	26E	9	SE $\frac{1}{4}$ SE $\frac{1}{4}$	29.8
TOTAL				133.6

(If more space required, attach separate sheet)

Character of soil RICHFIELD LOAM.....

Kind of crops raised ALFALFA AND GRAINS.....

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....
- 15. Construction work will begin on or before COMPLETED
- 16. Construction work will be completed on or before COMPLETED
- 17. The water will be completely applied to the proposed use on or before

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Chris L. Wheeler
(Signature of applicant)

Remarks: THE WELL USED UNDER APPLICATION U-500, PERMIT U-456, CERTIFICATE #26070 IS BEING ABANDONED AND WILL BE USED ONLY FOR DOMESTIC HEREAFTER.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before
~~January 10, 1966~~
~~February 28, 1966~~
April 7

RECEIVED
FEB 2 1966

WITNESS my hand this 9th day of November, 1965.
..... 27th December 1965
..... 4th February 1966

STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER

RECEIVED
FEB 18 1966

RECEIVED
DEC 18 1965

By ASSISTANT

STATE ENGINEER
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 30, 1965 for 0.67 c.f.s.
Feb. 18, 1966 for 1.0 c.f.s.

Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 25th day of April, 1966.

STATE ENGINEER

Application No. G-3065
Permit No. G-3012

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 30th day of March,
1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 25, 1966

Recorded in book No. _____ of _____

Ground Water Permits on page G 3012

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 55

#2720

PC