

RECEIVED
AUG 18 1965

STATE ENGINEER
SALEM, OREGON

Permit No. G- G 3018

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Lanman Ranches
(Name of applicant)

of North Powder
(Postoffice Address), county of Union

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Powder River
(Name of stream)

Snake River
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1400 gallons per minute.

3. The use to which the water is to be applied is irrigation of field crops

4. The well or other source is located 2,680 ft. west and 40 ft. south from the _____
(N. or S.) (E. or W.)
corner of common section corner of sections 1, 2, 11, 12, T6S R39E.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NW 1/4 of Sec. 11, Twp. 6S, R. 39E,
W. M., in the county of Union

5. The Pipe line to be Approx. 2600 feet miles
(Canal or pipe line)
in length, terminating in the NE 1/4 NE 1/4 of Sec. 11, Twp. 6S,
(Smallest legal subdivision)
R. 39E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Lanman Ranches No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 16 inches and undisturbed depth of 400 feet. It is estimated that 400
feet of the well will require .312 steel casing. Depth to water table is estimated Static
(Kind) (Feet)
water level is 5 feet. Preferations begin at 60 feet to the 390 foot level.

CANAL SYSTEM OR PIPE LINE—

G 3018

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type One deep well turpine capable of 1400 GPM 8 inch column. One centrifical pressure pump 1500GPM, 8" suction, 6" discharge

Give horsepower and type of motor or engine to be used 60 HP on turpine.

75 HP on centrifical. Both will be electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6S	39E	2	Fr. SW $\frac{1}{4}$ SW $\frac{1}{4}$	27.3 15 ^o suppl. c-5838
6S	39E	2	SE $\frac{1}{4}$ SW $\frac{1}{4}$	39.8 All-suppl. c-5338
6S	39E	2	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40.6 20 ^o suppl. c-6685
6S	39E	2	FR. SE $\frac{1}{4}$ SE $\frac{1}{4}$	4.5
6S	39E	11	Fr. NE $\frac{1}{4}$ NW $\frac{1}{4}$	35.2 33 ^o suppl. c-1790
6S	39E	11	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40.5 34 ^o suppl. c-1790
6S	39E	11	NE $\frac{1}{4}$ NE $\frac{1}{4}$	41.0 33 ^o suppl. c-1790 c-4926
				228.9

(If more space required, attach separate sheet)

Character of soil sandy some clay

Kind of crops raised Alfalfa, grains, pastures

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 20,000.00

15. Construction work will begin on or before June 1965

16. Construction work will be completed on or before Sept. 1966

17. The water will be completely applied to the proposed use on or before Sept. 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Issued by court decree

Lanman Ranches By B.C. Lanman
(Signature of applicant)

Remarks: There will be a point of diversion on ditch just above well, which will serve as a suction line to the centrifical to put existing water rights under pressure this line can also be used as a discharge line from the well to put water in the ditch. Pipe will be 8" and will have proper works in ditch for suction and discharge purposes.

Pipe line shown on map will be 8" buried main and will have an approx. lenth of 2600 feet. 6" aluminum pipe will be used on each end of the buried main to serve remaining acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.86 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 13, 1965

Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 25th day of April, 19 66

Chris L. Wheeler
STATE ENGINEER

Application No. G-3196
Permit No. G-G 3018

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 13th day of August
1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

April 25, 1966

Recorded in book No. G 3018 of
Ground Water Permits on page 45

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 45

State Printing

3196