ENTIFICATENO 54962

SSIGNED, See Misc. Rec., Vol. 4 Page 2046

Permit No. G- G 3036

ASSIGNED, See MISO, Hee,
APPLICATION FOR A PERMIT

un Byrooled)

To Appropriate the Ground Waters of the State of Oregon

I, D. A. Ingalls
(Name of applicant)
of 105 Ingalls Lane, Grants Paswilderville, county of Josephine
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Minnie Creek
(venie va sucali)
tributary of Slate Creek
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied isirrigation
the second the water to be appread to
4. The well or other source is located 140 ft. S and 460 ft. W from the NE corner of the SWt of the NWt of Section 1, Twp. 37 S, range 7 WWM (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE+ of SW+ of NW+ of Sec. 1, Twp. 37 S, R. 7 W,
W. M., in the county of Josephine
5. The to be miles
(Canal or pipe line)
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works isIngalls sump
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
8. The development will consist ofOnehaving a diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will requirecasing. Depth to water table is estimated(Feet)
120' long 50' wide

•	,			
	feet; depth of wat	ter	feet; grade	feet fall per one
sand feet.				
(b) At	mi	les from head	gate: width on top (at water li	ne)
***************************************	feet; width on l	bottom :	feet; depth of wate	r feet;
e	feet fall p	er one thousa	nd feet.	
(c) Length	of pipe,	ft.;	size at intake, in.	; in size at ft.
intake	in.; s	ize at place of	f usein.; diffe	rence in elevation between
ce and place	of use,	ft.	Is grade uniform?	Estimated capacity,
	sec. ft.			•
10. If pum	ps are to be used, g	give size and t	ype gravity flo	W
******	•••••			
Give horse	power and type of	motor or eng	ine to be used	······································
				·····
11 If the l	ocation of the well	l tunnel or of	ther development work is less t	han one-fourth mile from a
			tance to the nearest point on	
lifference in	elevation between	the stream o	ed and the ground surface at	the source of development
	6	Service Services		
•				
•				
•				
	<u></u>			
	<u></u>		<u></u>	
12. Locati	on of area to be ir	rigated, or plo	ICE Of USE	Number Acres To Be Irrigated
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	ice of use	Number Acres To Be Irrigated
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	ICE Of USE	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)
12. Location	Range E. or W. of Willamette Meridian	rigated, or pla Section	Forty-acre Tract NE of SW 1/2 NW 1/4	Number Acres To Be Irrigated 7 (3 supplement (4 new)

CHRIS I. WHELLER

STATE ENGINEER

STATE ENGINEER

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and
shall not exceed0.09 cubic feet per second measured at the point of diversion from the well or
source of appropriation, or its equivalent in case of rotation with other water users, froma. sump
The use to which this water is to be applied isirrigationandsupplemental.irrigation
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed21/2
acre feet per acre for each acre irrigated during the irrigation season of each year; provided further
that the right allowed herein shall be limited to any deficiency in the available
supply of any prior right existing for the same land and shall not exceed the
limitation allowed herein,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit is September 10, 1965
Actual construction work shall begin on or beforeApril 25, 1967 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967
Complete application of the water to the proposed use shall be made on or before October 1, 19.68
WITNESS my hand this 25th day of April 19.66
plant of the
STATE ENGINEER
COUND TE Was in the wed in the way, Oregon, A. M. M. 3036 3036 288

Drainage Basin No. 15. page

Application No. G-3.36 Permit No. G-....

TO APPROPRIATE THE GR WATERS OF THE STA' OF OREGON

This instrument was first rece

office of the State Engineer at Sale

1965, at 8.00 o'clock

Returned to applicant:

Approved:

Ground Water Permits on page Recorded in book No.