APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, M.F. TERHAAR ON ROSEMARY TERHAA/
of At 1 Bol 195 Servais, county of Marion,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Sulling River (Name of stream) tributary of Willamette
tributary of Tillamette
2. The amount of water which the applicant intends to apply to beneficial use is .C 3. Cubic feet per second or
3. The use to which the water is to be applied is the first in a
3. The use to which the water is to be applied is Ingation
(4.) The well or other source is located & 6.3. ft. 5 and 1.56 ft
corner of Cor. Sect. 6 (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the MWIY NOWY of Sec. 6, Twp. 65, R. 111,
W. M., in the county of Marion
5. The God Lable Sprinklets to be miles (Canal or pipe line)
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Tot Artesian
8. The development will consist of having a having a
diameter of
feet of the well will require Stanfold Starlasing. Depth to water table is estimated (Feet)
(200)

/	(9. (a) Giv	M OR PIPE LINE- e dimensions at eac	nal where materially changed	hanged in size, stating miles from	
headç	gate. At hea	dgate: width on top	e)	feet; width on bottom	
		feet; depth of wo	iter	feet; grade	feet fall per one
thous	and feet.				
1	Y(b) At	mile	s from headg	ate: width on top (at water li	ne)
•				feet; depth of wate	
grade	· ·	feet fall pe	er one thousan	d feet.	
j	(c) Length	of pipe,	ft.; s	size at intake in.;	in size at ft.
,				use in.; differe	
				grade uniform?	
		sec. ft.		0	
	10. If pum	ps are to be used, g	ive size and ty	pe Beakley Sub	messible
	, * *				
	Give horse	nower and type of	motor or engi	ne to be used ZZ H	P Elect
	4000 110100	power and type ty		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
the d	ifference in	elevation between	, give the dist the stream be	ance to the nearest point on end and the ground surface at the Mest of Augustian	each of such channels and the source of development
the d	ifference in LL Lo	elevation between	give the dist the stream be	ance to the nearest point on a d and the ground surface at t	each of such channels and the source of development
the d	ifference in LL Lo	elevation between	give the dist the stream be	ance to the nearest point on and and the ground surface at the Meak of August	the source of development
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development lengths. Recent
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development lengths. Recent
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development lengths. Recent
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development lengths. Recent
the d	ifference in LL Lo 12. Locati	elevation between cale on of area to be irr Range E. or W. of	give the dist the stream be	ance to the nearest point on a d and the ground surface at the work of the surface at the surfac	each of such channels and the source of development length Reverse

(If more space required, attach separate sheet)

Character of soil Amity of Willamette So Soil Classification
Kind of crops raised Pasture Bow Crops Garden Crops.

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.33	SUBJECT T	TO EXISTING RIGI	HTS and the following	limitations an	d conditions:	,		
The use to which this water is to be applied is	The r	ight herein granted	is limited to the amou	nt of water w	hich can be a	oplied to beneficial use		
The use to which this water is to be applied is	and shall no	t exceed 0.33	cubic feet per seco	nd measured a	t the point of	diversion from the well		
The use to which this water is to be applied is								
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2/2 acre feet per acre for each acre irrigated during the irrigation season of each year;	The u	ise to which this wat	ter is to be applied is	<u>1</u> ;	rrigation			
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969 WITNESS my hand this 25th day of April 19.66								
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	or its equiv	alent for each acre i	rrigated and shall be f	urther limited	to a diversion	of not to exceed2½		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	acre feet pe	r acre for each acre	irrigated during the in	rrigation seaso	n of each year	·		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19								
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	***************************************							
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before				•••••				
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before								
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 Complete application of the water to the proposed use shall be made on or before October 1, 1968 WITNESS my hand this 25th. day of April 1966.								
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control value to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 67. Complete application of the water to the proposed use shall be made on or before October 1, 19 68. WITNESS my hand this 25th day of April 1, 19.66. STATE ENGINEER THE HEINER STATE ENGINEER								
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 Actual construction work shall begin on or before and be completed on or before October 1, 19	and shall be	subject to such reas	sonable rotation systen	n as may be ore	dered by the p	roper state officer.		
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 Actual construction work shall begin on or before and be completed on or before October 1, 19	The 1	well shall be cased a	s necessary in accorda	nce with good	practice and	if the flow is artesian		
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 22, 1965 Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19								
ERWIT E and this expression of the water to the proposed use shall be made on or before October 1, 1968 WITNESS my hand this 25th day of April 25th day of State Engineer 25th and this 25th day of State Engineer 25th day of State Engi	line, adequa	ite to determine wa	ter level elevation in t	the well at all	times.			
Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19	shall keep o	a complete record o	f the amount of groun	d water withd	rawn.			
Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967	Mh a s			Septembe	er 22. 1965			
Thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1962	-	The profity dute of this permit is						
FERMIT RIATE THE GROUND S OF THE STATE THE GROUND The state of the sta								
TERMIT RIATE THE GROUND S OF THE STATE F OREGON ay of Statem, Oregon, ook No. 1.25, 1966 ook No. No. Z. page 27 B i. NHEFIER i. NHEFIER ii. NHEFIER iii. No. Z. page 27 B iii. No. Z. page 27 B						•		
TERMIT RIATE THE GROUND S OF THE STATE F OREGON ay of .S.epte.mble. o'clock M. cant: cant: cok No of State Base 27.8 m No page 27.8 i.g. whereler					made on or b			
THATE THE GROUND SOFT THE STATE F OREGON The state of the state of the state of Soft Soft Soft Soft Soft Soft Soft S	WITI	NESS my hand this	25tn. day of	April	/ P ~	, 19 00		
PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the fice of the State Engineer at Salem, Oregon, the 22 day of Septemble. L.S., at A. U.D o'clock. P. M. L.S., at A. U.D o'clock. P. M. L.S., at A. U.D o'clock. P. M. C.S., at A. U.D o'clock. P. M. CHEIS I., WHEELER. STATE ENGINEER CHEIS I., WHEELER. STATE ENGINEER Drainage Basin No. Z page 27 B.				<u>CH</u>	and at	STATE ENGINEER		
Application No. G.—323.2. Permit No. G.—G.—323.2. PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the cof the State Engineer at Salem, Oregon the 22 day of Septemble. L.S., at A. 20. o'clock P. M. L.S., at A. 20. o'clock P. M. L.S., at A. 20. o'clock P. M. C.S., at A. 20. o'clock P. M. CARTIS I. WHEELER STATE ENGINEER CHRIS I. WHEELER CHRIS II. WHEELER CHRIS III	ľ	ı	" ° ° °	II ;	· · · · · · · · · · · · · · · · · · ·	~ જો:		
PERMIT TO APPROPRIATE THE GROUN WATERS OF THE STATE OF OREGON This instrument was first received fice of the State Engineer at Salem, O the 22 day of September M. L.S., at A. U.O o'clock P. M. L.S., at A. U.O o'clock P. M. April 25, 1966 Recorded in book No. CHRIS L. WHEELER STATE OF OREGON CHRIS L. WHEELER STATE ENGINE OF PAGE 27.		е	in th			SO S		
Permit No. G.—323. Permit No. G.—G. 30. Permit No. G.—G. 30. PERMIT TO APPROPRIATE THE GR WATERS OF THE STAT OF OREGON This instrument was first receive of the State Engineer at Sale the 32 day of Septem. L.S., at A. 20. o'clock P. L.S., at A. 20. o'clock P. L.S., at A. 20. o'clock P. Carried to applicant: April 25, 1966 Cound Water Permits on page CHEIS L. WHEELER STATE Drainage Basin No. Z. page	~	OUN	ved m, O m, O M.			S ENG		
Permit No. G.— G.— Permit No. G.— G.— Permit No. G.— G.— G.— TO APPROPRIATE THE WATERS OF THE SOF OF OREGON This instrument was first fice of the State Engineer at the 22 day of Style L.S., at 1.20 o'clock L.S., at 1.20 o'clock April 25, 1966 Recorded in book No.— CHRIS I., WHEELER CHRIS I., WHEELER CHRIS I., WHEELER	323		recei Sale Lem			Si Si		
Permit No. G- Permit No. G- Permit No. G- TO APPROPRIATE WATERS OF T OF OREG This instrument was fice of the State Engine the 32 day of L.S., at A. U.D. o'clock L.S., at A. U.D. o'clock C.S., at A. U.D. o'clock C.S.	£ 0	THE SHE SON	first er at		1966	n pag		
Permit No. G Permit No. G Permit No. G Permit No. G OF O OF O OF G OF State Enthe 32 D April April Recorded in bool Recorded in bool CHRIS L. CHRIS L.	Vo. G	RIV ATE OF T	was gine	nt:		t No.		
Applicat Permit D TO APPRO WATE This instrum fice of the Sta the 22 of the 32 of the	ion I	PE.	te Endage	olicar	•	book Perm Le		
TO AP This ins fice of the the 22 LLS, at the 22 Recorde round We Drainag	licat mit A	PRO	e Sta		Ap)	ater last. BIS.		
opro	App Per	1	is insofth	ned t	ved:	corde td W Ci		
		TC	Th ffice n the	etur	lpprc	Re Frou		