

RECEIVED
FEB 21 1966
STATE ENGINEER
OREGON

CERTIFICATE NO. 40893

Permit No. G-6-3044
APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, O. Jay Brogotti
(Name of applicant)

of 112 NW 10th St., Pendleton, Oregon, county of Umatilla
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated U MATILLA RIVER
(Name of stream)

tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 2.62 cubic feet per second or 1,180 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION
3/77710/30PM/41521/116A/116

4. The well or other source is located 910' ft. S. and 1350' ft. W. from the NE corner of corner of Section 7
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW&NE of Sec. 7, Twp. 2N, R. 32E, W. M., in the county of Umatilla

5. The Canal or pipe line to be _____ miles in length, terminating in the NW&NE & SE&NE of Sec. 7, Twp. 2N, R. 32E, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Please refer to Permit #G-465 as this application is just to apply for extended coverage from the same well.

8. The development will consist of present well in the above mentioned permit having a diameter of 10" inches and an estimated depth of 399 feet. It is estimated that 100 feet of the well has standard casing casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3044

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Existing 75 HP. and one 15 HP. booster.....

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Secs. 6 & 7, T. 2N., R. 72 E., W.M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	32E	6	NE $\frac{1}{4}$ SW $\frac{1}{4}$	13.0
2N	32E	6	SW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0
2N	32E	6	NW $\frac{1}{4}$ SE $\frac{1}{4}$	11.3
2N	32E	6	SE $\frac{1}{4}$ SE $\frac{1}{4}$	28.5
2N	32E	6	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
2N	32E	7	NW $\frac{1}{4}$ NE $\frac{1}{4}$	1.7
2N	32E	7	SW $\frac{1}{4}$ NE $\frac{1}{4}$	3.6
2N	32E	7	NE $\frac{1}{4}$ NW $\frac{1}{4}$	35.8
2N	32E	7	SE $\frac{1}{4}$ NW $\frac{1}{4}$	36.1
Total				210.0

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Alfalfa, Grass and Grains

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 4,000.00
- 15. Construction work will begin on or before Immediately
- 16. Construction work will be completed on or before April 1, 1966
- 17. The water will be completely applied to the proposed use on or before April 1, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:
Jay Broquette
 (Signature of applicant)
 X *Margaret C. Broquette*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 19, 1965
February 2, 66
April 2, 1966

RECEIVED
DEC 2 1965

STATE ENGINEER
SALEM OREGON

RECEIVED
FEB 21 1966

ST. TE ENGINEER
SALEM OREGON

RECEIVED
JAN 30 1966

ST. TE ENGINEER
SALEM OREGON

WITNESS my hand this 11th day of October, 1965
2nd December 1966
2nd February

CHRIS L. WHEELER
STATE ENGINEER

/s/ Trevor Jones
ASSISTANT

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.62 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 27, 1965 for 2.0 c.f.s. February 21, 1966 for 0.62 c.f.s.

Actual construction work shall begin on or before April 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 25th day of April, 1966.

Chris L. Wheeler

STATE ENGINEER

Application No. G 3241
Permit No. G 3014

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 27th day of September,
1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 25, 1966

Recorded in book No. of

Ground Water Permits on page G 3014

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 56

3102