$_{\text{Permit No. G.}}$ G 3052

GERTIFICATE NO. 39892

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, BOB K. COM bs (Name of applicant)
of Route 1 Box 112 BROOKS, county of MARION
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated SCISM CREEK (Name of stream)
tributary of PLODING RIVER
2. The amount of water which the applicant intends to apply to beneficial use is cubi feet per second or
3. The use to which the water is to be applied is IRRIGATION
4. The well or other source is located 1208 ft. 1208 and 519 ft. 519 from the NW corner of DLC #57 7.6.5. RIWWM
(If preferable, give distance and bearing to section corner)
being within the NW SE 4 of Sec. 18 , Twp. 6-5, R. J.W.
W. M., in the county of MZRION
5. The to be mile
in length, terminating in the of Sec, Twp
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of
feet of the well will require

9. (a) Gir	ve aimensions at e			
		op (at water)	line)	feet; width on botto
•••••	feet; depth of wo	feet; grade	feet fall per or	
ousand feet.				
•		iles from hea	dgate: width on top (at water lir	ne)
		•	feet; depth of water	•
	feet fall			,
			size at intake,in.;	in size at
			of use in.; differ	
	•	-	Is grade uniform?	,
•		····· <i>J 6</i> .	is grade uniform:	Estimatea capacii
	•		S LARRALIA T	Toping 1"
10. If pun	ips are to be used,	, give size and	typeS4.bMBRSBle 7	WRDINE G
	•••••	••••••••		/
Give horse	epower and type o	of motor or eng	gine to be used	54 DMersible
	·····	•••••		
e difference in	elevation betwee	n the stream locati	istance to the nearest point on obed and the ground surface at the state of the sta	the source of developme ROM SCISM
e difference in The V	elevation betwee	n the stream locati	bed and the ground surface at t	the source of developme ROM SCISM
e difference in The M	elevation between 15.	n the stream locati Above	bed and the ground surface at t	the source of developme ROM SCISM bed
e difference in The M	elevation between 15.	n the stream locati Above	bed and the ground surface at the STYCAM	the source of developme ROM SCISM bed
e difference in The M TT 15 12. Locati	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M IT 15 12. Locati	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M TT 15 12. Locati	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M IT 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M IT 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M IT 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
The Market of th	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 19 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream loczto Above rrigated, or pl	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres
e difference in The M 17 15 12. Locati Township N. or S.	elevation between 15 45 in of area to be in Range E. or W. of	n the stream lo C 27 A bove rrigated, or pl Section 18 18 18	bed and the ground surface at the STTEAM. Included the ground surface at the sur	ROM SCISM Bed Number Acres

13. To supply the city	y of		
in	county, having a pr	esent population of	
and an estimated population	of	in 19	
ANSV	VER QUESTIONS 14, 15,	16, 17 AND 18 IN ALL	CASES
. 14. Estimated cost of	proposed works, \$7.	000	·
	will begin on or before		,5
	c will be completed on or	and the second s	
		7	efore OCT.1,1968
18. If the ground wa	ter supply is supplement certificate or adjudicate	ntal to an existing wa ed right to appropriat	ter supply, identify any appli- e water, made or held by the
,		Bob K.	Combo
Remarks:	II NO ION	ger use	Water Under
PEY MIT NOW	19263, Th	e New W	e// Will be
MY ONLY	SORCE O	F irrigat	ION WATER
			<u> </u>
			·····
			er programme de la companya de la co
		x 4	
	•••••	······································	······
······································			
STATE OF OREGON,			,
County of Marion,	•		
This is to certify that	I have examined the f	oregoing application, to	gether with the accompanying
maps and data, and return t			
			he State Engineer, with correc-
tions on or before	- - -		, , , , , , , , , , , , , , , , , , , ,
• •	·		
WITNESS mu hand th	ris dav of		, 19
The state of the s	way of		
			STATE ENGINEER
		D.	
		By	A CCTCT A NOT

MUNICIPAL SUPPLY—

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ed is limited to the am	•		·				
shall not exceed									
The	e use to which this 1	water is to be applied	is irrigat:	lon					
If f	or irrigation, this ap	ppropriation shall be li	mited to1/80 t)	of one cu	bic foot per second				
or its equ	ivalent for each acr	re irrigated and shall b	oe further limited to	a diversion of no	t to exceed2½				
acre feet	per acre for each a	cre irrigated during th	ne irrigation season	of each year;	***************************************				
					•••••••••••••••••••••••••••••••••••••••				
•••••••	•••••	,	•••••••••••••••••••••••••••••••••••••••	***************************************	1				
	•••••				•••••••••••••••••••••••••••••••••••••••				
***************************************				•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••				
					•••••••••••				
and shall	be subject to such i	reasonable rotation sys	stem as may be orde	ered by the prope	r state officer.				
the works The line, adeq The	s shall include prope works constructed uate to determine permittee shall in	d as necessary in acco er capping and control l shall include an air l water level elevation stall and maintain a w	l valve to prevent t line and pressure go in the well at all ti peir, meter, or other	he waste of groun uge or an access mes.	nd water. port for measuring				
keep a co	mplete record of th	e amount of ground w	ater withdrawn.						
The	e priority date of th	is permit is	January 3, 1	966	4 u-				
Act	ual construction we	ork shall begin on or b	pefore May	3 , 1967	and shall				
thereafter	r be prosecuted wi	th reasonable diligend	ce and be complete	d on or before O	ctober 1, 19.67				
Con	mplete application o	of the water to the pro	posed use shall be n						
WI	TNESS my hand th	is3rdday of	May	, 19	ended to Oct. 1, 1969				
	·. v		ek.	we Lo The	STATE ENGINEER				
Application No. G-3333. Permit No. G-G-2	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Fid day of Lond M. 19.66, at Eill o'clock M.	Returned to applicant:	Approved: May. 3, 1966 Recorded in book No. Ground Water Permits on page Ground Water Permits on page	CHELS LA. WHEELER STATE ENGINEER Drainage Basin No. 2 page 972. State Printing				