

Permit No. G- G 3056

APPLICATION FOR A PERMIT

CERTIFICATE NO. 35842

To Appropriate the Ground Waters of the State of Oregon

6. The name of the well or of 7. If the flow to be utilized is supply when not in use must be des 8. The development will condiameter of	DESCRIPTION OF WORKS startesian, the works to be used for the control and conservation of the cribed. sist of
6. The name of the well or of 7. If the flow to be utilized is supply when not in use must be des 8. The development will con	DESCRIPTION OF WORKS startesian, the works to be used for the control and conservation of the cribed. startesian, the works to be used for the control and conservation of the cribed. having a (Give number of wells, tunnels, etc.)
6. The name of the well or of 7. If the flow to be utilized is supply when not in use must be des	DESCRIPTION OF WORKS sartesian, the works to be used for the control and conservation of the cribed.
6. The name of the well or of 7. If the flow to be utilized is supply when not in use must be des	DESCRIPTION OF WORKS s artesian, the works to be used for the control and conservation of the cribed.
6. The name of the well or of7. If the flow to be utilized is supply when not in use must be des	DESCRIPTION OF WORKS sartesian, the works to be used for the control and conservation of the cribed.
6. The name of the well or of7. If the flow to be utilized is	DESCRIPTION OF WORKS s artesian, the works to be used for the control and conservation of the
	ther works isAnderson Well
K W. W. M., the proposed l	
n 0 17' *** ** = = =	location being shown throughout on the accompanying map.
in length, terminating in the	SE¼ SE¼ of Sec. 13 Twp. 35 S., (Smallest legal subdivision)
5. Thepipeli	ne to be 700 feet miles
W. M., in the county ofJ.a	
	of Sec. 13, Twp35. S, R2. W,
	nan one well, each must be described. Use separate sheet if necessary)
	(Section or subdivision) preferable, give distance and bearing to section corner)
corner of	Section 13
4. The well or other source is	located 1090 ft. No and 50 ft. Wo from the SE
3. The use to which the water	er is to be applied isirrigation
2. The amount of water whi feet per second or gallo	ch the applicant intends to apply to beneficial use is
trib. of Constance Cree	k tributary of Rogue River
situated Unnamed Draw	(Name of stream)
	cam to which the well, tunnel or other source of water development is
If the applicant is a corporation	on, give date and place of incorporation
following described ground waters	of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
(Postoffice Address)	
(Postoffice Address)	(Name of applicant) Central Point, , county of Jackson ,

juie. At nead!	gate: wiath on t	op (at water ii	ne)	
fe	eet; depth of w	ater	feet; grade	feet fall per one
sand feet.				
(b) At	m	iles from head	gate: width on top (at water	r line)
	feet; width on	bottom	feet; depth of w	ater feet;
le	feet fall	per one thousa	nd feet.	
(c) Length (of pipe,7		rize at intake,114	in.; in size atft.
n intake	in.;	size at place of	use 114 in.; di	fference in elevation between
ike and place of	use,	ft. 1	s grade uniform?Ye	S. Estimated capacity,
.03	sec. ft.		Electric	
10. If pumps	s are to be used,	give size and t		1%"outletsubme
ral stream or	stream channe	l, give the dis	tance to the nearest point o	s than one-fourth mile from a on each of such channels and
aral stream or difference in el annel is a s	stream channe evation betwee pproximate nelevatio of area to be in	l, give the dist n the stream be ly350fee n±l5fe	tance to the nearest point of ed and the ground surface of	on each of such channels and at the source of development
ural stream or difference in el annel is a;	stream channe evation betwee pproximate melevatio	l, give the dist n the stream be ly350fee n±l5fe	tance to the nearest point of ed and the ground surface of the from well.	on each of such channels and at the source of development
aral stream or difference in el annel is a proper di la constituta de la c	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the distributed in the stream be ly350fee n±15fe	tance to the nearest point of ed and the ground surface of use	on each of such channels and at the source of development
ural stream or difference in el annel is a proper de la contra del contra de la contra del contra de la contra del contr	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
aral stream or difference in el annel is a proper in e	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a proper de la contra del contra de la contra del contra de la contra del contr	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a frence in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated
ural stream or difference in el annel is a france in a	stream channe evation betwee pproximate nelevatio of area to be in Range E. or W. of	l, give the dist n the stream be ly350fee n±15fe rrigated, or pla	tance to the nearest point of ed and the ground surface of the from well.	Number Acres To Be Irrigated

MUNICIPAL SUPPLY 13. To supply the	 e city of	***************************************		6 3056
·		The same of the sa		***************************************
nd an estimated populo	ution of	in 19		•
	LNSWER QUESTIONS	14, 15, 16, 17 AND	18 IN ALL CASES	
•	t of proposed works,			•
•				eofpriority
'1	work will be complete		-	- . •
				October 1, 196
18. If the ground ition for permit, pern	water supply is sup iit, certificate or ad	plemental to an e judicated right to	xisting water supp appropriate water,	ly, identify any appli , made or held by the
oplicant.		••••••	••••••	
		× Slia	W.M am	Muson.
Remarks:		/\	(Signature of app	licant)
			••••••	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	***************************************		***************************************	
		•		
	•			
			***************************************	***************************************
			•	
	•••••••••••••••••••••••••••••••••••••••	•••••••••••		
	•••••••••••••	*************	***************************************	

TATE OF OREGON,) .	•	,	S
County of Marion,	888.			
This is to certify	that I have examine	l the foregoing ap	plication, together	with the accompanying
aps and data, and retu				
apa ana aasa, ana resa	······································		·	•••••••••••••••••••••••••••••••••••••••
		~		***************************************
In order to retain	its priority, this app	olication must be re	eturned to the State	Engineer, with correc
ons on or before			•	
• •				
		•		
WITNESS my has	rd this day	ı of	******************************	19
WITNESS my has	nd this day	, of		19
WITNESS my ha	nd this day	ı of		19
WITNESS my hai	nd this dag	, of		STATE ENGINEER

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.03...... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, froma.well..... The use to which this water is to be applied isirrigation..... If for irrigation, this appropriation shall be limited to1/80th...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...22........ acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is _____October 14, 1965 Actual construction work shall begin on or beforeMay. 19, 1967...... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967...... Complete application of the water to the proposed use shall be made on or before October 1, 19.68..... WITNESS my hand this ... 19th day of May..... STATE ENGINEER This instrument was first received

Application No. G-.

APPROPRIATE THE GROUND WATERS OF THE STATE OREGON office of the State Engineer at Salem, Oregon 00.1

Returned to applicant:

Ground Water Permits on page Recorded in book No.

CHRIS