

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, FRED CYPHERS and REBA CYPHERS, husband and wife,

(Name of applicant)

of Route No. 1, The Dalles, county of Wasco

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Five Mile Creek

(Name of stream)

tributary of Eight Mile Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.3 cubic feet per second or 135 gallons per minute.

3. The use to which the water is to be applied is Domestic, irrigation, and other use

4. The well or other source is located 1188 ft. N. and 1735 ft. E. from the SW corner of Section 19, T. 1 N., R. 14 E., W. M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, it is to be described on a separate sheet if necessary

being within the SW 1/4 of SW 1/4 (Lot 4) of Sec. 19, T. 1 N., R. 14 E., W. M., in the county of Wasco (See remarks)

5. The pipe line will be 240 feet of portable pipe extending from well site to point of use in NW 1/4 of SW 1/4 of Sec. 19, T. 1 N., R. 14 E., W. M., the proposed location being shown throughout on the accompanying map

(Smallest leg of right angle)

6. The name of the well or other works is Fred Cyphers Well

DESCRIPTION OF WORKS

7. If the place to be drilled is artesian, the works to be used for the control and regulation of the flow of water must be described.

well is constructed and no artesian water found.

8. The development will consist of one well

(Give diameter of well casing)

diameter of 6 inches and an estimated depth of 229 feet. It is estimated that

depth to water table is 229 feet. The well will require 6" ID iron pipe casing. Depth to water table is 229 feet.

(Diameter)

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate, width on top (at water line) _____ feet, width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet

(b) At _____ miles from headgate, width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type 6 Horsepower electric motor, turbine, has capacity of 75 gallons per minute

Give horsepower and type of motor or engine to be used 6 Horsepower electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels, and the difference in elevation between the stream bed and the ground surface at the source of development

The well is situated about 300 feet from Five Mile Creek; and there is about 10 feet difference in elevation between the stream bed and the ground surface at the source of development; the creek bed is about 10 feet lower than the top of the well.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township 1 N.	Range 14 E.	19	NW 1/4 SW 1/4 (lot 3)	12
" "	" "	19	SW 1/4 SW 1/4 (lot 4)	1
" "	" "	19	S 1/2 SW 1/4	1
" "	" "	19	NE 1/4 SW 1/4	12

(if more space required, attach separate sheet)

Character of soil Sandy-loam
Kind of crops raised Hay & corn

MUNICIPAL SUPPLY--

13. To supply the city of _____ in _____ county, having a present population of _____ and an estimated population of _____ in 19 _____

14. Estimated cost of proposed works, \$ 4000.00

15. Construction work will begin on or before _____ already started.

16. Construction work will be completed on or before September, 1956

17. The water will be completely applied to the proposed use on or before October, 1956

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Fred Cyphers
Reba Cyphers
(Signatures of Applicant)

Remarks: The location of the well is 1730 feet east of the west line of Section 19, but is located in the SW1/4SW1/4, being Lot 4, which comprises 52.44 acres instead of 40. This Lot 4, being 27.24 chains or 1790 feet, in an east and west dimension, instead of 20 chains or 1320 feet, locates the well in Lot 4, which may be termed the SW1/4.

STATE OF OREGON,)
County of Marion,)

I, _____, County Engineer, do hereby certify that I have examined the foregoing application together with the accompanying maps and plans and return the same for _____

In witness whereof, at its priority, this application must be returned to the State Engineer, with _____

_____ 19 _____
_____ day of _____ 19 _____

STATE OF OREGON

PERMIT

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions

The right herein granted is limited to the amount of water which can be applied to land and shall not exceed 7.2 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well

The use to which this water is to be applied is IRRIGATION.

If for irrigation, this appropriation shall be limited to 2.0 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the casing is started on the works shall provide proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an aneroid for measuring the pressure adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a well meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The expiry date of this permit is July 25, 1957.

Actual construction work shall begin on or before August 1, 1956.

The work shall be prosecuted with reasonable diligence and be completed on or before October 1, 1956.

The application of the water to the proposed use shall be made on or before October 1, 1956.

WITNES my hand this 24 day of August, 1956. [Signature]

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of August, 1956.

Received at 4:45 o'clock P.M.

Returned to applicant.

August 24, 1956

Approved in Trust No. 2 of 306

STATE ENGINEER