

Permit No. G- **G 3062**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, C. A. Minty (Name of applicant)

of 100 Vera Drive, Corvallis, county of Benton,
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Muddy Creek
(Name of stream)

tributary of Mary's River

2. The amount of water which the applicant intends to apply to beneficial use is .51 cubic feet per second or _____ gallons per minute.

3. The use to which the water is to be applied is Irrigation - 40.9 acres

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of Well #1 - 740' N and 830' W from the SE corner of Sec. 21
(Section or subdivision)

Well #2 - 560' N and 245' W from the SE corner of Sec. 21
(If preferable, give distance and bearing to section corner)

both wells

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 21, Twp. 12 S, R. 5 W

W. M., in the county of Benton

5. The pipe line (portable main line) to be 1000' miles
(Canal or pipe line)
in length, terminating in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 21 & 28, Twp. 12 S,
(Smallest legal subdivision)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is C. A. Minty

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 5x 2 wells with Well #1 having a
(Give number of wells, tunnels, etc.) Well #2 20
diameter of 6 inches and an estimated depth of 50 feet. It is estimated that 45
feet of the well will require steel casing. Depth to water table is estimated 20
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3062

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake, 4 in.; in size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? Estimated capacity,51 sec. ft.

10. If pumps are to be used, give size and type Well #1 - turbine pump - 200 gpm.
Well #2 - turbine pump - 50 gpm

Give horsepower and type of motor or engine to be used Well #1 - electric 10 hp 3 phase
1700 rpm, Well #2 - electric 5 hp 3 phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
does not apply - over 1/4 mile away

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	^{1/16 Secs.} Forty-acre Tract	Number Acres To Be Irrigated
12S	5W	21	SE $\frac{1}{4}$ SE $\frac{1}{4}$	30.0
12S	5W	21	NE $\frac{1}{4}$ SE $\frac{1}{4}$	6.0
12S	5W	21	NW $\frac{1}{4}$ SE $\frac{1}{4}$.6
12S	5W	21	SW $\frac{1}{4}$ SE $\frac{1}{4}$	3.3
12S	5W	28	NE $\frac{1}{4}$ NE $\frac{1}{4}$	1.0
				40.9

(If more space required, attach separate sheet)

Character of soil Smity silty clay loam
Kind of crops raised pasture - hay and silage

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 4,500.00

15. Construction work will begin on or before Completed

16. Construction work will be completed on or before completed

17. The water will be completely applied to the proposed use on or before June, 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

C. G. Minty
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.51 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 19, 1965

Actual construction work shall begin on or before May 19, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 19th day of May 1966

Chris J. Wheeler

STATE ENGINEER

67-2223
G 9.1
Application No. G-32625
Permit No. G-3062

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19th day of October 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 19, 1966 of

Recorded in book No. G 3062

Ground Water Permits on page

CHRIS J. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 97B

State Printing

1665