

RECEIVED
JAN 24 1966
STATE ENGINEER
SEASIDE, OREGON

Permit No. G- G 3077

APPLICATION FOR A PERMIT

CERTIFICATE NO. 43052

To Appropriate the Ground Waters of the State of Oregon

I, Claire O. Brown (Name of applicant)

of Williams (Postoffice Address), county of Josephine

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cherry Gulch (Name of stream)

tributary of E. F. Williams Creek

#1 - .04 cfs new. #2 - .23 cfs supplemental #3 - .06 sup. & .02 new
2. The amount of water which the applicant intends to apply to beneficial use is 3.5 cubic total feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation - new & supplemental

#1 - 1456' S & 20' E #2 - 2375' S & 1875' E #3 - 2340' S & 20' E
4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the N $\frac{1}{2}$ corner of Section 2 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the #1 & #3 in SW $\frac{1}{4}$ NE $\frac{1}{4}$ #2 in SENE of Sec. 2, Twp. 39 S, R. 5 W, W. M., in the county of Josephine

5. The pipeline (Canal or pipe line) to be #1 700' #2 1100' #3 700' in length, terminating in the #1 & #3 SWNE #2 SENE of Sec. 2, Twp. 39 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Brown's ponds #1, #2 & #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 3 ponds (Give number of wells, tunnels, etc.) having a diameter of 30" x 75" approx. inches and an estimated depth of 10 feet. It is estimated that feet of the well will require no (Kind) casing. Depth to water table is estimated 4 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating ^{G. 3077} miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake 2 in.; in size at 500 ft. from intake in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, ft. Is grade uniform? #1 no #2 & 3 yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Carter gas, anelectric

Give horsepower and type of motor or engine to be used 1 1/2 hp and 1 hp

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

10 feet #1

350 feet #3

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
39 S	5 W	2	SW 1/4 of NE 1/4	3 ac .04 cfs new-Well #1
"	"	"	SE 1/4 of NE 1/4	11.4 ac) .23 cfs, supple. Well #2
			SW 1/4 of NE 1/4	
			SW 1/4 of NE 1/4	6.4 .06 sup. & .02 new Well #3 (1.4 ac new, 5.0 sup)
				29.2 ac

(If more space required, attach separate sheet)

Character of soil loamy

Kind of crops raised hay and pasture

MUNICIPAL SUPPLY—

G 3077

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....500.00
- 15. Construction work will begin on or before ...October, 1965.....
- 16. Construction work will be completed on or before ...October, 1966.....
- 17. The water will be completely applied to the proposed use on or before ...October, 1968.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ...supplemental to R-2864, 27926, and 8333.....

Clair O Brown
(Signature of applicant)

Remarks: LEGAL DESCRIPTION: The south half of the north east
quarter of Section 2, township 39 S, range 5 WWM
in Josephine County, State of Oregon, containing 80 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 28 19 66.

WITNESS my hand this 28th day of January 19 66.

RECEIVED
FEB 14 1966
STATE ENGINEER
SOLEM OREGON
CHRIS L. WHEELER
STATE ENGINEER
Tony W. Debusch
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.35..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 3 wells, being 0.04 c.f.s. from well #1 and 0.02 c.f.s. from well #3 for primary irrigation and 0.23 c.f.s. from well #2 and 0.06 c.f.s. from well #3 for supplemental irrigation

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 22, 1965

Actual construction work shall begin on or before May 19, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 19th day of May 1966

Chris L. Wheeler

STATE ENGINEER

PC

Application No. G-3302
Permit No. G-3077

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of November 1965, at 8:10 o'clock A. M.

Returned to applicant:

Approved:

May 19, 1966

Recorded in book No. of

Ground Water Permits on page G-3077

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 98

15