

STATE ENGINEER
SALEM OREGON

Permit No. G- G 3078

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, FRED WIDMAN & BESSIE WILLIAMS
(Name of applicant)
of P.O. Box 334 BAKER, county of BAKER
(Postoffice Address)
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Powder R.
(Name of stream)

tributary of Snake R.

2. The amount of water which the applicant intends to apply to beneficial use is 5.3 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located open drain on the perimeter of NW 1/4 Sec 5
ft and ft from the
(N. or S.) (E. or W.)
corner of (Diversion points from drain listed under Remarks)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the of Sec. Twp. 9S, R. 40E
W. M., in the county of BAKER

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec. Twp.
(Smallest legal subdivision)
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of an open drain 1 mile in length having a
(Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 30178

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
85	40 E	32	NE 1/4 SW 1/4	40.0
			NW 1/4 SW 1/4	40.0
			SW 1/4 SW 1/4	40.0
			SE 1/4 SW 1/4	40.0
			SW 1/4 SE 1/4	40.0
95	40 E	5	NW 1/4 NE 1/4	12.0
				212

(If more space required, attach separate sheet)

Character of soil Loam
 Kind of crops raised Hay, Grains, Pasture

MUNICIPAL SUPPLY—

13. To supply the city of G 3078

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$1750⁰⁰

15. Construction work will begin on or before Oct 1965 (Drain completed)

16. Construction work will be completed on or before Oct 1966

17. The water will be completely applied to the proposed use on or before Oct 1967

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Cert. 4225, 4582

Remarks:

* Fred Widman (Signature of applicant)
* Jessie Williams

Dir. Pt. #1 1.3 cfs - 900's & 20' w within NE 1/4 NW 1/4 sec 5 T9S R40E W.
#2 1.0 cfs - 20's & 20' w
#3 1.0 cfs - 20's & 1230' w
#4 2.0 cfs - 20's & 2020' w NW 1/4 NW 1/4
All dimensions from the N 1/4 corner sec 5
5.3 cfs

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed2.6..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from open infiltration ditch.....

The use to which this water is to be applied is irrigation and supplemental irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3..... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further... that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isNovember 23, 1965.....

Actual construction work shall begin on or before May 19, 1967..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.....

Complete application of the water to the proposed use shall be made on or before October 1, 1968.....

WITNESS my hand this 19th day of May, 1966

Chris J. Wheeler
STATE ENGINEER

9-5
Application No. G-3365
Permit No. G-3078

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of November, 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved: May 19, 1966

Recorded in book No. of G 3078
Ground Water Permits on page

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 45

State Printing