

Permit No. G- G 3086

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

XX The City of Portland, Oregon, a municipal corporation  
(Name of applicant)  
of City Hall, Portland, Oregon, county of Multnomah  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the  
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation  
Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is  
situated Willamette  
(Name of stream)  
tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is cubic  
feet per second or 400 gallons per minute.

3. The use to which the water is to be applied is air conditioning

4. The well or other source is located 2620 ft. S and 1110 ft. E from the NW  
(N. or S.) (E. or W.)  
corner of Section 3, Twp 1S, R. 1E, WM  
(Section or subdivision)  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4 of Sec. 3, Twp. 1S, R. 1E,  
W. M., in the county of Multnomah

5. The (Canal or pipe line) to be miles  
in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. ,  
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Civic Auditorium well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the  
supply when not in use must be described.

8. The development will consist of a single well having a  
(Give number of wells, tunnels, etc.)  
diameter of 12 inches and an estimated depth of 361 feet. It is estimated that 317  
feet of the well will require 12-inch steel casing. Depth to water table is estimated 208  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... 10-inch multi-stage centrifugal-turbine pump

Give horsepower and type of motor or engine to be used ..... 25-hp electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

..... 1300 ft to Willamette River. Elevation of ground surface at well, 80 feet.

..... Elevation of river bed (-)20 feet. Difference in elevations, 100 feet.

12. Location of area to be irrigated, or place of use ..... (air conditioning)

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T1S	R1E	3	SW 1/4 of NW 1/4	-----

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

G 3086

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....


ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 11,000.....
- 15. Construction work will begin on or before July 12, 1965.....
- 16. Construction work will be completed on or before March 1, 1967.....
- 17. The water will be completely applied to the proposed use on or before March 1, 1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

The City of Portland, Oregon

by:



(Signature of applicant)

Commissioner of Public Utilities

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is air conditioning

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the use of water for air conditioning in excess of 5,000 gallons per day shall be subsequent in priority to future beneficial consumptive use unless a two well system is constructed and all water wasted from the system recharged to the same ground water reservoir from which it was withdrawn.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 8, 1965

Actual construction work shall begin on or before May 19, 1967 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 19th day of May 1966

Chris L. Wheeler

STATE ENGINEER

Application No. G-3314

Permit No. G-3080

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of December 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

May 19, 1966

Recorded in book No. of G 3080 Ground Water Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 2 page 97C

State Printing

20.00

pc