

RECEIVED
JAN 21 1933
ENGINEERING
DIVISION

Permit No. G- G 3093

44747

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

The United States of America, represented by the Corps of Engineers,
I, U. S. Army Engineer District, Portland

(Name of applicant)

of 628 Pittock Block, Portland, county of Multnomah

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fall Creek Reservoir

(Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.111 cubic feet per second or 50 gallons per minute.

3. The use to which the water is to be applied is to supply toilets and drinking fountains.

~~Approx~~ 2,000' N. 57° W.

4. The well or other source is located ----- ft. ----- and ----- ft. ----- from the S.E. corner of Section 1, Township 19 South, Range 1 West of the Willamette Meridian.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S.1/4 S.1/4 of Sec. 1, Twp. 19 S., R. 1 W., W. M., in the county of Lane

5. The Pipe line to be 1,500 ft. ----- miles

(Canal or pipe line)

in length, terminating in the Recreation Area of Sec. -----, Twp. -----, R. -----, W. M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

6. The name of the well or other works is Winberry Creek Recreation Area, Well No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one waterwell having a diameter of 6 inches and an estimated depth of 100 feet. It is estimated that 100 feet of the well will require 6 inch casing. Depth to water table is estimated 25 feet

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1,500 ft.; size at intake, 3" at pump discharge in.; in size at ft. from intake in.; size at place of use 2 in.; difference in elevation between pump intake and place of use, 5 ft. Is grade uniform? Yes Estimated capacity, 0.111 sec. ft.

10. If pumps are to be used, give size and type Submerged pump "deep well" 50 g.p.m.

Give horsepower and type of motor or engine to be used electrical 7 1/2 h.p. max.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

125 feet from Fall Creek Reservoir at Maximum pool El. 834
165 " " " " " " Conservation Pool El. 830
well will be at approximate El. 840.

12. Location of area to be irrigated, or place of use No irrigation

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 19S, 1W, Sec 1, in S 1/2 SE 1/4.

(If more space required, attach separate sheet)


Character of soil Silty Clay over weathered gravels.
Kind of crops raised None

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3,600.00
- 15. Construction work will begin on or before 1 March 1966
- 16. Construction work will be completed on or before 15 March 1966
- 17. The water will be completely applied to the proposed use on or before 1 July 1966

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None.


W. J. ASHWORTH (Signature of applicant)
Chief, Real Estate Division


Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 28, 1966

WITNESS my hand this 28th day of January, 1966

CHRIS L. WHEELER
STATE ENGINEER
By 
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from one well

The use to which this water is to be applied is sanitary and drinking facilities at Winberry Creek Recreation Area

If for irrigation, this appropriation shall be limited to - - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed - - - - acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 20, 1966

Actual construction work shall begin on or before July 7, 1967 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 7th day of July, 1966

Chris L. Wiemler

STATE ENGINEER

Application No. G-3343
Permit No. G-G 3093

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of January, 1966, at 1:00 o'clock P M.

Returned to applicant:

Approved:

July 7, 1966

Recorded in book No. G 3093 of Ground Water Permits on page

CHRIS L. WIEMLER STATE ENGINEER

Drainage Basin No. 2 page 97C

20