CERTIFICATE NO. 36088

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Munenger's Nursery & Creenters of Fran (RCK layer Total)
of R1. 2.12.6.4.1.16. (Postoffice Address), country of MINICIA
state of
If the applicant is a corporation, give date and place of incorporation
Textland, Oregon Hugust-1, 1959
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette River (Name of stream)
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is Nursex y Phone 15 1441
Cuttle Foed Ginsus - Irrightion
4. The well or other source is located 2.55 ft. N and 27 ft. W from the Cor (N. or S.)
corner of Sec. 3.3. Section or subdivision
Located within the SEN NEW OF Sec. 33
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the Scull and I will at the NETTHE Quarter of Sec. 33, Twp. 3 South, R.
W. M., in the county of
5. The Well to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of
diameter of inches and an estimated depth of feet. It is estimated that

CANAL SYSTEM OR PIPE LINE— 9. (a) Give dimensions at each point of canal where materially chan	
headgate. At headgate: width on top (at water line)	• •
feet; depth of waterfeet; grade	feet fall per one
thousand feet.	
(b) At miles from headgate: width on top (at water	
feet; width on bottom feet; depth of i	water feet;
grade feet fall per one thousand feet.	
(c) Length of pipe, ft.; size at intake	in.; in size at ft.
from intake in.; size at place of use in.; dif	fference in elevation between
intake and place of use, ft. Is grade uniform?	Estimated capacity,
sec. ft.	
10. If pumps are to be used, give size and type 50 H.P. Ju	· · · · · · · · · · · · · · · · · · ·
1800 R.P.M. FeerLess	
Give horsepower and type of motor or engine to be used5.0.	4.P. 3 phase
Westinghouse	
11. If the location of the well, tunnel, or other development work is lea natural stream or stream channel, give the distance to the nearest point of the difference in elevation between the stream bed and the ground surface	on each of such channels and
12. Location of area to be irrigated, or place of use	
Range Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract	Number Acres To Be Irrigated
(-H C 11)	11 11 2000
The South one-half of the	Northeast T
one-quarter of Section 33 in	1 lownship
3 South, Knige I west at	the Willamette
- Mexidian.)	· · · · · · · · · · · · · · · · · · ·
3 South Kange IW 33 SEM N	£1/4 40
3 South Kange IW 33 Suil 1	1E14 40
3 South Ronge IW 38 9.E4 1	1W4 16.8
	96.8
(If more space required, attach separate sheet) Character of soil Uliday He He Silt	,
Kind of crops raised Nulsery Stock + Sile	ig e

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		is limited to the amou				-
		s equivalent in case of	•			
The	use to which this wat	er is to be applied is	irrigat	Lon		······································
		opriation shall be limi		•		
		rrigated and shall be f irrigated during the i			·	
			and the second second			
	······		••••••			
***************************************	•••••••••••••••••••••••••••••••••••••••		•••••		***************************************	••••••
The a the works s The a line, adequ	well shall be cased as shall include proper constructed shate to determine wat permittee shall instal	sonable rotation system s necessary in accorda capping and control va call include an air line ter level elevation in a call and maintain a weir the amount of groun	nce with lve to pre and press the well a . meter.	good practice as vent the waste of sure gauge or an t all times.	nd if the flo f ground wat access port	ow is artesian er. for measuring
The 7	priority date of this p	permit is	January -	18,1965		
Actu	al construction work	shall begin on or befo	re	November 9	1967	and shall
thereafter	be prosecuted with r	reasonable diligence a	nd be cor	npleted on or be	efor e O ctobe	r 1, 1968
	•	he water to the propos				ober 1, 19. 69
WIT	NESS my hand this .	9th day of	Novembe:		, 19.66.	_
			, <u>w. p. 40 d</u>	e de la companya de l	sı	'ATE ENGINEER
Application No. G. 33-10 Permit No. G. 6. 51.56	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1846, at 1,00 o'clock M.	Returned to applicant:	Approved: November 9, 1966	Recorded in book No	CHRIS L. WHEELER STATE ENGINEER Drainage' Basin No. 2. page 97C