

Permit No. G- G 3178

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Roy J. Nelson (Name of applicant)
of Route 1, Box 91, Ontario, Oregon , county of Malheur ,
state of <u>Oregon</u> , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Malheur River (Name of stream)
tributary ofSnake River
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied isIrrigation & Suppl.
4. The well or other source is located 20 ft. North and 142 ft. East from the SW (E. or W.) corner of Section 22, Township 18 S., Range 46 E. W. M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW-SW-L., R. 46 E.,
W. M., in the county ofMalheur
5. The Ditch to be 2,400 feet miles (Canal or pipe line)
in length, terminating in the SEASWA of Sec. 22, Twp. 18 S., (Smallest legal subdivision)
R. 46 E., W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Well No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
•
8. The development will consist ofone_wellhaving ahaving a
diameter of12 inches and an estimated depth of118 feet. It is estimated that55
feet of the well will require steel casing. Depth to water table is estimated (Kind)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from adgate. At headgate: width on top (at water line)	NAL SYSTE 9. (a) Gi	ve dimensions at ea	con posite of car	iai where materially chang.		
pusand feet; depth of water	•	•		4.0		
the stand feet. (b) At					• ,	
(b) At		jeet, depth of we	<i>ater</i>	grade	jeet ja	n per one
feet; width on bottom	-	· måla	na fuam baadaa		. 7: \	
feet fall per one thousand feet. (c) Length of pipe,		•				
(c) Length of pipe,					ater	feet;
m intake				·		
ake and place of use,					•	_
Sec. ft. 10. If pumps are to be used, give size and type Peerles Turbine, 4 x6 x 16 Give horsepower and type of motor or engine to be used Tan horse power 3. phase Ele notor. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development works. 12. Location of area to be irrigated, or place of use Township Earne Earne Section Forty-acre Tract Number Acres To Be Irrigated				•		
10. If pumps are to be used, give size and type Peerles Turbine, 4 x6 x 16 Give horsepower and type of motor or engine to be used Tan horse power 3. phase Elemotor 11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fratural stream or stream channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fratural stream or stream channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fratural stream or str	ake and place	e of use,	ft. Is	grade uniform?	Estimated	capacity,
Give horsepower and type of motor or engine to be used		1			• .	
Give horsepower and type of motor or engine to be used	10. If pun	nps are to be used, g		4		
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source	Give hors	epower and type of	•			
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fratural stream or stream channel, give the distance to the nearest point on each of such channels at difference in elevation between the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of development of the stream bed and the ground surface at the source of the stream bed and the ground surface at the source					_	
Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated		or stream channel,	, give the dista	nce to the nearest point or	n each of such cha	nnels and
18 S. 46 E. 22 SW\(\frac{1}{4}\)SW\(\frac{1}{4}\) 38 (4\(\frac{9}{4}\)	e difference in	or stream channel, elevation between	, give the dista the stream bed	nce to the nearest point or l and the ground surface a	n each of such cha t the source of der	nnels and
18 S. 46 E. 22 SE-SW	12. Locate	i or stream channel, elevation between ion of area to be irre	, give the dista the stream bed	nce to the nearest point or l and the ground surface a	n each of such cha t the source of der	nnels and velopment
	12. Locate	ion of area to be irre	give the dista the stream bed	nce to the nearest point or l and the ground surface a series of use	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
*	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
*	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
(If more space required, attach separate sheet)	12. Locate Township N. or S.	ion of area to be irra Range E. or W. of Willamette Meridian	give the dista the stream bed igated, or place Section	nce to the nearest point or l and the ground surface a second surface a se	n each of such cha t the source of der	nnels and velopment
Character of soil Clay loam	12. Locate Township N. or S. 18 S.	ion of area to be irrection of area to be irrection. Range E. or W. of Williamette Meridian 46 E. 46 E.	give the dista the stream bed igated, or place Section 22 22	nce to the nearest point or l and the ground surface at least of use Forty-acre Tract SW-1/2SW-1/2 SE-1/2SW-1/2	n each of such cha t the source of der	nnels and velopment

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, $SUBJECT\ TO\ EXISTING\ RIGHTS$ and the following limitations and conditions:

	_	ein granted i				•				-		•		
or source of				-					·		•			
The us	se to wh	ich this wat						•	•			-		
If for i	irrigatio	n, this appro				ed tol								
or its equiva	lent for	each acre ir	rigated o	and sha	ll be fi	irther lim	rited t	o a dive	ersion	of not	to exc	ceed .	.3	
acre feet per	acre fo	r each acre	irrigated	l during	the ir	rigation s	season	of eacl	i yea	r;pro	video	ì.fu	rther	
that the	right.	allowed he	rein sl	nall.b	e lini	ited to	any	defici	ency	in th	eava	aila	ole	
supply of	.anypi	cior right	_exist	ing fo	r the	same la	ınd a	ndsha	llr	ot exc	eedt	the		
limitation.	allowe	ed herein.		••••••	••••••			***********	•••••			•••••		
			••••••				•••••		•••••					
							•••••		•••••	•••••			•••••	
······································											•			
and shall be	subject	to such reas	onable r	otation	system	as may l	be ord	ered by	the	proper :	state o	fficer	r.	
The w	ell shall	l be cased as	necessa	ry in a	ccorda	nce with	good	practic	e and	l if the	flow	is ar	tesian	
the works sh	all incli	ide proper c nstructed sh	apping a	nd cont	rol val	ve to pre	vent t	he wast	e of	ground	water.	•		
line, adequat	te to de	termine wat shall instal	er level	elevati	on in t	he well a	t all t	imes.						
shall keep a	comple	te record of	the am	ount of	groun	d water i	vithdr	awn.		measa	ing a		,	
							ינד	-b	70	7066				
• .		late of this p												
		uction work												
thereafter be	e prosec	cuted with 1	reasonab	le dilig	ence a	nd be cor	nplete	ed on o	r bef	ore Oct	ober 1	1, 19.	58	
Comp	lete app	lication of th	ıe water	to the 1	propos	ed use sho	all be	made o	n or	before (Octobe	r 1, 1	969	
WITN	ESS my	y hand this .	18th	. day of		enuary	/	<u>/</u>		, 19.6	7			
						<u>a</u>	1				STAT	E ENGI	NEER	î,
						,								
			the	gon,						of 31.78	**	EER	₹1;	
28		GROUND FATE	ed in	Ş /	M.			•		3		ENGIN	6	
317		E GROI STATE	ceiv	alem Ala	2				1967	ì	:	rate 1	page Æ	L
$\overset{\mathcal{O}}{\omega}$		HE (E STON)	st re	at S	7					9550) Signature	JT.I.S.	ł	000
<u></u> ტ	Z	ATE THE OF THE SOREGON	us fin	meer	o'clock .	••			y 18	No.		H.	0/	
n No . G-	PERMI	RIAT S OF F OR	nt w	Eng xy of		icant		,	Jainary 18,	ook 1		OHICS I. "HERE	n No	
catio it No	Д	APPROPR WATERS OF	nmeı	State 2 de	00	appli			re a	in b) ;	HE	Basi	
Application No. G-3378 Permit No. G- G-317		APPROPRIATE THE WATERS OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the <i>LOLO</i> day of	19 66, at 1:00	Returned to applicant		d:		Recorded in book No	3		Drainage Basin No.	
P P		TO .	[his	ce of	26,0	urne		Approved:		Reco	3		Drain Č	
				offi on t	19.	Ret		Apr		ر ا	5		•	