
Permit No. G-.....G....3186

APPLICATION FOR A PERMIT



To Appropriate the Ground Waters of the State of Oregon

I, Church of All Saints, Thomas J. Tobin, Parish Priest
of Portland, Oregon , county of Multnomah ,
state of
If the applicant is a corporation, give date and place of incorporation
December 8, 1960, Portland, Oregon
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Willamette
(Name of stream) tributary of Columbia
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is heating and cooling for new church
building
4. The well ocother source is located 2.710 ft. S. and 980 ft. W. from the N.E.
corner of Section 36, T. I.N. R. W.M. (Section or subdivision)
The disposal well is located 2,475 feet S. and 920 ft.W.
(If preferable, give distance and bearing to section corner) from the N.E. corner of Section 36, T. I.N. R. M.E. W.M.
being within the S.E. 1.0f N.E.1. of Sec. 36 , Twp. IN , R. 1E.,
W. M., in the county of Multnomah
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is All Saints Church Well
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
· · · · · · · · · · · · · · · · · · ·
4
8. The development will consist of one supply well having a
diameter of 10 inches and an estimated depth of 230 feet. It is estimated that 230
feet of the well will require 10-inch steel casing. Depth to water table is estimated
(Kind) (Feet)

9 (a) Gis	na dimancione at a	such Dona or	canal where materially chan	gea in size, stating miles j
•			Hin a V	
		feet; width on bott		
***************************************	feet; depth of wa	iter	feet; grade	feet fall per
usand feet.				
(b) At	<i>m</i> i	iles from hea	dgate: width on top (at wate	r line)
***************************************	feet; width on	bottom	feet; depth of w	ater
de	feet fall 1	per one thous	and feet.	
(c) Lengtl	n of pipe,	ft.;	size at intake,	in.; in size at
n intake	in.;	size at place o	of use in.; d	ifference in elevation betr
ıke and place	of use,	ft.	Is grade uniform?	Estimated capa
	sec. ft.			
10. If pun	ips are to be used.	give size and	type 8-inch deel	well multi-stag
	•			
			gine to be used 25 H.P	•
uirrei-ca	age electric	motor		
ıral stream o difference in	elevation between	l, give the di n the stream	stance to the nearest point of bed and the ground surface	at the source of develop
ural stream of difference in	or stream channel elevation between on of area to be in	l, give the di	ace of use	at the source of develops
ural stream o	or stream channel elevation between	l, give the di	bed and the ground surface	at the source of develops
ural stream of difference in 12. Locati	or stream channel elevation between on of area to be in Range	l, give the di	ace of use	at the source of develops
tral stream of difference in the difference in t	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
tral stream of difference in the difference in t	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
tral stream of difference in the difference in t	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
tral stream of difference in the difference in t	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
tral stream of difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl	ace of use	at the source of develops
difference in 12. Locati Township N. or S.	or stream channel elevation between on of area to be in Range E. or W. of Willamette Meridian	l, give the din the stream rigated, or pl Section	ace of use	at the source of develops

STATE ENGINES WHEELER

STATE ENGINES WHEELER

SALEM OREGON ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		IGHTS and the following ted is limited to the am	-			eneficial use	and	
iall not exce	ed0.67	cubic feet per sec	ond measur	ed at the point (of diversion	from the we	ll or	
urce of appr	ropriation, or it	s equivalent in case of r	otation wit	h other water us	ers, from	a well		
The use to which this water is to be applied is heating and cooling								
If for in	rrigation, this a	ppropriation shall be li				•		
its equival	ent for each ac	ere irrigated and shall b	e further li	mited to a diver	sion of not t	o exceedi.	Tangangan ngg Harana	
re feet per	acre for each	acre irrigated during th	ne irrigation	season of each	year;		Section (See	
					77.77 788 J.	43.4 4.2.	· · · · · · · · · · · · · · · · · · ·	
*******************************	•••••		*****	i		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
••••••				•••••••••••••••••••••••••••••••••••••••	, ,		••••••••••••••••••••••••••••••••••••••	
		100					•	
				***************************************	***************************************	**********************	******	
		***************************************					•••••	
ep a compl	ete record of t	nstall and maintain a when the amount of ground w	ater withdi	awn.				
		his permit is	•					
		oork shall begin on or b	•					
-	-	ith reasonable diligend		-				
		of the water to the pro	•				Ż	
WITNI	ESS my hand t	his18th day of	oanua		, 19.5			
				Chook	Mar	STATE ENGINE	ER .g	
I		12 2 1			of 26	: 11	•	
	Ą	received in the Salem, Oregon, brusely				INEER		
3186	GROUND	em, C	•	1961	g	S S S S S S S S S S S S S S S S S S S		
8		st rec		1 1	ığe	STAT		
9	RMIT ATE THI OR THE OREGON	s firs		y 18	ou vo	H. A.	늄	
٠ ئ	111 11 -	is instrument was first received in the of the State Engineer at Salem, Oregon, 2254. day of Lebrusly, at R.C. o'clock M.	int:	January 18,	corded in book Nod Water Permits on page	IS L	State Printing	
Permit No.	PI COPR ERS OF	tate Eng	ned to applicant:		n boc Per	CHEIS. I	State	
ermi	P) APPROPR WATERS OF	nstrr he S S A	to az	ä	led i Vater	age E	,	
Α,	0 4 b	of th	ned	oved:	cori	ain	, , , , , , , ,	

20