

## 

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

	I, DONALD EARL OLSEN
of	(Name of applicant)  ROUTE 1 BOX 118A RIDDLE , county of DOUGLAS  (Postoffice Address)
state o follow	of, do hereby make application for a permit to appropriate the ing described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. Give name of nearest stream to which the well, tunnel or other source of water development is  dMITCHELL CREEK (ALSO KNOWN AS ASH CREEK)  (Name of stream)
	tributary ofCOW CREEK
feet pe	2. The amount of water which the applicant intends to apply to beneficial use is cubic er second or
. *	3. The use to which the water is to be applied is
corner	4. The well or other source is located 269 ft. N and 2185 ft. W from the SE of SEC, 30 (Section or subdivision)
	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
being ·	within the SW 1/4 SE 1/4 of Sec. 30, Twp. 30S, R. 5W
W. M.,	in the county of DOUGLAS
	5. The to be miles
in leng	th, terminating in the, Twp, (Smallest legal subdivision)
	(Smallest legal subdivision)
(	6. The name of the well or other works is
	DESCRIPTION OF WORKS
supply	7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the when not in use must be described.
•	8. The development will consist ofONE_(1) WELL having a
diamet	er of
feet of	the well will require

•	CM OR PIPE LINE ve dimensions at ed		canal where materially changed	f G~3188d in size, stating miles fr
adgate. At he	adgate: width on to	p (at water li	ine)	feet; width on bott
	. feet; depth of wat	ter	feet; grade	feet fall per o
ousand feet.				
(b) At	mi	les from head	lgate: width on top (at water li	ine)
•••••	feet; width on l	bottom	feet; depth of wate	er fe
ade	feet fall p	er one thousa	and feet.	
(c) Lengt	h of pipe,	ft.;	size at intake, in.	; in size at
m intake	in.; s	ize at place o	f use in.; diffe	erence in elevation betwe
ake and place	of use,	ft.	Is grade uniform?	Estimated capac
	sec. ft.			
10. If pun	nps are to be used, g	give size and t	ype	
***************************************				
Give horse	epower and type of	motor or eng	ine to be used 0.5 HP 11	LOV AC MOTORE
***************************************		***************************************		
tural stream e difference in	or stream channel, a elevation between	, give the dis the stream b	stance to the nearest point on ed and the ground surface at . TO CENTERLINE OF CE	each of such channels the source of developm
tural stream e difference in	or stream channel, a elevation between T. FROM CENTE	give the dis the stream b	stance to the nearest point on ed and the ground surface at . TO CENTERLINE OF CE	each of such channels of the source of developm
tural stream e difference in	or stream channel, a elevation between T. FROM CENTE  ion of area to be irr  Range E. or W. of	give the dis the stream b	stance to the nearest point on ed and the ground surface at	each of such channels of the source of developm
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels of the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in 185 F1  12. Locate	or stream channel, a elevation between T. FROM CENTE  ion of area to be irr  Range E. or W. of	give the distance the stream became became the stream became the s	stance to the nearest point on ed and the ground surface at  TO CENTERLINE OF CE	each of such channels of the source of developm REEK  Number Acres
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels of the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the dis the stream b R OF WELL rigated, or pla	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels of the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the distributed the stream between the stream between the section	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels of the source of developm REEK  Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the distributed the stream between the stream between the section	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	Number Acres To Be Irrigated
tural stream e difference in  185 FT  12. Locate  Township N. or S.	or stream channel, elevation between  T. FROM CENTE  ion of area to be irrectly a constructed by the construction of the const	give the distributed the stream between the stream between the section	stance to the nearest point on sed and the ground surface at  TO CENTERLINE OF CF	each of such channels of the source of developm REEK  Number Acres To Be Irrigated

PASTURE

Kind of crops raised .....

in	3. To supply the city of	G 3188
	county, having a present population of	
ın <b>d a</b> n e:	estimated population of in 19 in 19	
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CAS	ES
14.	Estimated cost of proposed works, \$\400	
•	. Construction work will begin on or beforeUPQNAPPROYALQF	APPLICATION
		· ·
	. Construction work will be completed on or before TWOWEEKS AF. T	
	. The water will be completely applied to the proposed use on or befor	COMPLETION
	. If the ground water supply is supplemental to an existing water a permit, permit, certificate or adjudicated right to appropriate w	
pplicant	t	
·,		
	anald a	Ed Din
Pa	(Signature of DONAL D. F	of applicant)
	emarks:	
••••••		
		***************************************
		•••••
		***************************************
••••••••••		•••••••••••••••••••••••••••••••••••••••
	OF OREGON	
	OF OREGON, \ss.	
	·	
Count	ty of Marion, ss.	ner with the accompanyin
Count The	ty of Marion, $S$ ss.  is is to certify that I have examined the foregoing application, togeth	
Count The	ty of Marion, ss.	
Count The	ty of Marion, $S$ ss.  is is to certify that I have examined the foregoing application, togeth	
Count The	ty of Marion, ss.  is is to certify that I have examined the foregoing application, togeth  d data, and return the same for	
Count The naps and	ty of Marion, ss.  tis is to certify that I have examined the foregoing application, togetled data, and return the same for	
Count The naps and	ty of Marion, ss.  is is to certify that I have examined the foregoing application, togeth  d data, and return the same for	
Count The naps and	ty of Marion, ss.  tis is to certify that I have examined the foregoing application, togetled data, and return the same for	
Count The naps and In ions on o	ty of Marion,  ss.  is is to certify that I have examined the foregoing application, togeth d data, and return the same for  order to retain its priority, this application must be returned to the S  or before	tate Engineer, with correc
Count The naps and In ions on o	ty of Marion, ss.  tis is to certify that I have examined the foregoing application, togetled data, and return the same for	tate Engineer, with correc
Count The naps and In ions on o	ty of Marion,  ss.  is is to certify that I have examined the foregoing application, togeth d data, and return the same for  order to retain its priority, this application must be returned to the S  or before	tate Engineer, with correc
Count The naps and In ions on o	ty of Marion,  ss.  is is to certify that I have examined the foregoing application, togeth d data, and return the same for  order to retain its priority, this application must be returned to the S  or before	tate Engineer, with correc
Count The naps and In ions on o	ty of Marion,  ss.  tis is to certify that I have examined the foregoing application, togeth d data, and return the same for  order to retain its priority, this application must be returned to the S  or before	tate Engineer, with correct
Count The naps and In tions on o	ty of Marion,  ss.  is is to certify that I have examined the foregoing application, togeth d data, and return the same for  order to retain its priority, this application must be returned to the S  or before	tate Engineer, with correct

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ......Q.Q. ............ cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a. well..... The use to which this water is to be applied is irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ....2\\frac{1}{2}....... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before \_\_\_\_\_\_January 18, 1968 \_\_\_\_\_ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...68 WITNESS my hand this .....l8th... day of ......January STATE ENGINEER office of the State Engineer at Salem, Oregon This instrument was first received in APPROPRIATE THE GROUND Application No. G- 339 January 18, 1967 WATERS OF THE STATE Ground Water Permits on page o'clock Drainage Basin No. 1.10 Recorded in book No. r. Returned to applicant. 00:1 Permit No. at Approved.

َ فِي