

Permit No. G- G 3126

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Thomas H. De Armond
(Name of applicant)
of Rt #1 Hubbard Ore Box 345 county of Marion
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Mill Creek
(Name of stream)

tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is 1.52 cubic
feet per second or 784 gallons per minute.

3. The use to which the water is to be applied is Grass for seed

4. The well or other source is located 1070 ft. N and W ft. from the
(N. or S.) (E. or W.)
corner of Sec 29
(Section or subdivision)
N. 56° W 1070' From the SE corner of Sec. 29
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of SE 1/4 of Sec. 29, Twp. 4 S, R. 1 W,
W. M., in the county of Marion

5. The Canal or pipe line to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 150 feet. It is estimated that 50
feet of the well will require welded 1 1/2" casing Depth to water table is estimated 30
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3196

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10" Turbine

Give horsepower and type of motor or engine to be used 50 Horsepower electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 1 Mile West of Hubbard, Ore.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	R. 1 W.	28, 29, 32 & 33		Approx. 140

See attached Map.

Number of acres to be irrigated in each quarter quarter Sec.

14 A	SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 29
7.2 A	SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 28
40 A	SE $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Sec. 29
37.8 A	SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec. 28
24.3 A	NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 32
4.2 A	NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 33
14.6 A	NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 32

(If more space required, attach separate sheet)

Character of soil Silty Clay Loam


Kind of crops raised Grass seed & Grain

MUNICIPAL SUPPLY—

13. To supply the city of **G 3196**
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 14,000
15. Construction work will begin on or before Jan 7, 1966
16. Construction work will be completed on or before Feb. 4, 1966
17. The water will be completely applied to the proposed use on or before June 1, 1966
18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.


(Signature of applicant)


Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 16, 1966.

WITNESS my hand this 14th day of March, 1966.


STATE ENGINEER
SALEM, OREGON
By Chris L. Wheeler STATE ENGINEER
Jerry W. Brown ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.52..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isMarch 4, 1966.....

Actual construction work shall begin on or beforeJanuary 18, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this18th.... day ofJanuary....., 1967.....

STATE ENGINEER

Application No. G-3407

Permit No. G-3196

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of March
1966, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. of

Ground Water Permits on page G 3196

STATE ENGINEER

Drainage Basin No. 2 page 970

42765