

## Permit No. G- G 3204

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Marvin Retterath (Name of applicant)	
of Merrill (0.8575) , county of Klamath ,	
state ofOragon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	,
1. Give name of nearest stream to which the well, tunnel or other source of water development is	
situated	
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or400 gallons per minute.	
3. The use to which the water is to be applied issprinkler_irrigation_and_stock	
water.	
4. The well or other source is located ft and ft ft from the	
corner of	
1885 feet North of said So. sec. line - 525 ft east of said w. sec. line - 525 ft east	ine
being within the NW 1/4 SW 1/4 of Sec. 32 Twp. 40.5 R. 11.6.	
W. M., in the county ofKlamath	
5. The	
in length, terminating in the of Sec Twp,	
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is	
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.	•
	v.
8. The development will consist of	
diameter of8 inches and an estimated depth of210 feet. It is estimated that20	
feet of the well will require steel casing. Depth to water table is estimated4	
	•

	2001
G	3204

IAL SYSTE	M OR PIPE LINE	_		G 3204
	•		nal where materially change	ed in size, stating miles from
dgate. At hed	adgate: width on top	p (at water line	2)	feet; width on bottom
	feet; depth of w	ater	feet; grade	feet fall per one
ısand feet.				
(b) At	mile	es from headgo	ite: width on top (at water	line)
	feet; width on b	oottom	feet; depth of wo	ater feet;
de	feet fall p	er one thousan	d feet.	
(c) Lengt	h of pipe,	ft.; s	ize at intake i	n.; in size at ft.
m intake	in.; si	ze at place of ı	use in.; diffe	erence in elevation between
ake and place	of us <b>e,</b>	ft. Is	grade uniform?	Estimated capacity,
_	sec. ft.			
10. If pun	nps are to be used, g	jive size and tyj	o <b>e</b>	
	•		•	
Give horse	epower and type of	motor or engin	re to be used10HPe	lectric can incre
to 15or	20 HP when me	ore ground	is cleared	
11. If the atural stream	location of the well or stream channel	l, give the dista	nce to the nearest point or	n each of such channels and
11. If the atural stream difference in	location of the well to or stream channel televation between From G.3. ap	the stream bed	nce to the nearest point on and the ground surface a	
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	the stream bed the stream bed opened. 45 ft	ence to the nearest point on and the ground surface a su	n each of such channels and t the source of development  Number Acres
11. If the atural stream difference in 1300 R.	location of the well to or stream channel televation between Fram G.3	rigated, or place	nce to the nearest point on and the ground surface a	n each of such channels and t the source of development
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	n each of such channels and t the source of development  Number Acres
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	n each of such channels and t the source of development  Number Acres
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated
11. If the atural stream difference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated  1.5.0
11. If the natural stream edifference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated  1.5.0
11. If the natural stream edifference in 1300 ft.	location of the well to or stream channel televation between Fram G.3	rigated, or place	ence to the nearest point on and the ground surface a su	Number Acres To Be Irrigated  1.5.0

By COM WHEELER STATE ENGINEER

Larry W. Jebousek, ASSISTANT

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceedO.19 cubic feet per second measured at the point of diversion from the well
or source of appropriation, or its equivalent in case of rotation with other water users, froma.well
The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to
or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed $2\frac{1}{2}$
acre feet per acre for each acre irrigated during the irrigation season of each year;
·
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit isMarch 14, 1966
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68
Complete application of the water to the proposed use shall be made on or before October 1, 19.69
WITNESS my hand this 18th day of January ,1967
STATE ENGINEER

CHAIS I HATE ENGINEE

Drainage Basin No. 1.4... page 3.6...

Application No. G-34/1

Permit No. G-..

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

office of the State Engineer at Salem, Orego This instrument was first received in t

on the 14th, day of Mach

1966, at 8:00 o'clock A M.

Returned to applicant:

Approved:

January 18, 1967 Recorded in book No. .....

Ground Water Permits on page