APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Charles A. Crane (Name of applicant)
of Route 1, Box 65-C, Jacksonville, , county of Jackson (Postoffice Address)
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Applegate River (Name of stream)
tributary of Rogue River
2. The amount of water which the applicant intends to apply to beneficial use isQ.QQ. cubic feet per second or gallons per minute.
3. The use to which the water is to be applied isirrigation.
4. The well or other source is located 1540 ft. S. and 361 ft. E. from the NE
corner of DLC 39 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(in presentation, gave distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the Gov. Lot 2 (NWW SWY) of Sec. 29 , Twp. 38 S., R. 3 W.
W. M., in the county ofJackson.
5. Thepipeline to be900 feet
in length, terminating in the Gov. Lot 2 (NW/4 SW/4) of Sec. 29, Twp. 38 S., (Smallest legal subdivision)
R3, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Crane Well #1.
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of One_well having a
diameter of
feet of the well will requiresteel casing. Depth to water table is estimated

	OR PIPE LINE dimensions at ec		inal where materially changed	G 3208 in size, stating miles from
dgate. At head	gate: width on to	p (at water lin	re)	feet; width on botton
f	eet; depth of wat	ter	feet; grade	feet fall per on
usand feet.				
(b) At	mi	les from head	gate: width on top (at water lir	ге)
	. feet; width on l	bottom	feet; depth of water	r feet
de	feet fall p	per one thousar	nd feet.	
(c) Length	of pipe,9)00 ft.; s	ize at intake,3 in.;	in size at f
m intake	in.; s	size at place of	usein.; diffe	rence in elevation betwee
ake and place of	f use, <u>+</u> 1	O ft. I	s grade uniform?	Yes. Estimated capacit
0.15	. sec. ft.			
10. If pump	s are to be used,	give size and t	ype 1½" suction x 2"	discharge.
entrifugal	·A			
Give horsep	ower and type of	motor or engi	ne to be used 2 H.P. el	ectric motor.
cural stream or e difference in e	stream channel elevation between feet from t	, give the dis the stream be the main o	her development work is less to tance to the nearest point on ed and the ground surface at thannel of the Applemated to be 20 or 25	each of such channels an the source of developmen gate River. The
cural stream or difference in e	cation of the well stream channel elevation between feet from to elevation	, give the dis the stream be the main c n is estim	tance to the nearest point on ed and the ground surface at hannel of the Apple	each of such channels an the source of developments gate River. The feet.
cural stream or edifference in e	ocation of the well stream channel elevation between feet from to elevation	, give the dis the stream be the main c n is estim	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25	each of such channels an the source of development gate River. The feet.
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distributed the stream better the main of t	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels are the source of development gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels and the source of developments gate. River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels an the source of development gate River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels an the source of development gate River. The feet. Number Acres To Be Irrigated
cural stream or difference in each of the difference in the differ	cation of the well stream channel elevation between feet from to elevation	, give the distribute the stream better the main of th	tance to the nearest point on ed and the ground surface at hannel of the Apple nated to be 20 or 25 ce of use	each of such channels an the source of development gate River. The feet. Number Acres To Be Irrigated

Kind of crops raisedlawn, garden, and pasture

MUNICIPAL SUPPLY—	G 3208
13. To supply the city of	COAO D
in county, havin	ng a present population of
and an estimated population of	in 19
	14, 15, 16, 17 AND 18 IN ALL CASES
	e e e e e e e e e e e e e e e e e e e
14. Estimated cost of proposed works,	
15. Construction work will begin on or	beforeyear from date of priority
16. Construction work will be complete	ed on or beforeOctober 1, 1968.
17. The water will be completely appli	ed to the proposed use on or beforeOctoberl., 1969
18. If the ground water supply is supcation for permit, permit, certificate or adj	oplemental to an existing water supply, identify any appli judicated right to appropriate water, made or held by the
applicant.	
	Charles a. L. Lucue_
	(Signature of applicant)
Remarks:	
<u></u>	
······································	
STATE OF OREGON, ss.	
County of Marion,	•
	ed the foregoing application, together with the accompanyin
maps and data, and return the same for	······································
	No
In order to retain its priority, this app	plication must be returned to the State Engineer, with correc
tions on or before	
•	
WITNESS my hand this day	y of, 19, 19
	STATE ENGINEER
	7 0
	By

M

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

UBJECT TO EXISTING I	RIGHTS and the following un	nitations and conditions:
The right herein gran	ited is limited to the amount o	of water which can be applied to beneficial use and
all not exceed 0.08	cubic feet per second n	neasured at the point of diversion from the well or
urce of appropriation, or i	ts equivalent in case of rotation	on with other water users, from <u>a Well</u>
The use to which thi	s water is to be applied isi	rrigation
If for irrigation, this	appropriation shall be limited	to 1/80th of one cubic foot per second
its equivalent for each a	cre irrigated and shall be fur	ther limited to a diversion of not to exceed2½
ere feet per acre for each	acre irrigated during the irri	igation season of each year;
	`	
The works construct ne, adequate to determin The permittee shall is tep a complete record of the The priority date of the Actual construction to the reafter be prosecuted to Complete application	ed shall include an air line a e water level elevation in the install and maintain a weir, near the amount of ground water this permit is	meter, or other suitable measuring device, and shall withdrawn. March 17, 1966 January 18, 1968 and shall d be completed on or before October 1, 1968 luse shall be made on or before October 1, 1969
WITNESS my hand	this18th day ofJa	nuary ,1967
		STATE ENGINEER
PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	his instrument was first received in the e of the State Engineer at Salem, Oregon, re 17th day of Mach 6, at 2.00 o'clock M. Trued to applicant:	of of others