

RECEIVED
MAY 17 1966
DEPARTMENT OF
MINE REVENUE

CERTIFICATE NO. 41656

Permit No. G- G 3209

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Donald Hector (Name of applicant)

of Route 1, Box 390, Corvallis, county of Benton (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lower Kiger Island Slough (Willamette) (Name of stream)

tributary of Columbia

2. The amount of water which the applicant intends to apply to beneficial use is 1.90 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1394.3 ft. S and 891.9 ft. E from the NW corner of Ira Hunter DLC #43 (corner in the Y of county road) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 8, Twp. 11S, R. 4W, W. M., in the county of Benton

5. The portable pipe line to be variable xix length, terminating in the areas described on map of Sec. 8 & 9, Twp. 11S, R. 4W, W. M., the proposed location being shown throughout on the accompanying map. (Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a diameter of 10 inches and an estimated depth of 37 feet. It is estimated that all feet of the well will require steel casing. Depth to water table is estimated 23 well has 24' of steel casing at the bottom of a 13' concrete pit. (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3209

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe ^{all pipeline portable 6" & 5" mains; 3" laterals} ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between westerly one-half of land on bench approximately 30' above river bottom land intake and place of use, ft. Is grade uniform? Estimated capacity, ⁶⁰⁰ 1000 gpm sec. ft.

10. If pumps are to be used, give size and type turbine

Give horsepower and type of motor or engine to be used 25 hp 3 phase electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11S	4W	8	SE $\frac{1}{4}$ SE $\frac{1}{4}$	22.0
11S	4W	8	NE $\frac{1}{4}$ SE $\frac{1}{4}$	33.0
11S	4W	8	NW $\frac{1}{4}$ SE $\frac{1}{4}$	26.0
11S	4W	8	SW $\frac{1}{4}$ SE $\frac{1}{4}$	0.5
11S	4W	8	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
11S	4W	8	SW $\frac{1}{4}$ NE $\frac{1}{4}$	1.0
11S	4W	8	SE $\frac{1}{4}$ NE $\frac{1}{4}$	16.0
11S	4W	9	SW $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
11S	4W	9	NW $\frac{1}{4}$ SW $\frac{1}{4}$	37.0
11S	4W	9	SW $\frac{1}{4}$ NW $\frac{1}{4}$	12.5
				151.0

(If more space required, attach separate sheet)

Character of soil silt loam

Kind of crops raised horticulture, forage, seed

MUNICIPAL SUPPLY—

G 3209

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$12,000.....

15. Construction work will begin on or beforecomplete.....

16. Construction work will be completed on or beforecomplete.....

17. The water will be completely applied to the proposed use on or before1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Signature of applicant

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.89..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ..a well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to ..1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ..2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year; ..

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isMarch 18, 1966.....

Actual construction work shall begin on or beforeJanuary 18, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this18th..... day ofJanuary....., 1967

Charles L. Wheeler
STATE ENGINEER

Application No. G-3423
Permit No. G-3209

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18th day of March
1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. of

Ground Water Permits on page G-3209

CHARLES L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 97D

State Printing
7-28-65