

Permit No. G- G 3213

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, NELSON C. & HOWARD O. TRIBBETT (dba TRIBBETT & SON) of ALB WINDOSKI ST NEWBERG, county of YAMHILL, state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation NONE

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated MISSION CREEK tributary of WILLAMETTE WELLS 142

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1200 gallons per minute #1 - 400 GPM #2 - 800 GPM

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located WELL #1 N80°E - 3580' WELL #2 N51°10'E - 1980' ft. and ft. from the NE corner of D.L.C. # 97 T.4S. R.2W W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the WELL #1 SW 1/4 WELL #2 SE 1/4 NW 1/4 of Sec. 8, Twp. 4S, R. 2W, W. M., in the county of MARION

5. The PORTABLE (Canal or pipe line) to be miles in length, terminating in the of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is # 1 & # 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 - WELLS having a diameter of #1 - 8 #2 - 12 inches and an estimated depth of #1 - 171 #2 - 206 feet. It is estimated that #1 - 24' #2 - 20' feet of the well will require STEEL casing. Depth to water table is estimated #1 - 24' #2 - 20' WELL #1 - 400 GPM WELL #2 - 800 - 900 GPM

CANAL SYSTEM OR PIPE LINE— PORTABLE

G 3213

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type TURBINE - ELECTRIC.

Give horsepower and type of motor or engine to be used #1 - 30 HP #2 - 50 HP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
745	2W	5	SW ⁴ SE ⁴	13	WELL #1 & 2 1.3
45	2W	5	SE ⁴ SW ⁴	24	24.0
45	2W	5	SW ⁴ SW ⁴	22	22.6
45	2W	5	NW ⁴ SW ⁴	9	9.1
45	2W	6	NE ⁴ SE ⁴	4	4.0
45	2W	6	SE ⁴ SE ⁴	0	0.9
45	2W	8	NE ⁴ NE ⁴	4	4.0
45	2W	8	NW ⁴ NE ⁴	29	27.6 2.0
45	2W	8	NE ⁴ NW ⁴	12	3.5 8.5
45	2W	8	SW ⁴ NE ⁴	8	8.1
45	2W	8	SE ⁴ NE ⁴	4	4.2
			TOTAL	119	47.4 72.4

(If more space required, attach separate sheet)

119.8

Character of soil SILT LOAM

Kind of crops raised ROW CROP & PASTURE

MUNICIPAL SUPPLY—

G 3213

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 10,000.00

15. Construction work will begin on or before 7-1-67

16. Construction work will be completed on or before 10-1-68

17. The water will be completely applied to the proposed use on or before 10-1-69

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

TRIBBETT & SON
x [Signature]
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 13, 1966, August 22, 66

WITNESS my hand this 11th day of April, 1966, 22nd June 66

RECEIVED JUN 22 1966 STATE ENGINEER TRIBBETT & SON

CHRIS L. WHEELER STATE ENGINEER
Larry C. DeWalt ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 0.59 cfs from well #1 and 0.91 cfs from well #2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 22, 1966

Actual construction work shall begin on or before January 18, 1968 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 18th day of January, 1967

[Signature]

STATE ENGINEER

PC

Application No. G-3427
Permit No. G-3213

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of March, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. of

Ground Water Permits on page G-3213

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 9701

State Printing

97650