

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Thurman L. Turner (Name of applicant) of Rt. #1 Box 550 Klamath Falls, county of Klamath state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sycan River 1 3/4 miles West, flows into Sprague River tributary of Sprague

2. The amount of water which the applicant intends to apply to beneficial use is 1.75 cubic feet per second or 1200 gallons per minute.

3. The use to which the water is to be applied is Irrigated pasture & Hay

4. The well or other source is located 1740 ft. N and 20 ft. W from the SW corner of Section 23 T.35S R.12E 1/4 mile West of section corner of 23, 24, 25 & 26 N43°W 2182'

being within the NW 1/4 SE 1/4 of Sec. 23, Twp. 35 S, R. 12 E, W. M., in the county of Klamath

5. The canal to be 3 miles in length, terminating in the SE 1/4 - SW 1/4 of Sec. 23, Twp. 35 S, R. 12 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a diameter of 8" 16" to 140' inches and an estimated depth of 1000 feet. It is estimated that 45 feet of the well will require 16" x 1/4" casing. Depth to water table is estimated 19' 140' is reamed to 16" balance to 1,000' is 8"

CANAL SYSTEM OR PIPE LINE—

G 3217

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom V ditch feet; depth of water (18") 1 1/2 feet; grade ~~FB~~ 2 feet fall per one thousand feet.

(b) At 3/4 miles from headgate: width on top (at water line) 3 feet; width on bottom V Bottom feet; depth of water 1 1/2 feet; grade 2 feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? ~~FB~~ Y.E.S. Estimated capacity, 1.75 sec. ft.

10. If pumps are to be used, give size and type 2 stage 8" column 10" bowl

Give horsepower and type of motor or engine to be used 20 horse power electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use E 1/2 SW 1/4 W 1/2 SE 1/4

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S	12 E	23		140
<u>160 acres less 20 Acres above ditch or out for road</u>				
<u>30 acres in NE 1/4 SW 1/4</u>				
<u>30 " " NW 1/4 SE 1/4</u>				
<u>40 " " SE 1/4 SW 1/4</u>				
<u>40 " " SW 1/4 SE 1/4</u>				

(If more space required, attach separate sheet)

Character of soil Sandy loam

Kind of crops raised Pasture & Hay

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.75..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isMarch 25, 1966.....

Actual construction work shall begin on or beforeJanuary 18, 1968..... and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968 ^{Extended to Oct. 1 1971}

Complete application of the water to the proposed use shall be made on or before October 1, 1969...

WITNESS my hand this ...18th... day ofJanuary....., 1967 ^{Extended to Oct. 1 1971}

Chris L. Wheeler

STATE ENGINEER

Application No. G- 3421
Permit No. G- C 3217

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of March
1966, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. of

Ground Water Permits on page C 3217

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1A page 36