

RECEIVED
JUL 5 1966
STATE ENGINEER
SALEM OREGON

RECEIVED
JUL 18 1966
STATE ENGINEER
SALEM OREGON

G 3220

Permit No. G.....

APPLICATION FOR A PERMIT

CERTIFICATE NO. 35570

To appropriate the Ground Waters of the State of Oregon

I, Harold or Ruth I. Davis and Fred Brougher and Dorothy Brougher
(Name of applicant)
of 6265 River Road Junction City, county of Lane
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River 1 mile
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 198 ft. S and 496 ft. W from the N.E. corner of Section 27
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 of Sec. 22&27, Twp. 16 South, R. 4 West, W. M., in the county of Lane

5. The main 4" line 413' and lateral 3"-1100' to be miles
(Canal or pipe line)
in length, terminating in the 10 + acres of Sec. 22&27, Twp. 16 South, R. 4 West, W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Well no. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One well having a diameter of 4" inches and an estimated depth of 25 feet. It is estimated that 25 feet of the well will require iron casing. Depth to water table is estimated 12'
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3220

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 413' of 4' line feet; width on bottom 4" feet; depth of water 12' feet; grade almost level feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 22 ft.; size at intake, 4" in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, level ft. Is grade uniform? yes Estimated capacity, 300 gal ~~per hr~~

10. If pumps are to be used, give size and type 4" intake 3" outlet
Jacuzzi Centrifugal Pump

Give horsepower and type of motor or engine to be used U. S. 10 horse electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use 10 acres more or less

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16S	4W	27	NE 1/4 - NE 1/4	6
16S	4W	22	SE 1/4 - SE 1/4	4
			<u>Hr 8-29-66</u>	

(If more space required, attach separate sheet)

Character of soil River bottom
Kind of crops raised Mint and Dill

MUNICIPAL SUPPLY—

G 3220

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

14. Estimated cost of proposed works, \$ 108.00.....

15. Construction work will begin on or before April 26, 1966.....

16. Construction work will be completed on or before May 2, 1966.....

17. The water will be completely applied to the proposed use on or before May 2, 1966.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. GR1261.....

Harold J. Davis Ruth J. Davis
Dorothy Braugher Fred Braugher
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

RECEIVED
1966

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ~~correction and completion~~ correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 6th, 1966, or July 13th, 1966, or August 8th, 1966, or October 4th, 1966.

WITNESS my hand this 6th day of April, 1966.

13th May 66

8th June 66

4th August 66

CHRIS L. WHEELER
STATE ENGINEER

By Larry W. Jebousek

STATE ENGINEER
1966

RECEIVED
1966

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.13..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to 1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 29, 1966.....

Actual construction work shall begin on or before January 18, 1968..... and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this 18th..... day of January....., 1967.....

Chris L. Wheeler
STATE ENGINEER

Application No. G-3435
Permit No. G-3220

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of March
1966, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

January 18, 1967
Recorded in book No. of
Ground Water Permits on page G-3220

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 27D1.

915