

RECEIVED
FEB 11 1966

STATE ENGINEER
DIVISION

ASSIGNED, See Misc. Res., Vol. 5 Page 609

Permit No. G-G 3230

48981

APPLICATION FOR A PERMIT CERTIFICATE NO. ~~48981~~

To Appropriate the Ground Waters of the State of Oregon

I, LAMB-WESTON, INC.
(Name of applicant)

of Box 109, Weston, Oregon, county of Umatilla
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

July 3, 1950 at Weston, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pine Creek
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 2500 gallons per minute.

3. The use to which the water is to be applied is Industrial

4. The well or other source is located 20 ft. S and 650 ft. W. from the S.E. corner of N.E. 1/4 of the N.W. 1/4
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 of the N.W. 1/4 of Sec. 35, Twp. 4N, R. 35 E., W. M., in the county of Umatilla

5. The Pipe Line to be 2.65 miles
(Canal or pipe line)
in length, terminating in the S.E. 1/4 of the S.W. 1/4 of Sec. 15, Twp. 4 N., R. 35 E., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision)

6. The name of the well or other works is Lamb-Weston #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

The well will be cased with 24" casing to the first good bedrock strata, and if an artesian flow is encountered, will be capped and valved.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 20 to 8 inches and an estimated depth of 800 feet. It is estimated that 500 feet of the well will require steel casing. Depth to water table is estimated 250
(Kind) (Feet)
Maximum depth 370 feet unless geological fault is present to raise the water level.

CANAL SYSTEM OR PIPE LINE—

G 3230

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of waterfeet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe,14,000..... ft.; size at intake12..... in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use,230..... ft. Is grade uniform? reasonably..... Estimated capacity, 2500 gal/min. ~~xxx~~ ft.

10. If pumps are to be used, give size and typeto be determined later.....

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

100 feet North of Pine Creek and 20 feet above in elevation

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>4N</u>	<u>35E</u>	<u>15</u>	<u>SE 1/4 SW 1/4</u>	<u>Industrial</u>
		<u>22</u>	<u>NE 1/4 NW 1/4</u>	<u>"</u>

(if more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

G 3230

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 135,000.00.....

15. Construction work will begin on or before February 10, 1966.....

16. Construction work will be completed on or before December 15, 1966.....

17. The water will be completely applied to the proposed use on or before July, 1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Lamb-Weston Well #1 Application U-182 Permit U-171

Lamb-Weston Well #2 Application U-213 Permit U-193

by [Signature] (Signature of applicant) Vice Pres.

Remarks:

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 25th, 1966..

WITNESS my hand this 23rd day of February, 1966.

RECEIVED APR 5 1966 STATE ENGINEER FALLS OREGON CHRIS L. WHEELER STATE ENGINEER [Signature] ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.6 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is food processing plant

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 14, 1966

Actual construction work shall begin on or before January 18, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 18th day of January, 1967

[Signature]

STATE ENGINEER

Application No. G-3382

Permit No. G-G 3230

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of February, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1967

Recorded in book No. _____ of G 3230 Ground Water Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 56

430