

Permit No. G- G 3237

APPLICATION FOR A PERMIT

CERTIFICATE NO. 3587 L

To Appropriate the Ground Waters of the State of Oregon

The United States of America, represented by I, Department of the Army, Portland District, Corps of Engineers (Name of applicant) of 628 Pittock Block, Portland (Postoffice Address), county of Multnomah

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cottage Grove Reservoir (Coast Fork of Willamette River) (Name of stream) tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.11 cubic feet per second or 50 gallons per minute.

3. The use to which the water is to be applied is Recreational development facilities for Pine Meadows Campsite

4. The well or other source is located Approx. 3782 ft. N and 1613 ft. W from the SE corner of Section 33, Township 21 South, Range 3 West., W.M., State Coordinates (Section or subdivision) N 752,497 and E 1,325,150 (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW 1/4 of the NE 1/4 of Sec. 33, Twp. 21S, R. 3W W. M., in the county of Lane

5. The Pipe line (Canal or pipe line) to be 1000 ft. miles in length, terminating in the Recreation Area (Smallest legal subdivision) of Sec. of Twp. R. W.M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Pine Meadows Water Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One well (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 100 feet. It is estimated that 100 feet of the well will require 6" I.D. steel (Kind) casing. Depth to water table is estimated 30 to 50 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3237

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Submerged pump
 "deep well" 30 gpm
 Give horsepower and type of motor or engine to be used electrical
 7½ h.p. max.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
 Approx. 80 feet from Cottage Grove Reservoir at Maximum Conservation Pool Elevation 790.
 Well will be at approximately 800 feet Elev.

12. Location of area to be irrigated, or place of use No irrigation

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 21 S.	R. 3 W.	33	SW ¼ NE ¼	

(If more space required, attach separate sheet)

Character of soil
 Kind of crops raised None

MUNICIPAL SUPPLY—

G 3237

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 8000 (including well, pump & distribution)

15. Construction work will begin on or before 1 Sep 66

16. Construction work will be completed on or before 1 Dec 66

17. The water will be completely applied to the proposed use on or before 1 Jan 67

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

UNITED STATES OF AMERICA

By [Signature] W. J. KEENE, (Signature of applicant) Chief, Real Estate Div. U. S. Army Engineer District, Portland.

Remarks:

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 16, 19 66..

WITNESS my hand this 16th day of June, 19 66.

CHRIS L. WHEELER STATE ENGINEER
JUL 7 1966
STATE ENGINEER By [Signature] ASSISTANT
SALEM OREGON

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is Pine Meadow campsite use

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 13, 1966

Actual construction work shall begin on or before February 7, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 7th day of February, 1967

Chris L. Wheeler

STATE ENGINEER

Application No. G-3539

Permit No. G-3237

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of June, 1966 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 7, 1967

Recorded in book No. _____ of G 3237 Ground Water Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 9103

State Printing

520