

Permit No. G-...G....3240...

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I,	Harbor Rural Water (Name of applic	District	
P. O. Box	289, Harbor, Oregon	, county of	Curry ,
•	office Address)		• • •
	on do hereby		
nowing aescribea groun	id waters of the state of Oregor	, SUBJECT TO EXISTIN	G RIGHTS:
	corporation, give date and place	•	
December 1964	, Curry County, Oregon		
	earest stream to which the well	•	-
tuated	Chetco River (Name	e of stream)	
		tributary of	<b></b>
	water which the applicant inter	rds to apply to beneficial u	se is3.5 cubic
3. The use to whic	h the water is to be applied is	Domestic Water Su	pply
	r source is located869.7 ft		
orner ofSec.	34. T. 40 S. R. 13 W. (Section	W. M. (see rema or subdivision)	rka )
***************************************	(If preferable, give distance and be	aring to section corner)	******************************
(If t	here is more than one well, each must be descr	ibed. Use separate sheet if necessary)	*
eing within theSW.	. 1 of the S. W. 1	of Sec34, Twp	40 S., R. 13 W.,
.M., in the county of	Curry County		
5. The	Pipe Line (Canal or pipe line)	to be	2.3 miles
length, terminating in	the NW of the S.E. (Smallest legal subdivis	of Sec	5 , Twp. 41 S.,
	proposed location being shown		
			•
6. The name of the	well or other works is	Cherco River in	<u>take</u>
<u>.</u>	DESCRIPTION C	F WORKS	
7. If the flow to be upply when not in use m	utilized is artesian, the works t	o be used for the control a	nd conservation of the
			•
•••••••			
•	• 1	•	
	2 each V		Perforate
· •	nt will consist of 2 each V	live number of wells, tunnels, etc.)	•
iameter of16	inches and an estimated double	of 40 feet. It is	estimated that 40
	inches and an estimated depth	, , , , , , , , , , , , , , , , , , , ,	
• -	ire Steel casin	g. Depth to water table is	estimated 4 (Feet)



## STATE ENGINEER

			الاستاسالان ال	<b>—</b> • • • • • • • • • • • • • • • • • • •
Township N. or S.	Range E. or W. of W.M.	Section	Porty Acre Tract	Number of Acres To Be Irrigated
	,			
		•	n.w.1n.w.1	None
T41S	R13W	4	S.W. 4N.W. 4	**
				. 11
			$N.E. \frac{1}{4}N.W. \frac{1}{4}$	**
		•	8.E. 1N.W. 1	••
			N.W. 4S.W. 4	••
			s.w. <del>]</del> s.w. <del>]</del>	11
•			N.E. 48.W. 4	
			S.E. 4S.W. 4	
			S.W.4S.E.4	•
	R13W	5	$S.W.\frac{1}{4}N.E.\frac{1}{4}$	•
T41S	RISW	-	$N.E.\frac{1}{4}N.B.\frac{1}{4}$	••
			S.E. 1N.E. 1	11
	· •		N.W. 18.E. 1	•
			S.W. 18.E. 1	**
			N.E. 18.E. 1	** .
		•	S.E. 4S.E. 4	••
			5.E. 45.C.4	
	R13W	8	$N.W.\frac{1}{4}N.E.\frac{1}{4}$	11
T41S	KISW	•	S.W. 1N.E. 1	••
			N.E. 1N.E. 1	**
		•	S.E. 4N.E. 4	••
			N.E. 4S.E. 4	••
1	•		N. D. 40 . Z . 4	
<b>T41</b> S	R13W	9	n.w. <del>1</del> n.w. <del>1</del>	
1415	, K13#	V	s.w.4n.w.4	••
			$N.E.\frac{1}{4}N.W.\frac{1}{4}$	**
and the second second	HARLING FOR STATE STATE STATE	agregie sig -aaree e	S.E. 4N.W. 4	• • • • • • • • • • • • • • • • • • •
•		,	N.W. 18.W. 1	. •••
	•		$N.E.\frac{1}{4}S.W.\frac{1}{4}$	11
			N.W. 1N.E. 1	11
			S.W. 1N. E. 1	••
			· □•π•4¤•≈•4	

a	Curry		untu. h	wina a nr	esent non	ulation	of 17	<b>'</b> 00	
	timated popula								* * * * * * * * * * * * * * * * * * *
بند بند						٠			. •
*				NS 14, 15, 1			ALL CASES		
14.	Estimated 'cos	t of propo	sed wor	ks, \$400	0,000	*****	* 5 .	<b>70</b> 76	
€_15.	Construction 1	vork will	begin on	or before	Jun	e 1966		****************	
16.	Construction v	work will	be comp	leted on or	before		January	967	************
17.	The water wil	l be comp	letely ap	plied to th	e propo <b>s</b> e	d use on	or before	Janua	ry 1967
tion for	If the ground permit, perm	iit, certifi	cate or	adjudicate	ed right t	o appro	g water su priate wat	pply, ident er, made o	ify any appl r held by th
plicant.	***************************************	**************		4484888888888888	********		*************	· 	
••••••		······································			HARI	BOR RUF	AL WATER	DISTRICT	
D		a datale	o Wall			-	(Signature of	applicant)	
	narks:Theersion; whi						-		
			••••••••••						
of	Section 34,	.I.41S.,.	.R1.3W.,	, W.M.	<b>6</b> - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	*************			***************************************
		**************	•••••	*************	B	***********			
***********		***************		************	***********				
*********				:	<b></b>	********		***************************************	
		*	1,784,42	Total	**	***********	*		**************
		•			,		•••		
				**************	•				
	***************************************		•••••••••••		• • • • • • • • • • • • • • • • • • • •				
						***********	******************	*	
				*************	• •••••••	••••••	5246224244444444		,,
	••••••								
			************	***************************************			••••		
ጥልጥፑ (	OF OREGON,				. ·				
	y of Marion,	ss.		•					
		45 m4 7 5 m		:	<b>.</b>	Albuman dunin	our tailtheas		
	is is to certify			•				er wiin ine	иссопіранун
aps and	data, and retu	irn the sai	ne for			**********	•••••		*****************
************				***************	•	**********	•••••••••••		
In	order to retain	its prior	ity, this	application	n must be	returne	d to the St	ate Engine	er, with corre
ons on c	or before		**********	•••••	19	. *	early in the		
	•	•	na jihiti					$\mathcal{D}_{\mathcal{A}}(\mathcal{A},\mathcal{F}) = 1$	and the second
וער	TNESS my ha	nd this		dan of		• • • • • •		de de	19
77 1	= www my mu	VIPPO	************	Tag VJ					40
				A Comment					

CA	N	AΤ	SYST	TEM	OR.	PIPE	LINE-

***************************************	feet; depth of wa	ıter	feet; grade	feet fall per o
sand feet.		•		
(b) At	<i>m</i>	iles from heada	ate: width on top (at water l	ine)
			feet; depth of wate	• •
	feet fall ;			e,
			•	
			ize at intake,8in	
	va	ries	use8 & 6 in.; diff	
ke and place (	of use,1017	36.0 ft. Is	grade uniform?xarie	S Estimated capaci
<u>3.,5</u>	sec. ft.	Note: Addit high	ional pumping facilities level distribution system	es will be used to m tem.
10. If pum	ps are to be used,		pe2 each 10" Vertic	
<b>,</b>				
Give horse	power and type o	f motor or engir	re to be used2each50I	HP. 18° RPM, 240 Volt
cycle. 3 p	hase			•
			ier development work is less	
			ance to the nearest point on	
difference in	elevation between	n the stream be	d and the ground surface at	the source of developm
<i>au,,,</i> 0. 000				
••		9 %- 93		the Chates Dissess
The pu	mping.well'.will		on the river bank of	
The pu	mping.well'.will		on the river bank of seet above the stream be	
The pu	mping.well'.will		•	
The pu	mping.well wil	rimately 30-f	•	ed.
The pu	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping.well'.will bank is approx on of area to be in	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rimately 30-f	eet above the stream be	ed.
The pur River	mping well will bank is approx on of area to be in Range	rrigated, or place Section	eet above the stream be	ed.

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same

	T TO EXISTING RIGHTS and the following limitations and conditions:	
The	ne right herein granted is limited to the amount of water which can be applied to beneficial use and	
hall not e	exceed3-5 cubic feet per second measured at the point of diversion from the well or	
ource of	appropriation, or its equivalent in case of rotation with other water users, fromAWALL	
The	ne use to which this water is to be applied is domestic.	
If f	for irrigation, this appropriation shall be limited to of one cubic foot per second	
r its equ	uivalent for each acre irrigated and shall be further limited to a diversion of not to exceed	•
cre feet	per acre for each acre irrigated during the irrigation season of each year;	•
		•
The di	iversion point herein described is identical to that under permit No. 31365	•
nd. the	a total quantity of water withdrawn under this permit together with the quant	ity
nd <b>er</b> p	permit No. 31365 shall not exceed 3.5 cubic feet per second.	
*************		 
nd shall	l be subject to such reasonable rotation system as may be ordered by the proper state officer.	, to a
	ne well shall be cased as necessary in accordance with good practice and if the flow is artesian	,
he works The ne, adeq The	the well shall be cased as necessary in accordance with good practice and if the flow is artesian as shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.	1
ne works The ne, adeq The eep a co	es shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.	1
he works The ne, adeq The eep a co	es shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	
ne works The ne, adeq The eep a co The Act hereafte	es shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	
ne works The ne, adeq The eep a co The Act hereafte Stended to	s shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	
ne works The ne, adeq The eep a co The Act hereafte Stended to	is shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	
ne works The ne, adeq The eep a co The Act hereafte Stended to	s shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	
ne works The ne, adeq The eep a co The Act hereafte Stended to	s shall include proper capping and control valve to prevent the waste of ground water.  The works constructed shall include an air line and pressure gauge or an access port for measuring quate to determine water level elevation in the well at all times.  The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall complete record of the amount of ground water withdrawn.  The priority date of this permit is	