

To Appropriate the Ground Waters of the State of Oregon

I, G. L. Deble & Sons (Name of applicant)
 of Westfall (Postoffice Address), county of Molhuver,
 state of Oregon, do hereby make application for a permit to appropriate the
 following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
 situated (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic
 feet per second or 1.250 gallons per minute.

3. The use to which the water is to be applied is irrigation & suppl. irrigation

4. The well or other source is located 521° 08' E 1492 ft (N. or S.) and NW ft. (E. or W.)
 from the corner of Sec 23 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 23, Twp. 18S, R. 41E,
 W. M., in the county of Molhuver.

5. The See remarks (Canal or pipe line) to be _____ miles
 in length, terminating in the _____ of Sec. _____, Twp. _____,
 R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
 supply when not in use must be described.

Not free flowing.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a
 diameter of 20" - 500' inches and an estimated depth of 230 feet. It is estimated that 520
 feet of the well will require 20' steel (Kind) casing. Depth to water table is estimated 640 (Feet)
Static 110' 80' drawdown.

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 10" Western Land Roller Turbine

Give horsepower and type of motor or engine to be used 1.05 hp Diesel

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

100' S. of Dry Creek
8' diff elev

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Prim	Number Acres To Be Irrigated	Suppl
18S	41E	22	SE NE	17		3
			NE SE	6		26
			SW SE			19
			SE SE			30.5
		23	SW NW	19		
		25	NW SW	7		25
	NE NE				21.5	
			SW NE	12		19.5
	42E	30	SE NE	21		15.0
SW NW			7		30.0	
SE NW			5		29.5	
	42E		NW SW	34		
		NE SW	26		219.0	
		SW SW	15			
				169		
				219		
				<u>total 388</u>		

(If more space required, attach separate sheet)

Character of soil Silt loam

Kind of crops raised Hay Potatoes

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 12,000
- 15. Construction work will begin on or before Started
- 16. Construction work will be completed on or before July '67
- 17. The water will be completely applied to the proposed use on or before July '68

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Cert 6989 + 960 + 7055

Leonard J. Dale
(Signature of applicant)

Remarks: Land in Sec 22 will be irrigated by ditch on west side of area. Ditch will be extended to Bully Cr. in NE NW Sec 27 & water will be pumped from Creek in SENE Sec 25. Irrig in Sec 25 & 36 will be by portable sprinkler

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. and shall install measuring devices to measure the amount of water from the well delivered into and pumped from Bully Creek.

The priority date of this permit is January 28, 1966

Actual construction work shall begin on or before March 23, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 23rd day of March, 1967

Chris L. Wheeler

STATE ENGINEER

Application No. G- 3359
Permit No. G- G 3217

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 28 day of January,
1966, at 10:35 o'clock A. M.

Returned to applicant:

Approved:

March 23, 1967

Recorded in book No. _____ of
Ground Water Permits on page G 3217

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 12 page 40

\$ 39.90